

表 - 8.43(a) 潮岬 波高・周期別出現頻度統計 (2003年12月~2004年2月)

2003年12月~2004年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2		
		(0)	(0)	(113)	(424)	(273)	(113)	(42)	(17)	(8)	(1)	(2)	(6)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1089)	(1000)	合計	未超過
1201~		0	0	123	462	297	123	46	19	9	1	2	7	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
1101~1200		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
1001~1100		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
901~1000		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
801~900		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
701~800		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
651~700		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
601~650		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
551~600		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
501~550		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
451~500		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
401~450		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1087	1087	1087	1087	1087	1087
351~400		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1082	1082	1082	1082	1082	1082
301~350		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1080	1080	1080	1080	1080	1080
251~300		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1068	1068	1068	1068	1068	1068
201~250		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1050	1050	1050	1050	1050	1050
176~200		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1014	1014	1014	1014	1014	1014
151~175		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	980	980	980	980	980	980
126~150		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	917	917	917	917	917	917
101~125		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	825	825	825	825	825	825
76~100		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	673	673	673	673	673	673
51~75		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	451	451	451	451	451	451
26~50		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	87	87	87	87	87	87
~ 25		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	0	0	0	0	0	0
合計		0	0	123	462	297	123	46	19	9	1	2	7	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
未超過		0	0	123	462	297	123	46	19	9	1	2	7	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
(0.1%)		(0)	(0)	(113)	(424)	(273)	(113)	(42)	(17)	(8)	(1)	(2)	(6)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)

表 - 8.43(b) 潮岬 波高・周期別出現頻度統計 (2004年3月~2004年5月)

2004年3月~2004年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2		
		(0)	(0)	(113)	(424)	(273)	(113)	(42)	(17)	(8)	(1)	(2)	(6)	(2)	(2)	(1)	(3)	(995)	(3)			(995)	(3)	(995)	(3)	(995)
1201~		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
1101~1200		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
1001~1100		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
901~1000		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
801~900		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
701~800		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
651~700		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
601~650		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1103	1103	1103	1103	1103	1103
551~600		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1102	1102	1102	1102	1102	1102
501~550		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	999	999	999	999	999	999
451~500		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	998	998	998	998	998	998
401~450		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1098	1098	1098	1098	1098	1098
351~400		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1095	1095	1095	1095	1095	1095
301~350		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1089	1089	1089	1089	1089	1089
251~300		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1066	1066	1066	1066	1066	1066
201~250		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	1004	1004	1004	1004	1004	1004
176~200		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	918	918	918	918	918	918
151~175		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	866	866	866	866	866	866
126~150		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	795	795	795	795	795	795
101~125		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	666	666	666	666	666	666
76~100		0	0	113	424	273	113	42	17	8	1	2	6	0	0	0	0	0	0	0	494	494	494	494	494	494
51~75		0	0	113	424	273	113	42																		



表 - 8.43(e) 潮岬 波高・周期別出現頻度統計 (2004年 1月 ~ 2004年12月)

2004年 1月 ~ 2004年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1	補足 2			
																						合 計	未超過	合 計	未超過	
1201 ~																				0	4068		4068		0	4068
																				(0)	(1000)		(1000)		(0)	(1000)
1101 ~ 1200																				0	4068		4068		0	4068
																				(0)	(1000)		(1000)		(0)	(1000)
1001 ~ 1100															1					1	4068	1	4068	1	1	4068
															(0)					(0)	(1000)	(0)	(1000)	(0)	(0)	(1000)
901 ~ 1000																				0	4067		4067		0	4067
																				(0)	(1000)		(1000)		(0)	(1000)
801 ~ 900												1	1							2	4067	2	4067	2	2	4067
												(0)	(0)							(0)	(1000)	(0)	(1000)	(0)	(0)	(1000)
701 ~ 800											4	1	3	2						10	4065	10	4065	10	10	4065
											(1)	(0)	(1)	(0)						(2)	(999)	(2)	(999)	(2)	(2)	(999)
651 ~ 700													4							4	4055	4	4055	4	4	4055
													(1)							(1)	(997)	(1)	(997)	(1)	(1)	(997)
601 ~ 650									1	2	1	2	3							10	4051	10	4051	10	10	4051
									(0)	(0)	(0)	(0)	(1)							(2)	(996)	(2)	(996)	(2)	(2)	(996)
551 ~ 600									4	2	1	3	4	1						15	4041	15	4041	15	15	4041
									(1)	(0)	(0)	(1)	(1)	(0)						(4)	(993)	(4)	(993)	(4)	(4)	(993)
501 ~ 550								2	1	3	2	3		2						13	4026	13	4026	13	13	4026
								(0)	(0)	(1)	(0)	(1)		(0)						(3)	(990)	(3)	(990)	(3)	(3)	(990)
451 ~ 500						1	2	5	3	8	5	4	4							32	4013	32	4013	32	32	4013
						(0)	(0)	(1)	(1)	(2)	(1)	(1)	(1)	(1)						(8)	(986)	(8)	(986)	(8)	(8)	(986)
401 ~ 450						4	6	7	5	9	12	4	1							49	3981	49	3981	49	49	3981
						(1)	(1)	(2)	(1)	(2)	(3)	(1)	(0)	(1)						(12)	(979)	(12)	(979)	(12)	(12)	(979)
351 ~ 400					1	4	10	5	7	11	13	1	4							56	3932	56	3932	56	56	3932
					(0)	(1)	(2)	(1)	(2)	(3)	(3)	(0)	(1)							(14)	(967)	(14)	(967)	(14)	(14)	(967)
301 ~ 350					4	22	14	7	8	15	6	8	4	3						91	3876	91	3876	91	91	3876
					(1)	(5)	(3)	(2)	(2)	(4)	(1)	(2)	(1)	(1)						(22)	(953)	(22)	(953)	(22)	(22)	(953)
251 ~ 300				1	31	20	24	14	24	18	15	9	4	1						161	3785	161	3785	161	161	3785
				(0)	(8)	(5)	(6)	(3)	(6)	(4)	(4)	(2)	(1)	(0)						(40)	(930)	(40)	(930)	(40)	(40)	(930)
201 ~ 250				9	50	48	30	19	29	10	7	3	5							210	3624	210	3624	210	210	3624
				(2)	(12)	(12)	(7)	(5)	(7)	(2)	(2)	(1)	(1)							(52)	(891)	(52)	(891)	(52)	(52)	(891)
176 ~ 200				11	40	23	24	15	17	7	3	2	1							143	3414	143	3414	143	143	3414
				(3)	(10)	(6)	(6)	(4)	(4)	(2)	(1)	(0)	(0)							(35)	(839)	(35)	(839)	(35)	(35)	(839)
151 ~ 175			2	20	64	59	46	24	14	5	6									240	3271	240	3271	240	240	3271
			(0)	(5)	(16)	(15)	(11)	(6)	(3)	(1)	(1)									(59)	(804)	(59)	(804)	(59)	(59)	(804)
126 ~ 150			3	69	84	79	77	45	19	3										379	3031	379	3031	3031	3031	3031
			(1)	(17)	(21)	(19)	(19)	(11)	(5)	(1)										(93)	(745)	(93)	(745)	(93)	(93)	(745)
101 ~ 125			16	130	149	135	111	49	14	7	1									612	2652	612	2652	612	612	2652
			(4)	(32)	(37)	(33)	(27)	(12)	(3)	(2)	(0)									(150)	(652)	(150)	(652)	(150)	(150)	(652)
76 ~ 100			88	245	186	235	126	19	3	2	1									905	2040	905	2040	905	905	2040
			(22)	(60)	(46)	(58)	(31)	(5)	(1)	(0)	(0)									(222)	(501)	(222)	(501)	(222)	(222)	(501)
51 ~ 75			81	269	256	237	96	19	1											959	1135	959	1135	959	959	1135
			(20)	(66)	(63)	(58)	(24)	(5)	(0)											(236)	(279)	(236)	(279)	(236)	(236)	(279)
26 ~ 50			10	58	74	25	9													176	176	176	176	176	176	176
			(2)	(14)	(18)	(6)	(2)													(43)	(43)	(43)	(43)	(43)	(43)	(43)
~ 25																				0	0		0		0	0
																				(0)	(0)		(0)		(0)	(0)
合 計		0	0	200	812	939	892	577	234	151	103	79	46	28	7	0	0	0	0	4068		4068		4068		4068
(0.1%)		(0)	(0)	(49)	(200)	(231)	(219)	(142)	(58)	(37)	(25)	(19)	(11)	(7)	(2)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)		(1000)
未超過		0	0	200	1012	1951	2843	3420	3654	3805	3908	3987	4033	4061	4068	4068	4068	4068	4068							
(0.1%)		(0)	(0)	(49)	(249)	(480)	(699)	(841)	(898)	(935)	(961)	(980)	(991)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)							