

表 - 8.25(a) 苫小牧 波高・周期別出現頻度統計 (2003年12月~2004年2月)

2003年12月~2004年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 苫小牧

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過 (0.1%)	補足1		補足2	
																							合 計	未超過	合 計
1201~		0																		0	1092	0	1092	0	1092
1101~1200		0																		0	1092	0	1092	0	1092
1001~1100		0																		0	1092	0	1092	0	1092
901~1000		0																		0	1092	0	1092	0	1092
801~900		0																		0	1092	0	1092	0	1092
701~800		0																		0	1092	0	1092	0	1092
651~700		0																		0	1092	0	1092	0	1092
601~650		0																		0	1092	0	1092	0	1092
551~600		0																		0	1092	0	1092	0	1092
501~550		0																		0	1092	0	1092	0	1092
451~500		0																		0	1092	0	1092	0	1092
401~450											3									3	1092	3	1092	3	1092
351~400											1									1	1089	1	1089	1	1089
301~350											2									4	1088	4	1088	4	1088
251~300											3									8	1084	8	1084	8	1084
201~250											1									25	1076	25	1076	25	1076
176~200											11									26	1051	26	1051	26	1051
151~175											2									43	1025	43	1025	43	1025
126~150											3									38	982	38	982	38	982
101~125											6									55	944	55	944	55	944
76~100											5									104	889	104	889	104	889
51~75											18									184	785	184	785	184	785
26~50											78									466	601	466	601	466	601
~ 25											12									135	135	135	135	135	135
合 計		0	114	354	234	140	111	66	39	22	5	7	0	0	0	0	0	0	0	1092		1092		1092	
未超過		0	114	468	702	842	953	1019	1058	1080	1085	1092	1092	1092	1092	1092	1092	1092	1092	1092					
(0.1%)		(0)	(104)	(429)	(643)	(771)	(873)	(933)	(969)	(989)	(994)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)					

表 - 8.25(b) 苫小牧 波高・周期別出現頻度統計 (2004年3月~2004年5月)

2004年3月~2004年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 苫小牧

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過 (0.1%)	補足1		補足2	
																							合 計	未超過	合 計
1201~		0																		0	1104	0	1104	0	1104
1101~1200		0																		0	1104	0	1104	0	1104
1001~1100		0																		0	1104	0	1104	0	1104
901~1000		0																		0	1104	0	1104	0	1104
801~900		0																		0	1104	0	1104	0	1104
701~800		0																		0	1104	0	1104	0	1104
651~700		0																		0	1104	0	1104	0	1104
601~650		0																		0	1104	0	1104	0	1104
551~600		0																		0	1104	0	1104	0	1104
501~550		0																		0	1104	0	1104	0	1104
451~500		0																		0	1104	0	1104	0	1104
401~450		0																		0	1104	0	1104	0	1104
351~400		0																		0	1104	0	1104	0	1104
301~350		0																		0	1104	0	1104	0	1104
251~300																				2	1104	2	1104	2	1104
201~250																				11	1102	11	1102	11	1102
176~200																				11	1090	11	1090	11	1090
151~175																				40	1079	40	1079	40	1079
126~150																				70	1039	70	1039	70	1039
101~125																				119	969	119	969	119	969
76~100																				214	850	214	850	214	850
51~75																				309	636	309	636	309	636
26~50																				315	327	315	327	315	327
~ 25																				12	12	12	12	12	12
合 計		0	23	154	211	252	218	131	73	30	10	2	0	0	0	0	0	0	0	1104		1104		1104	
未超過		0	23	177	388	640	858	989	1062	1092	1102	1104	1104	1104	1104	1104	1104	1104	1104	1104					
(0.1%)		(0)	(21)	(139)	(191)	(228)	(197)	(119)	(66)	(27)	(9)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

表 - 8.25(c) 苫小牧 波高・周期別出現頻度統計 (2004年6月~2004年8月)

2004年6月~2004年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 苫小牧

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2	
																							合計	未超過	合計
1201~		0																		0	1092	0	1092	0	1092
1101~1200		0																		0	1092	0	1092	0	1092
1001~1100		0																		0	1092	0	1092	0	1092
901~1000		0																		0	1092	0	1092	0	1092
801~900		0																		0	1092	0	1092	0	1092
701~800		0																		0	1092	0	1092	0	1092
651~700		0																		0	1092	0	1092	0	1092
601~650		0																		0	1092	0	1092	0	1092
551~600		0																		0	1092	0	1092	0	1092
501~550		0																		0	1092	0	1092	0	1092
451~500		0																		0	1092	0	1092	0	1092
401~450		0																		0	1092	0	1092	0	1092
351~400									2	1										3	1092	3	1092	3	1092
301~350										2										4	1089	4	1089	4	1089
251~300						1	2													3	1085	3	1085	3	1085
201~250						2			5	1				2						10	1082	10	1082	10	1082
176~200					2	10	2	2	1				3	3	1					24	1072	24	1072	24	1072
151~175				3	5	1						5	2	1						17	1048	17	1048	17	1048
126~150				10	5	8	1	4	5	2	1	4	4	4					44	1031	44	1031	44	1031	
101~125			2	14	8	8	6	11	6	4	1	4	4						64	987	64	987	64	987	
76~100			5	33	12	29	24	16	2	1	2								124	923	124	923	124	923	
51~75		1	28	100	77	91	72	28	11	3									411	799	411	799	411	799	
26~50		1	27	73	103	112	44	21	6										387	388	387	388	387	388	
~ 25						1														1	1	1	1	1	1
合計		0	2	62	235	224	255	156	83	32	10	12	15	6	0	0	0	0	0	1092		1092		1092	
未超過		0	2	64	299	523	778	934	1017	1049	1059	1071	1086	1092	1092	1092	1092	1092	1092	1092		1092		1092	
(0.1%)		(0)	(2)	(59)	(274)	(479)	(712)	(855)	(931)	(961)	(970)	(981)	(995)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)		(1000)		(1000)	

表 - 8.25(d) 苫小牧 波高・周期別出現頻度統計 (2004年9月~2004年11月)

2004年9月~2004年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 苫小牧

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2	
																							合計	未超過	合計
1201~		0																		0	1092	0	1092	0	1092
1101~1200		0																		0	1092	0	1092	0	1092
1001~1100		0																		0	1092	0	1092	0	1092
901~1000		0																		0	1092	0	1092	0	1092
801~900		0																		0	1092	0	1092	0	1092
701~800		0																		0	1092	0	1092	0	1092
651~700		0																		0	1092	0	1092	0	1092
601~650		0																		0	1092	0	1092	0	1092
551~600		0																		0	1092	0	1092	0	1092
501~550		0																		0	1092	0	1092	0	1092
451~500		0																		0	1092	0	1092	0	1092
401~450								1												1	1092	1	1092	1	1092
351~400								1		1										2	1091	2	1091	2	1091
301~350						1		2												3	1089	3	1089	3	1089
251~300						5				1										6	1086	6	1086	6	1086
201~250						8	5	1	4											18	1080	18	1080	18	1080
176~200					2	11	3	1												17	1062	17	1062	17	1062
151~175					10	15	3	1	1	1										31	1045	31	1045	31	1045
126~150				3	10	19	13	11	9			2	4							28	1014	28	1014	28	1014
101~125				6	12	20	19	7	4	2	1	2	2	1						76	943	76	943	76	943
76~100				18	25	28	26	8	10	9	7	2								133	867	133	867	133	867
51~75		3	46	43	27	62	53	26	1											261	734	261	734	261	734
26~50		10	42	39	25	57	49	24	1											424	473	424	473	424	473
~ 25					13	13	13	10												49	49	49	49	49	49
合計		0	13	159	191	239	219	156	81	13	8	6	6	1	0	0	0	0	0	1092		1092		1092	
未超過		0	13	172	363	602	821	977	1058	1071	1079	1085	1091	1092	1092	1092	1092	1092	1092	1092		1092		1092	
(0.1%)		(0)	(12)	(146)	(175)	(219)	(201)	(143)	(74)	(12)	(7)	(5)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

表 - 8.25(e) 苫小牧 波高・周期別出現頻度統計 (2004年1月~2004年12月)

2004年 1月~2004年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 苫小牧

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201 ~																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
1101 ~ 1200																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
1001 ~ 1100																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
901 ~ 1000																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
801 ~ 900																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
701 ~ 800																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
651 ~ 700																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
601 ~ 650																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
551 ~ 600																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
501 ~ 550																				0	4373		4373		4373
																				(0)	(1000)		(1000)		(1000)
451 ~ 500																				2	4373	2	4373	2	4373
																				(0)	(1000)	(0)	(1000)	(0)	(1000)
401 ~ 450																				6	4371	6	4371	6	4371
																				(1)	(998)	(1)	(998)	(1)	(998)
351 ~ 400																				6	4365	6	4365	6	4365
																				(1)	(998)	(1)	(998)	(1)	(998)
301 ~ 350																				12	4359	12	4359	12	4359
																				(3)	(997)	(3)	(997)	(3)	(997)
251 ~ 300																				23	4347	23	4347	23	4347
																				(5)	(994)	(5)	(994)	(5)	(994)
201 ~ 250																				69	4324	69	4324	69	4324
																				(16)	(989)	(16)	(989)	(16)	(989)
176 ~ 200																				73	4255	73	4255	73	4255
																				(17)	(973)	(17)	(973)	(17)	(973)
151 ~ 175																				120	4182	120	4182	120	4182
																				(27)	(956)	(27)	(956)	(27)	(956)
126 ~ 150																				232	4062	232	4062	232	4062
																				(53)	(929)	(53)	(929)	(53)	(929)
101 ~ 125																				318	3830	318	3830	318	3830
																				(73)	(876)	(73)	(876)	(73)	(876)
76 ~ 100																				573	3512	573	3512	573	3512
																				(131)	(803)	(131)	(803)	(131)	(803)
51 ~ 75																				1137	2939	1137	2939	1137	2939
																				(260)	(672)	(260)	(672)	(260)	(672)
26 ~ 50																				1593	1802	1593	1802	1593	1802
																				(364)	(412)	(364)	(412)	(364)	(412)
~ 25																				209	209	209	209	209	209
																				(48)	(48)	(48)	(48)	(48)	(48)
合 計		0	145	681	896	889	809	505	268	82	34	32	25	7	0	0	0	0	0	4373		4373		4373	
(0.1%)		(0)	(33)	(156)	(205)	(203)	(185)	(115)	(61)	(19)	(8)	(7)	(6)	(2)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
未超過		0	145	826	1722	2611	3420	3925	4193	4275	4309	4341	4366	4373	4373	4373	4373	4373	4373						
(0.1%)		(0)	(33)	(189)	(394)	(597)	(782)	(898)	(959)	(978)	(985)	(993)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						