

付表 - A.2.10(a) 伏木富山 波高・周期別出現頻度統計 (2004年12月 ~ 2005年2月)

2004年12月 ~ 2005年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1041	0	1041	0	1041
1101 ~ 1200																					0	1041	0	1041	0	1041
1001 ~ 1100																					0	1041	0	1041	0	1041
901 ~ 1000																					0	1041	0	1041	0	1041
801 ~ 900																					0	1041	0	1041	0	1041
701 ~ 800																					0	1041	0	1041	0	1041
651 ~ 700																					0	1041	0	1041	0	1041
601 ~ 650																					0	1041	0	1041	0	1041
551 ~ 600																					0	1041	0	1041	0	1041
501 ~ 550																					0	1041	0	1041	0	1041
451 ~ 500																					0	1041	0	1041	0	1041
401 ~ 450																					0	1041	0	1041	0	1041
351 ~ 400																					0	1041	0	1041	0	1041
301 ~ 350																					0	1041	0	1041	0	1041
251 ~ 300																					0	1041	0	1041	0	1041
201 ~ 250																					2	1041	2	1041	2	1041
176 ~ 200																					2	1039	2	1039	2	1039
151 ~ 175																					2	1036	2	1036	2	1036
126 ~ 150																					2	1033	2	1033	2	1033
101 ~ 125																					2	1030	2	1030	2	1030
76 ~ 100																					2	1027	2	1027	2	1027
51 ~ 75																					2	1024	2	1024	2	1024
26 ~ 50																					2	1021	2	1021	2	1021
~ 25																					2	1018	2	1018	2	1018
合 計																					0	1041	0	1041	0	1041
未超過																					0	1041	0	1041	0	1041
(0.1%)																					0	1041	0	1041	0	1041

付表 - A.2.10(b) 伏木富山 波高・周期別出現頻度統計 (2005年3月 ~ 2005年5月)

2005年3月 ~ 2005年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	948	0	948	0	948
1101 ~ 1200																					0	948	0	948	0	948
1001 ~ 1100																					0	948	0	948	0	948
901 ~ 1000																					0	948	0	948	0	948
801 ~ 900																					0	948	0	948	0	948
701 ~ 800																					0	948	0	948	0	948
651 ~ 700																					0	948	0	948	0	948
601 ~ 650																					0	948	0	948	0	948
551 ~ 600																					0	948	0	948	0	948
501 ~ 550																					0	948	0	948	0	948
451 ~ 500																					0	948	0	948	0	948
401 ~ 450																					0	948	0	948	0	948
351 ~ 400																					0	948	0	948	0	948
301 ~ 350																					0	948	0	948	0	948
251 ~ 300																					0	948	0	948	0	948
201 ~ 250																					1	948	1	948	1	948
176 ~ 200																					1	947	1	947	1	947
151 ~ 175																					1	946	1	946	1	946
126 ~ 150																					1	945	1	945	1	945
101 ~ 125																					1	944	1	944	1	944
76 ~ 100																					1	943	1	943	1	943
51 ~ 75																					1	942	1	942	1	942
26 ~ 50																					1	941	1	941	1	941
~ 25																					1	940	1	940	1	940
合 計																					0	948	0	948	0	948
未超過																					0	948	0	948	0	948
(0.1%)																					0	948	0	948	0	948

付表 - A.2.10(c) 伏木富山 波高・周期別出現頻度統計 (2005年6月~2005年8月)

2005年6月~2005年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2			
																						合 計	未超過	合 計	未超過		
1201 ~																					0	1082	0	1082	0	1082	
1101 ~ 1200																						0	1082	0	1082	0	1082
1001 ~ 1100																						0	1082	0	1082	0	1082
901 ~ 1000																						0	1082	0	1082	0	1082
801 ~ 900																						0	1082	0	1082	0	1082
701 ~ 800																						0	1082	0	1082	0	1082
651 ~ 700																						0	1082	0	1082	0	1082
601 ~ 650																						0	1082	0	1082	0	1082
551 ~ 600																						0	1082	0	1082	0	1082
501 ~ 550																						0	1082	0	1082	0	1082
451 ~ 500																						0	1082	0	1082	0	1082
401 ~ 450																						0	1082	0	1082	0	1082
351 ~ 400																						0	1082	0	1082	0	1082
301 ~ 350																						0	1082	0	1082	0	1082
251 ~ 300																						0	1082	0	1082	0	1082
201 ~ 250																						0	1082	0	1082	0	1082
176 ~ 200																						0	1082	0	1082	1082	1082
151 ~ 175					2																	2	1082	2	1082	2	1082
126 ~ 150					3																	3	1080	3	1080	3	1080
101 ~ 125				2	1	2																5	1077	5	1077	5	1077
76 ~ 100				14	9	4	3															30	1072	30	1072	30	1072
51 ~ 75				7	14	16	17	3														57	1042	57	1042	57	1042
26 ~ 50				63	51	29	18	16	4													181	985	181	985	181	985
~ 25				2	358	283	110	41	10													804	804	804	804	804	
合 計				2	428	364	170	82	32	4	0	0	0	0	0	0	0	0	0	0	0	1082	1082	1082	1082	1082	
未超過				2	430	366	172	84	34	4	0	0	0	0	0	0	0	0	0	0	0	1082	1082	1082	1082	1082	
(0.1%)				(2)	(397)	(336)	(157)	(76)	(30)	(4)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(1000)	(1000)	(1000)	(1000)	(1000)	

付表 - A.2.10(d) 伏木富山 波高・周期別出現頻度統計 (2005年9月~2005年11月)

2005年9月~2005年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2			
																						合 計	未超過	合 計	未超過		
1201 ~																					0	1085	0	1085	0	1085	
1101 ~ 1200																						0	1085	0	1085	0	1085
1001 ~ 1100																						0	1085	0	1085	0	1085
901 ~ 1000																						0	1085	0	1085	0	1085
801 ~ 900																						0	1085	0	1085	0	1085
701 ~ 800																						0	1085	0	1085	0	1085
651 ~ 700																						0	1085	0	1085	0	1085
601 ~ 650																						0	1085	0	1085	0	1085
551 ~ 600																						0	1085	0	1085	0	1085
501 ~ 550																						0	1085	0	1085	0	1085
451 ~ 500																						0	1085	0	1085	0	1085
401 ~ 450																						0	1085	0	1085	0	1085
351 ~ 400																						0	1085	0	1085	0	1085
301 ~ 350																						0	1085	0	1085	0	1085
251 ~ 300																						0	1085	0	1085	0	1085
201 ~ 250																						0	1085	0	1085	0	1085
176 ~ 200						2																2	1085	2	1085	1085	1085
151 ~ 175						15	1															16	1083	16	1083	16	1083
126 ~ 150						4	25															27	1067	27	1067	27	1067
101 ~ 125						22	16	3	2	2												57	1038	57	1038	57	1038
76 ~ 100						2	68	20	5	4	3	1										103	988	103	988	103	988
51 ~ 75						33	62	19	9	7	8	3	1									145	885	145	885	145	885
26 ~ 50						2	40	67	53	66	32	9	4	1								283	740	283	740	283	740
~ 25						1	122	173	113	38	6	3	1									457	457	457	457	457	
合 計						3	197	396	263	117	52	27	18	10	2	0	0	0	0	0	0	1085	1085	1085	1085	1085	
未超過						3	200	396	263	117	52	27	18	10	2	0	0	0	0	0	0	1085	1085	1085	1085	1085	
(0.1%)						(3)	(184)	(365)	(242)	(108)	(48)	(25)	(17)	(9)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)	(1000)	

付表 - A.2.10(e) 伏木富山 波高・周期別出現頻度統計 (2005年1月~2005年12月)

2005年1月~2005年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 伏木富山

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201 ~		( 0 )																		4166	4166	4166		4166	
1101 ~ 1200		( 0 )																		4166	4166	4166		4166	
1001 ~ 1100		( 0 )																		4166	4166	4166		4166	
901 ~ 1000		( 0 )																		4166	4166	4166		4166	
801 ~ 900		( 0 )																		4166	4166	4166		4166	
701 ~ 800		( 0 )																		4166	4166	4166		4166	
651 ~ 700		( 0 )																		4166	4166	4166		4166	
601 ~ 650		( 0 )																		4166	4166	4166		4166	
551 ~ 600		( 0 )																		4166	4166	4166		4166	
501 ~ 550		( 0 )																		4166	4166	4166		4166	
451 ~ 500		( 0 )																		4166	4166	4166		4166	
401 ~ 450		( 0 )																		4166	4166	4166		4166	
351 ~ 400		( 0 )																		4166	4166	4166		4166	
301 ~ 350		( 0 )																		4166	4166	4166		4166	
251 ~ 300		( 0 )																		4166	4166	4166		4166	
201 ~ 250		( 0 )			( 2 )															2	4166	2	4166	2	4166
176 ~ 200		( 0 )		( 2 )	( 2 )		( 2 )				( 2 )	( 1 )								9	4164	9	4164	4164	4164
151 ~ 175		( 5 )	( 1 )	( 3 )	( 1 )	( 0 )	( 0 )	( 2 )	( 1 )	( 3 )	( 4 )									35	4155	35	4155	(1000)	(1000)
126 ~ 150		( 1 )	( 10 )	( 4 )	( 2 )	( 2 )	( 1 )	( 2 )	( 1 )	( 6 )	( 1 )	( 0 )	( 2 )							84	4120	84	4120		
101 ~ 125		( 9 )	( 10 )	( 36 )	( 41 )	( 20 )	( 6 )	( 27 )	( 17 )	( 6 )	( 1 )	( 0 )	( 1 )	( 1 )						156	4036	156	4036		
76 ~ 100		( 1 )	( 27 )	( 111 )	( 66 )	( 34 )	( 28 )	( 42 )	( 35 )	( 13 )	( 4 )	( 0 )	( 1 )							337	3880	337	3880		
51 ~ 75		( 12 )	( 32 )	( 48 )	( 133 )	( 108 )	( 130 )	( 105 )	( 86 )	( 56 )	( 21 )	( 3 )								690	3543	690	3543		
26 ~ 50		( 1 )	( 45 )	( 187 )	( 185 )	( 183 )	( 214 )	( 191 )	( 88 )	( 27 )	( 8 )	( 1 )								1087	2853	1087	2853		
~ 25		( 1 )	( 143 )	( 594 )	( 620 )	( 342 )	( 149 )	( 50 )	( 4 )	( 1 )										1766	1766	1766	1766		
合計	( 0.1% )	( 2 )	( 200 )	( 832 )	( 1089 )	( 805 )	( 562 )	( 389 )	( 254 )	( 147 )	( 57 )	( 15 )	( 3 )	( 4 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	4166	4166	4166	4166	4166	
未超過	( 0.1% )	( 2 )	( 202 )	( 841 )	( 1930 )	( 2735 )	( 3297 )	( 3686 )	( 3940 )	( 4087 )	( 4144 )	( 4159 )	( 4162 )	( 4166 )	( 4166 )	( 4166 )	( 4166 )	( 4166 )	( 4166 )	4166	4166	4166	4166	4166	