

付表 - A.2.46(a) 潮岬 波高・周期別出現頻度統計 (2004年12月 ~ 2005年 2月)

2004年12月 ~ 2005年 2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2		
																						合計	未超過	合計	未超過	
1201 ~																					0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)	
1101 ~ 1200																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
1001 ~ 1100																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
901 ~ 1000																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
801 ~ 900																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
701 ~ 800																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
651 ~ 700																						0 (0)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
601 ~ 650										(1)												1 (1)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
551 ~ 600										(1)	(1)											2 (2)	1067 (999)	1067 (999)	1067 (999)	1067 (999)
501 ~ 550																						0 (0)	1065 (997)	1065 (997)	1065 (997)	1065 (997)
451 ~ 500											(2)	(2)										4 (4)	1065 (997)	1065 (997)	1065 (997)	1065 (997)
401 ~ 450										(1)	(1)											2 (2)	1061 (993)	1061 (993)	1061 (993)	1061 (993)
351 ~ 400										(1)	(1)											4 (4)	1059 (992)	1059 (992)	1059 (992)	1059 (992)
301 ~ 350										(6)	(2)	(5)										13 (12)	1055 (988)	1055 (988)	1055 (988)	1055 (988)
251 ~ 300										(1)	(4)	(7)	(6)	(1)								19 (18)	1042 (976)	1042 (976)	1042 (976)	1042 (976)
201 ~ 250										(1)	(3)	(6)	(9)	(2)								22 (21)	1023 (958)	1023 (958)	1023 (958)	1023 (958)
176 ~ 200										(2)	(7)	(3)	(5)									17 (16)	1001 (937)	1001 (937)	1001 (937)	1001 (937)
151 ~ 175										(10)	(15)	(5)	(3)									33 (31)	984 (921)	984 (921)	984 (921)	984 (921)
126 ~ 150										(3)	(30)	(31)	(11)	(14)	(5)	(1)						95 (89)	951 (890)	951 (890)	951 (890)	951 (890)
101 ~ 125										(8)	(46)	(43)	(25)	(26)	(1)							150 (140)	856 (801)	856 (801)	856 (801)	856 (801)
76 ~ 100										(32)	(75)	(60)	(23)	(18)								208 (195)	706 (661)	706 (661)	706 (661)	706 (661)
51 ~ 75										(40)	(98)	(97)	(73)	(34)	(4)							346 (324)	498 (466)	498 (466)	498 (466)	498 (466)
26 ~ 50										(8)	(55)	(61)	(23)	(5)								152 (142)	152 (142)	152 (142)	152 (142)	152 (142)
~ 25																						0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
合計 (0.1%)																						1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)	1068 (1000)
未超過 (0.1%)																						0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

付表 - A.2.46(b) 潮岬 波高・周期別出現頻度統計 (2005年 3月 ~ 2005年 5月)

2005年 3月 ~ 2005年 5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2			
																						合計	未超過	合計	未超過		
1201 ~																						0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)	
1101 ~ 1200																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
1001 ~ 1100																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
901 ~ 1000																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
801 ~ 900																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
701 ~ 800																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
651 ~ 700																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
601 ~ 650																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
551 ~ 600																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
501 ~ 550																							0 (0)	1096 (1000)	1096 (1000)	1096 (1000)	1096 (1000)
451 ~ 500											(1)												1 (1)	1096 (1000)	1098 (1000)	1098 (1000)	1098 (1000)
401 ~ 450										(1)	(1)												2 (2)	1095 (999)	1097 (999)	1097 (999)	1097 (999)
351 ~ 400										(2)	(1)												3 (3)	1093 (997)	1096 (997)	1096 (997)	1096 (997)
301 ~ 350										(2)	(1)	(1)											4 (4)	1090 (995)	1092 (995)	1092 (995)	1092 (995)
251 ~ 300										(2)	(5)	(7)	(2)										17 (16)	1086 (991)	1088 (991)	1088 (991)	1088 (991)
201 ~ 250										(11)	(18)	(8)											37 (34)	1069 (975)	1071 (975)	1071 (975)	1071 (975)
176 ~ 200										(13)	(13)	(2)											28 (26)	1032 (942)	1034 (942)	1034 (942)	1034 (942)
151 ~ 175										(1)	(6)	(24)	(19)	(3)	(3)								65 (59)	1004 (916)	1006 (916)	1006 (916)	1006 (916)
126 ~ 150										(2)	(18)	(30)	(18)	(8)	(2)	(2)							80 (73)	939 (857)	941 (857)	941 (857)	941 (857)
101 ~ 125										(5)	(33)	(43)	(21)	(13)									121 (110)	859 (784)	861 (784)	861 (784)	861 (784)
76 ~ 100										(25)	(50)	(79)	(46)	(23)	(3)								226 (206)	738 (673)	739 (673)	739 (673)	739 (673)
51 ~ 75										(23)	(94)	(138)	(83)	(36)	(8)								383 (349)	512 (467)	513 (467)	513 (467)	513 (467)
26 ~ 50										(1)	(44)	(62)	(20)	(2)									129 (118)	129 (118)	130 (118)	130 (118)	130 (118)
~ 25																							0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
合計 (0.1%)																							1096 (1000)	1096 (1000)	1098 (1000)	1098 (1000)	1098 (1000)
未超過 (0.1%)																							0 (0)	0 (0)	0 (0)	0 (0)	0 (0)

付表 - A.2.46(c) 潮岬 波高・周期別出現頻度統計 (2005年6月~2005年8月)

2005年6月~2005年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2	
																						合計	未超過	合計	未超過
1201 ~		0	0	14	157	300	246	102	71	120	46	15	15	6	0	0	0	0	0	0	1092	1092	1104	1104	
1101 ~ 1200		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
1001 ~ 1100		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
901 ~ 1000		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
801 ~ 900		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
701 ~ 800		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
651 ~ 700		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1091	1091	1103	1103	
601 ~ 650		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1091	1091	1103	1103	
551 ~ 600		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1088	1088	1100	1100	
501 ~ 550		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1088	1088	1100	1100	
451 ~ 500		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1088	1088	1100	1100	
401 ~ 450		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1079	1079	1091	1091	
351 ~ 400		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1079	1079	1091	1091	
301 ~ 350		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1072	1072	1084	1084	
251 ~ 300		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1072	1072	1084	1084	
201 ~ 250		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1069	1069	1087	1087	
176 ~ 200		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1062	1062	1074	1074	
151 ~ 175		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1062	1062	1074	1074	
126 ~ 150		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1057	1057	1069	1069	
101 ~ 125		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1057	1057	1069	1069	
76 ~ 100		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1038	1038	1050	1050	
51 ~ 75		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1038	1038	1050	1050	
26 ~ 50		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1038	1038	1050	1050	
~ 25		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1038	1038	1050	1050	
合計 (0.1%)		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	
未超過 (0.1%)		0	0	13	144	275	225	93	65	110	42	14	14	5	0	0	0	0	0	0	1092	1092	1104	1104	

付表 - A.2.46(d) 潮岬 波高・周期別出現頻度統計 (2005年9月~2005年11月)

2005年9月~2005年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 (0.1%)	補足1		補足2	
																						合計	未超過	合計	未超過
1201 ~		0	0	33	114	143	220	245	56	38	26	35	19	7	0	0	0	0	0	0	936	936	1092	1092	
1101 ~ 1200		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	
1001 ~ 1100		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	
901 ~ 1000		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	
801 ~ 900		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	
701 ~ 800		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	
651 ~ 700		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	934	934	1090	1090	
601 ~ 650		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	929	929	1085	1085	
551 ~ 600		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	929	929	1085	1085	
501 ~ 550		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	921	921	1077	1077	
451 ~ 500		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	921	921	1077	1077	
401 ~ 450		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	914	914	1070	1070	
351 ~ 400		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	914	914	1070	1070	
301 ~ 350		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	906	906	1062	1062	
251 ~ 300		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	906	906	1062	1062	
201 ~ 250		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	900	900	1056	1056	
176 ~ 200		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	900	900	1056	1056	
151 ~ 175		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	898	898	1054	1054	
126 ~ 150		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	898	898	1054	1054	
101 ~ 125		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	890	890	1046	1046	
76 ~ 100		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	890	890	1046	1046	
51 ~ 75		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	878	878	1034	1034	
26 ~ 50		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	878	878	1034	1034	
~ 25		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	862	862	1018	1018	
合計 (0.1%)		0	0	33	114	143	220	245	56	38	26	35	19	7	0	0	0	0	0	0	936	936	1092	1092	
未超過 (0.1%)		0	0	35	122	153	235	262	60	41	28	37	20	7	0	0	0	0	0	0	936	936	1092	1092	

付表 - A.2.46(e) 潮岬 波高・周期別出現頻度統計 (2005年1月~2005年12月)

2005年1月~2005年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 潮岬

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過 合計	補足1		補足2		
		(0)	(0)	(49)	(241)	(279)	(197)	(117)	(38)	(38)	(18)	(12)	(8)	(3)	(0)	(0)	(0)	(0)	(0)			(0)	(4192)	(1000)	(4362)	(170)
1201 ~																				0	4192		4362		4362	
1101 ~ 1200																				0	4192		4362		4362	
1001 ~ 1100																				0	4192		4362		4362	
901 ~ 1000																				0	4192		4362		4362	
801 ~ 900																				0	4192		4362		4362	
701 ~ 800										1		1		1						3	4192	3	4362	3	4362	
651 ~ 700										2	1	1	1							5	4189	5	4359	5	4359	
601 ~ 650										1		4	4	2						11	4184	11	4354	11	4354	
551 ~ 600										1		2	5	2						10	4173	10	4343	10	4343	
501 ~ 550										1		3	7	4						14	4163	14	4333	14	4333	
451 ~ 500										2	1	4	6	1						14	4149	14	4319	14	4319	
401 ~ 450										1	1	2	1	1						7	4135	7	4305	7	4305	
351 ~ 400										2	3	2	4	2	1					20	4128	20	4298	20	4298	
301 ~ 350										2	11	2	6	1						31	4108	31	4278	31	4278	
251 ~ 300										7	13	20	7	5	10					70	4077	70	4247	70	4247	
201 ~ 250										3	29	35	27	7	41					187	4007	187	4177	187	4177	
176 ~ 200										15	42	24	16	16	21					147	3820	147	3990	147	3990	
151 ~ 175										3	48	91	44	49	34					319	3673	319	3843	319	3843	
126 ~ 150										6	107	100	63	65	29					412	3354	413	3524	3524	3524	
101 ~ 125										22	171	149	126	87	27					593	2942	620	3111			
76 ~ 100										70	227	247	177	98	12					835	2349	880	2491			
51 ~ 75										2	95	312	324	249	108					1104	1514	1176	1611			
26 ~ 50										9	126	177	82	15	1					410	410	435	435			
~ 25										2	30	42	20	4	0					0	0	0	0			
合計 (0.1%)		0	2	205	1009	1168	826	491	158	160	75	50	35	13	0	0	0	0	0	4192		4362	170	4362		
未超過 (0.1%)		0	2	207	1216	2384	3210	3701	3859	4019	4094	4144	4179	4192	4192	4192	4192	4192	4192	4192	4192					