

付表 - A.2.17(a) 鳥取 波高・周期別出現頻度統計 (2004年12月 ~ 2005年2月)

2004年12月 ~ 2005年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 鳥取

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1080	0	1080	0	1080
1101 ~ 1200																					0	1080	0	1080	0	1080
1001 ~ 1100																					0	1080	0	1080	0	1080
901 ~ 1000																					0	1080	0	1080	0	1080
801 ~ 900																					0	1080	0	1080	0	1080
701 ~ 800																					0	1080	0	1080	0	1080
651 ~ 700																					0	1080	0	1080	0	1080
601 ~ 650																					1	1080	1	1080	1	1080
551 ~ 600																					1	1079	1	1079	1	1079
501 ~ 550																					2	1078	2	1078	2	1078
451 ~ 500																					5	1075	5	1075	5	1075
401 ~ 450																					3	1065	3	1065	3	1065
351 ~ 400																					4	1047	4	1047	4	1047
301 ~ 350																					11	1013	11	1013	11	1013
251 ~ 300																					13	948	13	948	13	948
201 ~ 250																					5	822	5	822	5	822
176 ~ 200																					8	654	8	654	8	654
151 ~ 175																					9	567	9	567	9	567
126 ~ 150																					19	427	19	427	19	427
101 ~ 125																					11	317	11	317	11	317
76 ~ 100																					19	189	19	189	19	189
51 ~ 75																					7	93	7	93	7	93
26 ~ 50																					4	32	4	32	4	32
~ 25																					0	0	0	0	0	0
合 計																					0	1080	0	1080	0	1080
未超過																					0	1080	0	1080	0	1080
(0.1%)																					(0)	(1000)	(0)	(1000)	(0)	(1000)

付表 - A.2.17(b) 鳥取 波高・周期別出現頻度統計 (2005年3月 ~ 2005年5月)

2005年3月 ~ 2005年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 鳥取

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1054	0	1054	0	1054
1101 ~ 1200																					0	1054	0	1054	0	1054
1001 ~ 1100																					0	1054	0	1054	0	1054
901 ~ 1000																					0	1054	0	1054	0	1054
801 ~ 900																					0	1054	0	1054	0	1054
701 ~ 800																					0	1054	0	1054	0	1054
651 ~ 700																					0	1054	0	1054	0	1054
601 ~ 650																					0	1054	0	1054	0	1054
551 ~ 600																					0	1054	0	1054	0	1054
501 ~ 550																					0	1054	0	1054	0	1054
451 ~ 500																					0	1054	0	1054	0	1054
401 ~ 450																					0	1054	0	1054	0	1054
351 ~ 400																					6	1054	6	1054	6	1054
301 ~ 350																					9	1048	9	1050	9	1050
251 ~ 300																					22	1039	22	1041	22	1041
201 ~ 250																					44	1017	44	1019	44	1019
176 ~ 200																					35	973	35	975	35	975
151 ~ 175																					33	938	33	940	33	940
126 ~ 150																					54	890	54	890	54	890
101 ~ 125																					92	836	92	836	92	836
76 ~ 100																					120	744	120	744	120	744
51 ~ 75																					176	658	176	660	176	660
26 ~ 50																					237	577	237	583	237	583
~ 25																					33	35	33	35	33	35
合 計																					4	1054	4	1056	4	1056
未超過																					4	1054	4	1056	4	1056
(0.1%)																					(4)	(1000)	(4)	(1000)	(4)	(1000)

付表 - A.2.17(c) 鳥取 波高・周期別出現頻度統計 (2005年6月~2005年8月)

2005年6月~2005年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 鳥取

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201 ~		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
1101 ~ 1200		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
1001 ~ 1100		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
901 ~ 1000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
801 ~ 900		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
701 ~ 800		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
651 ~ 700		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
601 ~ 650		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
551 ~ 600		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
501 ~ 550		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
451 ~ 500		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
401 ~ 450		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
351 ~ 400		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
301 ~ 350		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
251 ~ 300		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
201 ~ 250		0	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
176 ~ 200		0	0	0	3	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1097	1097	1100	1100	1100
151 ~ 175		0	0	0	3	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1085	1085	1088	1088	1088
126 ~ 150		0	3	12	14	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1076	1076	1079	1079	1079
101 ~ 125		0	16	11	40	16	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1043	1043	1046	1046	1046
76 ~ 100		1	44	35	34	13	7	0	0	0	0	0	0	0	0	0	0	0	0	0	955	955	958	958	958
51 ~ 75		7	74	60	37	16	1	0	0	0	0	0	0	0	0	0	0	0	0	0	821	821	824	824	824
26 ~ 50		3	63	142	87	50	11	0	0	0	0	0	0	0	0	0	0	0	0	0	626	626	628	628	628
~ 25		3	98	135	33	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	270	270	272	272	272
合計		6	169	414	244	188	65	14	0	0	0	0	0	0	0	0	0	0	0	0	1100	1100	1103	1103	1103
未超過	(0.1%)	(5)	(159)	(535)	(757)	(928)	(987)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)

付表 - A.2.17(d) 鳥取 波高・周期別出現頻度統計 (2005年9月~2005年11月)

2005年9月~2005年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 鳥取

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201 ~		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
1101 ~ 1200		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
1001 ~ 1100		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
901 ~ 1000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
801 ~ 900		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
701 ~ 800		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
651 ~ 700		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
601 ~ 650		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
551 ~ 600		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
501 ~ 550		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
451 ~ 500		0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	1091	1091	1091	1091	1091
401 ~ 450		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1089	1089	1089	1089	1089
351 ~ 400		0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1087	1087	1087	1087	1087
301 ~ 350		0	0	0	0	0	0	0	0	2	4	0	0	0	0	0	0	0	0	0	1087	1087	1087	1087	1087
251 ~ 300		0	0	0	0	0	0	0	0	1	7	0	0	0	0	0	0	0	0	0	1081	1081	1081	1081	1081
201 ~ 250		0	0	0	0	0	0	0	0	4	18	6	4	0	0	0	0	0	0	0	1070	1070	1070	1070	1070
176 ~ 200		0	0	0	0	0	0	0	0	1	25	16	11	2	0	0	0	0	0	0	1037	1037	1037	1037	1037
151 ~ 175		0	0	0	0	0	0	0	0	2	40	20	9	4	0	0	0	0	0	0	998	998	998	998	998
126 ~ 150		0	0	0	0	0	0	0	0	1	36	39	28	15	1	0	0	0	0	0	958	958	958	958	958
101 ~ 125		0	0	0	0	0	0	0	0	1	55	38	23	7	1	0	0	0	0	0	914	914	914	914	914
76 ~ 100		0	0	0	0	0	0	0	0	3	78	27	14	1	0	0	0	0	0	0	883	883	883	883	883
51 ~ 75		0	0	0	0	0	0	0	0	14	41	82	27	1	0	0	0	0	0	0	824	824	824	824	824
26 ~ 50		0	0	0	0	0	0	0	0	1	24	75	14	0	0	0	0	0	0	0	628	628	628	628	628
~ 25		0	0	0	0	0	0	0	0	3	50	10	2	0	0	0	0	0	0	0	272	272	272	272	272
合計		1	72	208	349	224	133	65	33	7	0	0	0	0	0	0	0	0	0	0	1092	1092	1092	1092	1092
未超過	(0.1%)	(1)	(66)	(190)	(320)	(205)	(122)	(60)	(30)	(6)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)	(1000)

付表 - A.2.17(e) 鳥取 波高・周期別出現頻度統計 (2005年1月~2005年12月)

2005年1月~2005年12月(年)

波高・周期別度数分布表(有義波)

観測地点:鳥取

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201 ~																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
1101 ~ 1200																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
1001 ~ 1100																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
901 ~ 1000																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
801 ~ 900																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
701 ~ 800																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
651 ~ 700																				0 (0)	4326 (1000)		4331 (1000)		4331 (1000)	
601 ~ 650										1 (0)										1 (0)	4326 (1000)	1 (0)	4331 (1000)	1 (0)	4331 (1000)	
551 ~ 600									1 (0)	3 (1)										4 (1)	4325 (1000)	4 (1)	4330 (1000)	4 (1)	4330 (1000)	
501 ~ 550									7 (2)	7 (2)										14 (3)	4321 (999)	14 (3)	4326 (999)	14 (3)	4326 (999)	
451 ~ 500									7 (2)	5 (1)										12 (3)	4307 (996)	12 (3)	4312 (996)	12 (3)	4312 (996)	
401 ~ 450									3 (1)	16 (4)	3 (1)									22 (5)	4295 (993)	22 (5)	4300 (993)	22 (5)	4300 (993)	
351 ~ 400									7 (2)	29 (7)	20 (5)	1 (0)								58 (13)	4273 (988)	58 (13)	4278 (988)	58 (13)	4278 (988)	
301 ~ 350									34 (8)	58 (13)	22 (5)	3 (1)	3 (1)							120 (28)	4215 (974)	120 (28)	4220 (974)	120 (28)	4220 (974)	
251 ~ 300									1 (0)	25 (6)	101 (23)	78 (18)	18 (4)	3 (1)	2 (0)					228 (53)	4095 (947)	228 (53)	4100 (947)	228 (53)	4100 (947)	
201 ~ 250									6 (1)	74 (17)	115 (27)	60 (14)	26 (6)	4 (1)	1 (0)					286 (66)	3867 (894)	286 (66)	3872 (894)	286 (66)	3872 (894)	
176 ~ 200									15 (3)	87 (20)	52 (12)	39 (9)	7 (2)	4 (1)	1 (0)					205 (47)	3581 (828)	205 (47)	3586 (828)	205 (47)	3586 (828)	
151 ~ 175									2 (0)	36 (8)	131 (30)	71 (16)	46 (11)	7 (2)	1 (0)					294 (68)	3376 (780)	294 (68)	3381 (781)			
126 ~ 150									7 (2)	90 (21)	103 (24)	87 (20)	48 (11)	8 (2)	1 (0)					344 (80)	3082 (712)	344 (80)	3087 (713)			
101 ~ 125									44 (10)	102 (24)	148 (34)	87 (20)	47 (11)	5 (1)						433 (100)	2738 (633)	433 (100)	2743 (633)			
76 ~ 100									9 (2)	102 (24)	166 (38)	131 (30)	57 (13)	35 (8)	9 (2)					509 (118)	2305 (533)	510 (118)	2310 (533)			
51 ~ 75									2 (0)	33 (8)	165 (38)	231 (53)	111 (26)	40 (9)	6 (1)	9 (2)	1 (0)			598 (138)	1796 (415)	599 (138)	1800 (416)			
26 ~ 50									6 (1)	135 (31)	322 (74)	228 (53)	84 (19)	16 (4)	7 (2)	2 (0)				800 (185)	1198 (277)	801 (185)	1201 (277)			
~ 25									3 (1)	136 (31)	208 (48)	47 (11)	3 (1)	1 (0)						398 (92)	398 (92)	400 (92)	400 (92)			
合計 (0.1%)		11 (3)	313 (72)	850 (196)	922 (213)	897 (207)	668 (154)	456 (105)	164 (38)	37 (9)	7 (2)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4326 (1000)		4331 (1000)	5 (1)	4331 (1000)		
未超過 (0.1%)		11 (3)	324 (75)	1174 (271)	2096 (485)	2993 (692)	3661 (846)	4117 (952)	4281 (990)	4318 (998)	4325 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)	4326 (1000)						