

付表 - A.2.25(a) 紋別(南) 波高・周期別出現頻度統計 (2004年12月 ~ 2005年2月)

2004年12月 ~ 2005年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	903	926	926	926	
1101 ~ 1200																					0	903	926	926	926	
1001 ~ 1100																					0	903	926	926	926	
901 ~ 1000																					0	903	926	926	926	
801 ~ 900																					0	903	926	926	926	
701 ~ 800																					0	903	926	926	926	
651 ~ 700																					0	903	926	926	926	
601 ~ 650																					0	903	926	926	926	
551 ~ 600										1	2										3	903	926	926	926	
501 ~ 550										1	2										3	900	923	923	923	
451 ~ 500										3	1										4	899	922	922	922	
401 ~ 450							1			2	1										4	895	918	918	918	
351 ~ 400							3	2	2												7	891	914	914	914	
301 ~ 350							6	8	3	4	2	2									25	884	907	907	907	
251 ~ 300						2	17	14	4	2	2	1									42	859	882	882	882	
201 ~ 250					2	24	33	16	11	12	3										101	817	840	840	840	
176 ~ 200					3	15	19	17	7	5	2										68	716	739	739	739	
151 ~ 175					9	22	18	30	20	2	4	1									106	648	671	671	671	
126 ~ 150				1	17	35	26	17	14	3	7										120	542	565	565	565	
101 ~ 125				3	29	21	21	16	13	1	1	1									106	422	445	445	445	
76 ~ 100				4	11	9	23	18	11	5											81	316	339	339	339	
51 ~ 75				13	9	9	21	6	13	14	5	3									98	235	257	257	257	
26 ~ 50				22	13	11	13	6	7	10	7	2									93	137	156	156	156	
~ 25				3	22	3	5	3	3	1	3										44	44	59	59	59	
合 計				3	61	40	94	179	171	151	103	52	35	7	0	7	0	0	0	0	903	926	926	926	926	
(0.1%)				3	61	40	94	179	171	151	103	52	35	7	0	7	0	0	0	0	(1000)	(1000)	(1000)	(1000)	(1000)	
未超過				3	64	104	198	377	548	699	802	854	889	896	903	903	903	903	903	903						
(0.1%)				3	64	104	198	377	548	699	802	854	889	896	903	903	903	903	903	903						

付表 - A.2.25(b) 紋別(南) 波高・周期別出現頻度統計 (2005年3月 ~ 2005年5月)

2005年3月 ~ 2005年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1004	1004	1004	1004	
1101 ~ 1200																						0	1004	1004	1004	1004
1001 ~ 1100																						0	1004	1004	1004	1004
901 ~ 1000																						0	1004	1004	1004	1004
801 ~ 900																						0	1004	1004	1004	1004
701 ~ 800																						0	1004	1004	1004	1004
651 ~ 700																						0	1004	1004	1004	1004
601 ~ 650																						0	1004	1004	1004	1004
551 ~ 600																						0	1004	1004	1004	1004
501 ~ 550																						0	1004	1004	1004	1004
451 ~ 500																						0	1004	1004	1004	1004
401 ~ 450							1															1	1004	1004	1004	1004
351 ~ 400							2	2														4	1003	1003	1003	1003
301 ~ 350							4	4	1													11	999	999	999	999
251 ~ 300							4	4	1													11	995	995	995	995
201 ~ 250					3	15	15	10	5	1												49	984	984	984	984
176 ~ 200					4	8	8	5	6													31	939	939	939	939
151 ~ 175					4	8	8	5	6													36	908	908	908	908
126 ~ 150					3	23	11	11	1													54	872	872	872	872
101 ~ 125					1	39	35	12	6	4												97	818	818	818	818
76 ~ 100					7	31	37	10	9	11												110	721	721	721	721
51 ~ 75					24	54	33	15	19	7	23	3	1									179	611	611	611	611
26 ~ 50					1	47	128	27	35	25	34	12										315	432	432	432	432
~ 25					10	39	35	22	10	1												117	117	117	117	117
合 計					11	118	290	196	135	109	74	49	21	1	0	0	0	0	0	0	1004	1004	1004	1004	1004	
(0.1%)					11	118	290	196	135	109	74	49	21	1	0	0	0	0	0	0	(1000)	(1000)	(1000)	(1000)	(1000)	
未超過					11	129	419	615	750	859	933	982	1003	1004	1004	1004	1004	1004	1004	1004						
(0.1%)					11	129	419	615	750	859	933	982	1003	1004	1004	1004	1004	1004	1004	1004						

付表 - A.2.25(c) 紋別(南) 波高・周期別出現頻度統計 (2005年6月~2005年8月)

2005年6月~2005年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1104	1104	1104	1104	
1101 ~ 1200																					0	1104	1104	1104	1104	
1001 ~ 1100																					0	1104	1104	1104	1104	
901 ~ 1000																					0	1104	1104	1104	1104	
801 ~ 900																					0	1104	1104	1104	1104	
701 ~ 800																					0	1104	1104	1104	1104	
651 ~ 700																					0	1104	1104	1104	1104	
601 ~ 650																					0	1104	1104	1104	1104	
551 ~ 600																					0	1104	1104	1104	1104	
501 ~ 550																					0	1104	1104	1104	1104	
451 ~ 500																					0	1104	1104	1104	1104	
401 ~ 450																					0	1104	1104	1104	1104	
351 ~ 400																					0	1104	1104	1104	1104	
301 ~ 350																					0	1104	1104	1104	1104	
251 ~ 300																					0	1104	1104	1104	1104	
201 ~ 250					1	6	2	6													15	1104	15	1104	15	1104
176 ~ 200						4	4	8													16	1089	16	1089	16	1089
151 ~ 175					1	4	4	2													11	1073	11	1073	11	1073
126 ~ 150					1	2	5	9	1												18	1062	18	1062	1062	1062
101 ~ 125					13	7	3	8	1												32	1044	32	1044		
76 ~ 100				22	48	29	13	7													119	1012	119	1012		
51 ~ 75				6	46	63	32	34	13												194	893	194	893		
26 ~ 50		1	43	116	98	77	38	1													374	699	374	699		
~ 25			57	159	80	27	1	1													325	325	325	325		
合 計		1	106	343	305	188	104	55	2	0	0	0	0	0	0	0	0	0	0	0	1104		1104		1104	
未超過		1	107	450	755	943	1047	1102	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104					
(0.1%)		(1)	(97)	(408)	(684)	(854)	(948)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)					

付表 - A.2.25(d) 紋別(南) 波高・周期別出現頻度統計 (2005年9月~2005年11月)

2005年9月~2005年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1088	1088	1088	1088	
1101 ~ 1200																					0	1088	1088	1088	1088	
1001 ~ 1100																					0	1088	1088	1088	1088	
901 ~ 1000																					0	1088	1088	1088	1088	
801 ~ 900																					0	1088	1088	1088	1088	
701 ~ 800																					0	1088	1088	1088	1088	
651 ~ 700																					0	1088	1088	1088	1088	
601 ~ 650																					0	1088	1088	1088	1088	
551 ~ 600																					0	1088	1088	1088	1088	
501 ~ 550																					0	1088	1088	1088	1088	
451 ~ 500																					0	1088	1088	1088	1088	
401 ~ 450																					0	1088	1088	1088	1088	
351 ~ 400																					0	1088	1088	1088	1088	
301 ~ 350																					0	1088	1088	1088	1088	
251 ~ 300								1													1	1088	1	1088	1	1088
201 ~ 250					3	4	8	7	7	1											30	1087	30	1087	30	1087
176 ~ 200					5	8	12	4	2	2											28	1057	28	1057	28	1057
151 ~ 175					1	11	20	7	11	4	2	1									30	1024	30	1024	30	1024
126 ~ 150					3	12	15	11	10	14	7	2									52	967	52	967	52	967
101 ~ 125					1	14	10	8	14	22	7	3	2	3	1						68	889	68	889	68	889
76 ~ 100					5	19	25	38	29	17	26	14	4	1	1						91	821	91	821		
51 ~ 75					17	34	46	43	29	42	23	13									165	730	165	730		
26 ~ 50					35	75	69	34	26	23	9										227	615	227	615		
~ 25					2	36	36	18	4	1											249	368	249	368		
合 計		0	60	182	217	188	140	130	107	46	10	3	4	1	0	0	0	0	0	0	1088		1088		1088	
未超過		0	60	242	459	647	787	917	1024	1070	1080	1083	1087	1088	1088	1088	1088	1088	1088	1088	1088					
(0.1%)		(0)	(55)	(167)	(199)	(173)	(129)	(119)	(98)	(42)	(9)	(3)	(4)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表 - A.2.25(e) 紋別(南) 波高・周期別出現頻度統計 (2005年1月~2005年12月)

2005年1月~2005年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201 ~																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
1101 ~ 1200																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
1001 ~ 1100																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
901 ~ 1000																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
801 ~ 900																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
701 ~ 800																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
651 ~ 700																				0	4099		4122		4122
																				(0)	(1000)		(1000)		(1000)
601 ~ 650												1	1							2	4099	2	4122	2	4122
											(0)	(0)								(0)	(1000)	(0)	(1000)	(0)	(1000)
551 ~ 600									2	3	4									9	4097	9	4120	9	4120
									(0)	(1)	(1)									(2)	(1000)	(2)	(1000)	(2)	(1000)
501 ~ 550									2	3	2									7	4088	7	4111	7	4111
									(0)	(1)	(0)									(2)	(997)	(2)	(997)	(2)	(997)
451 ~ 500								2	1	3	1									7	4081	7	4104	7	4104
								(0)	(0)	(1)	(0)									(2)	(996)	(2)	(996)	(2)	(996)
401 ~ 450							2	3	2	5	2									14	4074	14	4097	14	4097
							(0)	(1)	(0)	(1)	(0)									(3)	(994)	(3)	(994)	(3)	(994)
351 ~ 400							4	5	7	3	1									20	4060	20	4083	20	4083
							(1)	(1)	(2)	(1)	(0)									(5)	(990)	(5)	(991)	(5)	(991)
301 ~ 350						2	7	10	8	7	2	1	1							39	4040	39	4063	39	4063
						(0)	(2)	(2)	(2)	(2)	(0)	(0)	(0)	(0)						(10)	(986)	(9)	(986)	(9)	(986)
251 ~ 300						7	22	27	27	15	3	2	4	1						108	4001	108	4024	108	4024
						(2)	(5)	(7)	(7)	(4)	(1)	(0)	(1)	(0)						(26)	(976)	(26)	(976)	(26)	(976)
201 ~ 250				9	38	50	39	32	22	4	1	3	1	1						200	3893	200	3916	200	3916
				(2)	(9)	(12)	(10)	(8)	(5)	(1)	(0)	(1)	(0)	(0)						(49)	(950)	(49)	(950)	(49)	(950)
176 ~ 200				12	25	41	42	18	6											144	3693	144	3716	144	3716
				(3)	(6)	(10)	(10)	(4)	(1)											(35)	(901)	(35)	(902)	(35)	(902)
151 ~ 175			1	28	61	42	39	20	9	4	1									205	3549	205	3572	205	3572
			(0)	(7)	(15)	(10)	(10)	(5)	(2)	(1)	(0)									(50)	(866)	(50)	(867)	(50)	(867)
126 ~ 150			6	47	45	48	32	21	13	8										220	3344	220	3367	220	3367
			(1)	(11)	(11)	(12)	(8)	(5)	(3)	(2)										(54)	(816)	(53)	(817)	(53)	(817)
101 ~ 125		2	56	63	40	46	36	34	8	4	3	3	1							296	3124	296	3147	296	3147
		(0)	(14)	(15)	(10)	(11)	(9)	(8)	(2)	(1)	(1)	(1)	(0)							(72)	(762)	(72)	(763)	(72)	(763)
76 ~ 100		16	82	114	93	73	49	36	17	4	1	1	1							486	2828	487	2851	487	2851
		(4)	(20)	(28)	(23)	(18)	(12)	(9)	(4)	(1)	(0)	(0)	(0)							(119)	(690)	(118)	(692)	(118)	(692)
51 ~ 75		60	139	146	106	90	80	61	21	4				5						712	2342	715	2364	715	2364
		(15)	(34)	(36)	(26)	(22)	(20)	(15)	(5)	(1)				(1)						(174)	(571)	(173)	(574)	(173)	(574)
26 ~ 50		2	147	331	201	158	89	64	28	16	7	2								1047	1630	1051	1649	1051	1649
		(0)	(36)	(81)	(49)	(39)	(22)	(16)	(7)	(4)	(2)	(0)								(255)	(398)	(255)	(400)	(255)	(400)
~ 25		13	120	233	143	58	9	3	3	1										583	583	598	598	598	598
		(3)	(29)	(57)	(35)	(14)	(2)	(1)	(1)	(0)										(142)	(142)	(145)	(145)	(145)	(145)
合計		15	345	848	763	633	523	431	302	152	51	12	12	11	1	0	0	0	0	4099		4122	23	4122	
(0.1%)		(4)	(84)	(207)	(186)	(154)	(128)	(105)	(74)	(37)	(12)	(3)	(3)	(3)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)	(6)	(1000)	
未超過		15	360	1208	1971	2604	3127	3558	3860	4012	4063	4075	4087	4098	4099	4099	4099	4099	4099						
(0.1%)		(4)	(88)	(295)	(481)	(635)	(763)	(868)	(942)	(979)	(991)	(994)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						