

付表 - A.2.24(a) 那霸 波高・周期別出現頻度統計 (2004年12月 ~ 2005年 2月)

2004年12月 ~ 2005年 2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 那霸

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1		補足 2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1080	0	1080	0	1080
1101 ~ 1200																					0	1080	0	1080	0	1080
1001 ~ 1100																					0	1080	0	1080	0	1080
901 ~ 1000																					0	1080	0	1080	0	1080
801 ~ 900																					0	1080	0	1080	0	1080
701 ~ 800																					0	1080	0	1080	0	1080
651 ~ 700																					0	1080	0	1080	0	1080
601 ~ 650																					0	1080	0	1080	0	1080
551 ~ 600																					0	1080	0	1080	0	1080
501 ~ 550																					0	1080	0	1080	0	1080
451 ~ 500																					0	1080	0	1080	0	1080
401 ~ 450																					1	1080	1	1080	1	1080
351 ~ 400																					18	1079	18	1079	18	1079
301 ~ 350																					19	1061	19	1061	19	1061
251 ~ 300																					35	1042	35	1042	35	1042
201 ~ 250																					51	1007	51	1007	51	1007
176 ~ 200																					134	956	134	956	134	956
151 ~ 175																					63	822	63	822	63	822
126 ~ 150																					119	664	119	664	119	664
101 ~ 125																					126	545	126	545	126	545
76 ~ 100																					160	419	160	419	160	419
51 ~ 75																					186	259	186	259	186	259
26 ~ 50																					70	73	70	73	70	73
~ 25																					3	3	3	3	3	3
合 計																					1080		1080		1080	
未超過																					1080		1080		1080	
(0.1%)																					(0)	(1000)	(0)	(1000)	(0)	(1000)

付表 - A.2.24(b) 那霸 波高・周期別出現頻度統計 (2005年 3月 ~ 2005年 5月)

2005年 3月 ~ 2005年 5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 那霸

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1		補足 2		
																						合 計	未超過	合 計	未超過	
1201 ~																					0	1104	0	1104	0	1104
1101 ~ 1200																					0	1104	0	1104	0	1104
1001 ~ 1100																					0	1104	0	1104	0	1104
901 ~ 1000																					0	1104	0	1104	0	1104
801 ~ 900																					0	1104	0	1104	0	1104
701 ~ 800																					0	1104	0	1104	0	1104
651 ~ 700																					0	1104	0	1104	0	1104
601 ~ 650																					0	1104	0	1104	0	1104
551 ~ 600																					0	1104	0	1104	0	1104
501 ~ 550																					0	1104	0	1104	0	1104
451 ~ 500																					1	1104	1	1104	1	1104
401 ~ 450																					5	1103	5	1103	5	1103
351 ~ 400																					15	1098	15	1098	15	1098
301 ~ 350																					17	1083	17	1083	17	1083
251 ~ 300																					35	1066	35	1066	35	1066
201 ~ 250																					40	1031	40	1031	40	1031
176 ~ 200																					67	922	67	922	67	922
151 ~ 175																					61	835	61	835	61	835
126 ~ 150																					59	855	59	855	59	855
101 ~ 125																					128	796	128	796	128	796
76 ~ 100																					197	668	197	668	197	668
51 ~ 75																					369	471	369	471	369	471
26 ~ 50																					102	102	102	102	102	102
~ 25																					92	92	92	92	92	92
合 計																					1104		1104		1104	
未超過																					1104		1104		1104	
(0.1%)																					(0)	(1000)	(0)	(1000)	(0)	(1000)

付表 - A.2.24(c) 那霸 波高・周期別出現頻度統計 (2005年6月~2005年8月)

2005年6月~2005年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 那霸

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201 ~																				0	888	888	888	888	
1101 ~ 1200																				0	888	888	888	888	
1001 ~ 1100																				0	888	888	888	888	
901 ~ 1000																				0	888	888	888	888	
801 ~ 900																				0	888	888	888	888	
701 ~ 800																				0	888	888	888	888	
651 ~ 700																				0	888	888	888	888	
601 ~ 650																				0	888	888	888	888	
551 ~ 600																				0	888	888	888	888	
501 ~ 550																				0	888	888	888	888	
451 ~ 500																				0	888	888	888	888	
401 ~ 450																				0	888	888	888	888	
351 ~ 400																				0	888	888	888	888	
301 ~ 350																				0	888	888	888	888	
251 ~ 300							1			1	2									4	888	4	888	4	888
201 ~ 250						2	6		2	9	5	1								25	884	25	884	25	884
176 ~ 200					4	9		3	2	1	1									20	859	20	859	20	859
151 ~ 175					7	10		3	5	2	4	1								32	839	32	839	32	839
126 ~ 150				4	20	19		2	4	5	4	2								60	807	60	807	60	807
101 ~ 125			1	22	48	6		3	9	2	4									95	747	95	747	95	747
76 ~ 100			17	62	41	10		3	4	4	1	1								143	652	143	652	143	652
51 ~ 75			4	51	108	39	24	16	5	2										249	509	249	509	249	509
26 ~ 50			11	27	70	73	50	10												241	260	241	260	241	260
~ 25			1	11	7															19	19	19	19	19	19
合計		0	15	97	277	241	135	37	32	27	21	6	0	0	0	0	0	0	0	888	888	888	888	888	
未超過	(0.1%)	(0)	(17)	(126)	(438)	(709)	(861)	(903)	(939)	(970)	(993)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	

付表 - A.2.24(d) 那霸 波高・周期別出現頻度統計 (2005年9月~2005年11月)

2005年9月~2005年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 那霸

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201 ~																				0	987	987	987	987	
1101 ~ 1200																				0	987	987	987	987	
1001 ~ 1100																				0	987	987	987	987	
901 ~ 1000																				0	987	987	987	987	
801 ~ 900																				0	987	987	987	987	
701 ~ 800																				0	987	987	987	987	
651 ~ 700																				0	987	987	987	987	
601 ~ 650																				0	987	987	987	987	
551 ~ 600																				0	987	987	987	987	
501 ~ 550																				0	987	987	987	987	
451 ~ 500																				0	987	987	987	987	
401 ~ 450																				0	987	987	987	987	
351 ~ 400								1												1	987	1	988	1	988
301 ~ 350							6	6												12	986	12	987	12	987
251 ~ 300						2	18	11	3											34	974	34	975	34	975
201 ~ 250						13	44	10	3											70	940	70	941	70	941
176 ~ 200						22	14	5	2											43	870	43	871	43	871
151 ~ 175					5	15	17	10	1											48	827	48	828	48	828
126 ~ 150					14	34	21	4	1											74	779	74	780	74	780
101 ~ 125				5	18	32	29	10	2	5		1								102	705	102	706	102	706
76 ~ 100				8	30	48	25	6	4	3										124	603	124	604	124	604
51 ~ 75				6	26	58	51	37	10	7	1									196	479	196	480	196	480
26 ~ 50				11	23	93	56	11	8	1	1									204	283	204	283	204	283
~ 25				4	46	25	4													79	79	79	79	79	79
合計		0	17	66	264	298	226	81	24	10	0	1	0	0	0	0	0	0	0	987	987	988	988	988	
未超過	(0.1%)	(0)	(17)	(83)	(267)	(302)	(229)	(82)	(24)	(10)	(0)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)	(1000)	

付表 - A.2.24(e) 那霸 波高・周期別出現頻度統計 (2005年1月~2005年12月)

2005年1月~2005年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 那霸

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201 ~																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
1101 ~ 1200																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
1001 ~ 1100																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
901 ~ 1000																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
801 ~ 900																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
701 ~ 800																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
651 ~ 700																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
601 ~ 650																				0 (0)	4059 (1000)		4060 (1000)		4060 (1000)	
551 ~ 600												2 (0)								2 (0)	4059 (1000)	2 (0)	4060 (1000)	2 (0)	4060 (1000)	
501 ~ 550											4 (1)	2 (0)								6 (1)	4057 (1000)	6 (1)	4058 (1000)	6 (1)	4058 (1000)	
451 ~ 500										1 (0)	3 (1)	2 (0)								6 (1)	4051 (998)	6 (1)	4052 (998)	6 (1)	4052 (998)	
401 ~ 450								4 (1)	9 (2)	8 (2)	2 (0)									23 (6)	4045 (997)	23 (6)	4046 (997)	23 (6)	4046 (997)	
351 ~ 400								16 (4)	16 (4)	10 (2)	1 (0)									43 (11)	4022 (991)	43 (11)	4023 (991)	43 (11)	4023 (991)	
301 ~ 350								10 (2)	33 (8)	28 (7)	9 (2)									80 (20)	3979 (980)	80 (20)	3980 (980)	80 (20)	3980 (980)	
251 ~ 300						7 (2)	52 (13)	60 (15)	30 (7)	3 (1)	2 (0)									154 (38)	3899 (961)	154 (38)	3900 (961)	154 (38)	3900 (961)	
201 ~ 250						41 (10)	117 (29)	70 (17)	22 (5)	10 (2)	5 (1)	1 (0)								266 (66)	3745 (923)	266 (66)	3746 (923)	266 (66)	3746 (923)	
176 ~ 200					8 (2)	51 (13)	54 (13)	28 (7)	6 (1)	2 (0)	1 (0)	1 (0)								151 (37)	3479 (857)	151 (37)	3480 (857)	151 (37)	3480 (857)	
151 ~ 175					17 (4)	44 (11)	82 (20)	54 (13)	7 (2)	2 (0)	4 (1)	1 (0)								211 (52)	3328 (820)	211 (52)	3329 (820)	211 (52)	3329 (820)	
126 ~ 150			1 (0)	52 (13)	106 (26)	111 (27)	35 (9)	5 (1)	5 (1)	4 (1)	2 (0)									321 (79)	3117 (768)	321 (79)	3118 (768)	3118 (768)	3118 (768)	
101 ~ 125			14 (3)	79 (19)	148 (36)	96 (24)	22 (5)	11 (3)	7 (2)	4 (1)	1 (0)									382 (94)	2796 (689)	382 (94)	2797 (689)			
76 ~ 100			54 (13)	161 (40)	187 (46)	88 (22)	15 (4)	8 (2)	7 (2)	1 (0)	1 (0)									522 (129)	2414 (595)	522 (129)	2415 (595)			
51 ~ 75		17 (4)	159 (39)	280 (69)	199 (49)	97 (24)	27 (7)	12 (3)	3 (1)											794 (196)	1892 (466)	795 (196)	1893 (466)			
26 ~ 50		26 (6)	191 (47)	336 (83)	249 (61)	73 (18)	18 (4)	1 (0)	1 (0)											895 (220)	1098 (271)	895 (220)	1098 (270)			
~ 25		2 (0)	24 (6)	105 (26)	60 (15)	12 (3)														203 (50)	203 (50)	203 (50)	203 (50)			
合計 (0.1%)		0 (0)	45 (11)	443 (109)	1038 (256)	1092 (269)	792 (195)	382 (94)	156 (38)	74 (18)	30 (7)	7 (2)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4059 (1000)		4060 (1000)	1 (0)	4060 (1000)		
未超過 (0.1%)		0 (0)	45 (11)	488 (120)	1526 (376)	2618 (645)	3410 (840)	3792 (934)	3948 (973)	4022 (991)	4052 (998)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)	4059 (1000)						