

付表 - C.1.42 長周期波高の出現分布 (下田)

下田		冬季:'04/12~'05/ 2					
波高階級 (cm)	4 m0L30-60		4 m0L60-300		4 m0L30-		
	観測数	出現率	観測数	出現率	観測数	出現率	
- 1	0	0.0	0	0.0	0	0.0	
1 - 5	677	62.7	445	41.2	90	8.3	
5 - 10	21	1.9	253	23.4	590	54.6	
10 - 20	0	0.0	0	0.0	18	1.7	
20 - 50	0	0.0	0	0.0	0	0.0	
50 -	0	0.0	0	0.0	0	0.0	
欠 測					382	35.4	
全観測					1080		
平均値	3.4		4.6		6.8		

下田		春季:'05/ 3~'05/ 5					
波高階級 (cm)	4 m0L30-60		4 m0L60-300		4 m0L30-		
	観測数	出現率	観測数	出現率	観測数	出現率	
- 1	0	0.0	0	0.0	0	0.0	
1 - 5	1066	96.6	819	74.2	322	29.2	
5 - 10	30	2.7	276	25.0	734	66.5	
10 - 20	0	0.0	1	0.1	39	3.5	
20 - 50	0	0.0	0	0.0	1	0.1	
50 -	0	0.0	0	0.0	0	0.0	
欠 測					8	0.7	
全観測					1104		
平均値	3.0		4.1		6.2		

下田		夏季:'05/ 6~'05/ 8					
波高階級 (cm)	4 m0L30-60		4 m0L60-300		4 m0L30-		
	観測数	出現率	観測数	出現率	観測数	出現率	
- 1	0	0.0	0	0.0	0	0.0	
1 - 5	988	89.5	886	80.3	262	23.7	
5 - 10	22	2.0	119	10.8	704	63.8	
10 - 20	11	1.0	18	1.6	47	4.3	
20 - 50	2	0.2	0	0.0	10	0.9	
50 -	0	0.0	0	0.0	0	0.0	
欠 測					81	7.3	
全観測					1104		
平均値	2.9		3.9		6.4		

下田		秋季:'05/ 9~'05/11					
波高階級 (cm)	4 m0L30-60		4 m0L60-300		4 m0L30-		
	観測数	出現率	観測数	出現率	観測数	出現率	
- 1	0	0.0	0	0.0	0	0.0	
1 - 5	993	90.9	864	79.1	234	21.4	
5 - 10	52	4.8	189	17.3	775	71.0	
10 - 20	28	2.6	24	2.2	49	4.5	
20 - 50	4	0.4	0	0.0	19	1.7	
50 -	0	0.0	0	0.0	0	0.0	
欠 測					15	1.4	
全観測					1092		
平均値	3.5		4.2		6.6		

下田		通年:'05/ 1~'05/12					
波高階級 (cm)	4 m0L30-60		4 m0L60-300		4 m0L30-		
	観測数	出現率	観測数	出現率	観測数	出現率	
- 1	0	0.0	0	0.0	0	0.0	
1 - 5	4062	92.7	3228	73.7	955	21.8	
5 - 10	159	3.6	995	22.7	3117	71.2	
10 - 20	39	0.9	43	1.0	164	3.7	
20 - 50	6	0.1	0	0.0	30	0.7	
50 -	0	0.0	0	0.0	0	0.0	
欠 測					114	2.6	
全観測					4380		
平均値	3.2		4.2		6.5		