

付表-A.2.10(a) 富山 波高・周期別出現頻度統計 (2005年12月~2006年2月)

2005年12月~2006年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~		0																		0	1075	0	1075	0	1075
1101~1200		0																		0	1075	0	1075	0	1075
1001~1100		0																		0	1075	0	1075	0	1075
901~1000		0																		0	1075	0	1075	0	1075
801~900		0																		0	1075	0	1075	0	1075
701~800		0																		0	1075	0	1075	0	1075
651~700														1						1	1075	1	1075	1	1075
601~650																				0	1074	0	1074	0	1074
551~600													1							1	1074	1	1074	1	1074
501~550																				0	1073	0	1073	0	1073
451~500													1							1	1073	1	1073	1	1073
401~450																				0	1072	0	1072	0	1072
351~400												1								1	1072	1	1072	1	1072
301~350										1	1	5	1	1						9	1071	9	1071	9	1071
251~300									1	2	3	4	2	1						15	1062	15	1062	15	1062
201~250					2	1	2		8	5	10	3	1							32	1047	32	1047	32	1047
176~200				4	2	1	3	2	8	7	1	1								22	1015	22	1015	1015	1015
151~175			1	3	3	2	4	11	8	2										34	993	34	993		
126~150			6	10	9	7	20	16	9	7										84	959	84	959		
101~125			8	10	16	18	17	35	18	3			1							126	875	126	875		
76~100			10	8	17	24	34	47	47	14	3									204	749	204	749		
51~75		2	12	17	20	25	51	49	14	7	2									199	545	199	545		
26~50		13	28	22	40	65	60	15	3											246	346	246	346		
~25		5	23	18	32	18	4													100	100	100	100		
合計		20	73	80	138	163	179	156	138	72	32	14	7	3	0	0	0	0	0	1075		1075		1075	
未超過		(19)	(87)	(161)	(289)	(441)	(607)	(753)	(881)	(948)	(978)	(991)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)		(1000)		(1000)	

付表-A.2.10(b) 富山 波高・周期別出現頻度統計 (2006年3月~2006年5月)

2006年3月~2006年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~		0																		0	1100	0	1100	0	1100
1101~1200		0																		0	1100	0	1100	0	1100
1001~1100		0																		0	1100	0	1100	0	1100
901~1000		0																		0	1100	0	1100	0	1100
801~900		0																		0	1100	0	1100	0	1100
701~800		0																		0	1100	0	1100	0	1100
651~700		0																		0	1100	0	1100	0	1100
601~650		0																		0	1100	0	1100	0	1100
551~600		0																		0	1100	0	1100	0	1100
501~550		0																		0	1100	0	1100	0	1100
451~500		0																		0	1100	0	1100	0	1100
401~450		0																		0	1100	0	1100	0	1100
351~400		0																		0	1100	0	1100	0	1100
301~350		0																		0	1100	0	1100	0	1100
251~300		0																		0	1100	0	1100	0	1100
201~250									1		2									3	1100	3	1100	3	1100
176~200									2	1	5									8	1097	8	1097	8	1097
151~175					2	1		1	4	2	4									14	1089	14	1089		
126~150				3	2	3	2	4	1	7	3									25	1075	25	1075		
101~125				12	11	5	6	11	5	16	13		1							80	1050	80	1050		
76~100			8	24	9	16	10	9	13	11	6									106	970	106	970		
51~75		3	26	26	29	18	24	35	15	10	1									187	864	187	864		
26~50		72	83	37	50	52	21	22	1	1										339	677	339	677		
~25		66	120	81	43	28														307	338	307	338		
合計		141	237	183	146	123	63	82	42	48	34	1	0	0	0	0	0	0	0	1100		1100		1100	
未超過		(128)	(215)	(166)	(133)	(112)	(57)	(75)	(38)	(44)	(31)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.10(c) 富山 波高・周期別出現頻度統計 (2006年6月~2006年8月)

2006年6月~2006年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104		1104		1104
1101~1200																				0	1104		1104		1104
1001~1100																				0	1104		1104		1104
901~1000																				0	1104		1104		1104
801~900																				0	1104		1104		1104
701~800																				0	1104		1104		1104
651~700																				0	1104		1104		1104
601~650																				0	1104		1104		1104
551~600																				0	1104		1104		1104
501~550																				0	1104		1104		1104
451~500																				0	1104		1104		1104
401~450																				0	1104		1104		1104
351~400																				0	1104		1104		1104
301~350																				0	1104		1104		1104
251~300																				0	1104		1104		1104
201~250																				0	1104		1104		1104
176~200																				0	1104		1104	1104	1104
151~175																				0	1104		1104		1104
126~150																				0	1104		1104		1104
101~125					(2)															2	1104		1104		1104
76~100			(3)	(5)	(5)	(6)														19	1102	19	1102		1102
51~75		(5)	(27)	(24)	(8)	(14)	(1)													79	1083	79	1083		1083
26~50		(90)	(111)	(36)	(17)	(18)	(4)													305	1004	305	1004		1004
~25		(101)	(281)	(201)	(87)	(24)	(5)													699	699	699	699		699
合計		(186)	(434)	(270)	(121)	(64)	(10)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
未超過		(186)	(434)	(270)	(121)	(64)	(10)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
(0.1%)		(186)	(434)	(270)	(121)	(64)	(10)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	

付表-A.2.10(d) 富山 波高・周期別出現頻度統計 (2006年9月~2006年11月)

2006年9月~2006年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1091		1091		1091
1101~1200																				0	1091		1091		1091
1001~1100																				0	1091		1091		1091
901~1000																				0	1091		1091		1091
801~900																				0	1091		1091		1091
701~800																				0	1091		1091		1091
651~700																				0	1091		1091		1091
601~650																				0	1091		1091		1091
551~600																				0	1091		1091		1091
501~550																				0	1091		1091		1091
451~500																				0	1091		1091		1091
401~450																				0	1091		1091		1091
351~400									(3)			(3)								6	1091	6	1091	6	1091
301~350						(1)	(7)					(2)	(1)							11	1085	11	1085	11	1085
251~300					(2)	(5)	(3)	(4)	(5)	(3)	(1)									23	1074	23	1074	23	1074
201~250					(6)	(2)	(4)	(1)	(1)	(1)										15	1051	15	1051	15	1051
176~200					(2)	(2)	(3)	(5)	(1)	(2)										15	1036	15	1036	15	1036
151~175					(1)	(2)	(4)	(4)												11	1021	11	1021	11	1021
126~150					(4)	(5)	(6)	(5)	(6)											30	1010	30	1010	30	1010
101~125			(1)	(10)	(14)	(5)	(3)	(6)	(4)	(2)										48	980	48	980	48	980
76~100			(8)	(52)	(22)	(16)	(11)	(4)	(4)	(4)	(1)									128	932	128	932	128	932
51~75			(35)	(82)	(47)	(21)	(13)	(7)	(4)	(3)	(3)									233	804	233	804	233	804
26~50		(18)	(53)	(100)	(59)	(64)	(23)	(9)	(7)	(2)										335	571	335	571	335	571
~25		(27)	(73)	(67)	(42)	(17)	(6)	(3)	(1)											307	(523)	(307)	(523)	(307)	(523)
合計		(41)	(174)	(318)	(196)	(146)	(75)	(54)	(47)	(18)	(10)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	1091		1091		1091	
未超過		(41)	(174)	(318)	(196)	(146)	(75)	(54)	(47)	(18)	(10)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	1091		1091		1091	
(0.1%)		(41)	(174)	(318)	(196)	(146)	(75)	(54)	(47)	(18)	(10)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	1091		1091		1091	

付表-A.2.10(e) 富山 波高・周期別出現頻度統計 (2006年1月~2006年12月)

2006年1月~2006年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 富山

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()
1201~		(0)																		4370	4370	4370		4370		
1101~1200		(0)																		4370	4370	4370		4370		
1001~1100		(0)																		4370	4370	4370		4370		
901~1000		(0)																		4370	4370	4370		4370		
801~ 900		(0)																		4370	4370	4370		4370		
701~ 800		(0)																		4370	4370	4370		4370		
651~ 700		(0)																		4370	4370	4370		4370		
601~ 650		(0)																		4370	4370	4370		4370		
551~ 600		(0)																		4370	4370	4370		4370		
501~ 550		(0)																		4370	4370	4370		4370		
451~ 500		(0)																		4370	4370	4370		4370		
401~ 450		(0)																		4370	4370	4370		4370		
351~ 400		(7)							(3)			(4)								4370	4370	4370	(7)	4370		
301~ 350		(14)					(1)	(7)				(4)	(2)							4363	4363	4363	(14)	4363		
251~ 300		(31)			(2)	(5)	(1)	(5)	(4)	(5)	(3)	(5)	(2)							4349	4349	4349	(31)	4349		
201~ 250		(29)		(2)	(7)	(3)		(7)	(1)	(6)	(3)									4318	4318	4318	(29)	4318		
176~ 200		(41)		(4)	(4)	(3)	(6)	(13)	(4)	(7)										4289	4289	4289	(41)	4289		
151~ 175		(46)		(5)	(5)	(2)	(8)	(16)	(6)	(4)										4248	4248	4248	(46)	4248		
126~ 150		(110)		(8)	(15)	(15)	(17)	(15)	(18)	(15)	(4)	(3)								4202	4202	4202	(110)	4202		
101~ 125		(214)		(32)	(40)	(21)	(23)	(28)	(26)	(25)	(17)	(1)								4092	4092	4092	(214)	4092		
76~ 100		(425)		(28)	(61)	(64)	(52)	(49)	(49)	(23)	(7)									3878	3878	3878	(425)	3878		
51~ 75		(733)		(106)	(156)	(129)	(90)	(108)	(84)	(34)	(13)	(4)								3453	3453	3453	(733)	3453		
26~ 50		(1284)		(205)	(286)	(201)	(195)	(220)	(124)	(41)	(9)	(3)								2720	2720	2720	(1284)	2720		
~ 25		(1436)		(203)	(514)	(390)	(220)	(90)	(15)	(3)	(1)									1436	1436	1436	(1436)	1436		
合計		(417)	(935)	(879)	(671)	(518)	(353)	(246)	(180)	(95)	(52)	(20)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	4370	4370	4370	(417)	4370		
未超過		(417)	(1352)	(2231)	(2902)	(3420)	(3773)	(4019)	(4199)	(4294)	(4346)	(4366)	(4370)	(4370)	(4370)	(4370)	(4370)	(4370)	(4370)							
(0.1%)		(95)	(309)	(511)	(664)	(783)	(863)	(920)	(961)	(983)	(995)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)							