

付表-A.2.49(a) 神戸 波高・周期別出現頻度統計 (2005年12月~2006年2月)

2005年12月~2006年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 神戸

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
																							合 計	未超過	合 計
1201~																				0	1079		1079		1079
1101~1200																				0	1079		1079		1079
1001~1100																				0	1079		1079		1079
901~1000																				0	1079		1079		1079
801~ 900																				0	1079		1079		1079
701~ 800																				0	1079		1079		1079
651~ 700																				0	1079		1079		1079
601~ 650																				0	1079		1079		1079
551~ 600																				0	1079		1079		1079
501~ 550																				0	1079		1079		1079
451~ 500																				0	1079		1079		1079
401~ 450																				0	1079		1079		1079
351~ 400																				0	1079		1079		1079
301~ 350																				0	1079		1079		1079
251~ 300																				0	1079		1079		1079
201~ 250																				0	1079		1079		1079
176~ 200																				0	1079		1079		1079
151~ 175																				0	1079		1079		1079
126~ 150				(4)																4	1079	(4)	1079	(4)	1079
101~ 125			(2)	(11)																13	1075	(12)	1075	(12)	1075
76~ 100			(17)	(21)																38	1062	(35)	1062	(35)	1062
51~ 75		(1)	(87)	(4)																92	1024	(85)	1024	(85)	1024
26~ 50		(73)	(356)	(37)	(13)	(3)	(4)	(1)												487	932	(451)	932	(451)	932
~ 25		(70)	(350)	(21)	(2)	(2)														445	445	(412)	445	(412)	445
合 計		(144)	(812)	(98)	(15)	(3)	(6)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1079	(1000)		1079	(1000)	
未超過	(0.1%)	(144)	(886)	(977)	(1069)	(1072)	(1078)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)	(1079)						

付表-A.2.49(b) 神戸 波高・周期別出現頻度統計 (2006年3月~2006年5月)

2006年3月~2006年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 神戸

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
																							合 計	未超過	合 計
1201~																				0	1103		1103		1103
1101~1200																				0	1103		1103		1103
1001~1100																				0	1103		1103		1103
901~1000																				0	1103		1103		1103
801~ 900																				0	1103		1103		1103
701~ 800																				0	1103		1103		1103
651~ 700																				0	1103		1103		1103
601~ 650																				0	1103		1103		1103
551~ 600																				0	1103		1103		1103
501~ 550																				0	1103		1103		1103
451~ 500																				0	1103		1103		1103
401~ 450																				0	1103		1103		1103
351~ 400																				0	1103		1103		1103
301~ 350																				0	1103		1103		1103
251~ 300																				0	1103		1103		1103
201~ 250																				0	1103		1103		1103
176~ 200																				0	1103		1103		1103
151~ 175																				0	1103		1103		1103
126~ 150				(1)																1	1103	(1)	1103	(1)	1103
101~ 125			(1)	(5)																6	1102	(5)	1102	(5)	1102
76~ 100			(4)	(14)	(1)															19	1096	(17)	1096	(17)	1096
51~ 75		(1)	(54)	(18)	(5)	(1)	(1)													80	1077	(73)	1077	(73)	1077
26~ 50		(54)	(353)	(80)	(23)	(9)														519	997	(471)	997	(471)	997
~ 25		(67)	(369)	(39)	(3)															478	478	(433)	478	(433)	478
合 計		(122)	(781)	(157)	(32)	(10)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1103	(1000)		1103	(1000)	
未超過	(0.1%)	(122)	(903)	(1060)	(1092)	(1102)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)	(1103)						

付表-A.2.49(c) 神戸 波高・周期別出現頻度統計 (2006年6月~2006年8月)

2006年6月~2006年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 神戸

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201~																				0	944	945	945	945	
1101~1200																				0	944	945	945	945	
1001~1100																				0	944	945	945	945	
901~1000																				0	944	945	945	945	
801~900																				0	944	945	945	945	
701~800																				0	944	945	945	945	
651~700																				0	944	945	945	945	
601~650																				0	944	945	945	945	
551~600																				0	944	945	945	945	
501~550																				0	944	945	945	945	
451~500																				0	944	945	945	945	
401~450																				0	944	945	945	945	
351~400																				0	944	945	945	945	
301~350																				0	944	945	945	945	
251~300																				0	944	945	945	945	
201~250																				0	944	945	945	945	
176~200																				0	944	945	945	945	
151~175																				0	944	945	945	945	
126~150																				0	944	945	945	945	
101~125				4	1															5	944	945	945	945	
76~100			3	2																5	939	940	940	940	
51~75		1	30	7	2	1	2	1												44	934	935	935	935	
26~50		39	316	133	33	14	5	1												541	890	542	891	891	
~25		26	266	51	4	1	1													349	349	349	349	349	
合計		66	615	197	40	16	8	2	0	0	0	0	0	0	0	0	0	0	0	944		945	1	945	
未超過		66	681	878	918	934	942	944	944	944	944	944	944	944	944	944	944	944	944	944		(1000)		(1000)	
(0.1%)		(70)	(721)	(930)	(972)	(989)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.49(d) 神戸 波高・周期別出現頻度統計 (2006年9月~2006年11月)

2006年9月~2006年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 神戸

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201~																				0	1048	1048	1048	1048	
1101~1200																				0	1048	1048	1048	1048	
1001~1100																				0	1048	1048	1048	1048	
901~1000																				0	1048	1048	1048	1048	
801~900																				0	1048	1048	1048	1048	
701~800																				0	1048	1048	1048	1048	
651~700																				0	1048	1048	1048	1048	
601~650																				0	1048	1048	1048	1048	
551~600																				0	1048	1048	1048	1048	
501~550																				0	1048	1048	1048	1048	
451~500																				0	1048	1048	1048	1048	
401~450																				0	1048	1048	1048	1048	
351~400																				0	1048	1048	1048	1048	
301~350																				0	1048	1048	1048	1048	
251~300																				0	1048	1048	1048	1048	
201~250																				0	1048	1048	1048	1048	
176~200						2														2	1048	1048	1048	1048	
151~175																				0	1046	1046	1046	1046	
126~150				1	2															3	1046	1046	1046	1046	
101~125				2	1															3	1043	1043	1043	1043	
76~100			2	1																3	1040	1040	1040	1040	
51~75			13	5	1	1														20	1037	1037	1037	1037	
26~50		69	337	60	1															467	1017	1017	1017	1017	
~25		106	422	21	1															550	550	550	550	550	
合計		175	774	90	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1048		1048		1048	
未超過		175	949	1039	1047	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048	1048		(1000)		(1000)	
(0.1%)		(167)	(739)	(86)	(8)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)						

付表-A.2.49(e) 神戸 波高・周期別出現頻度統計 (2006年1月~2006年12月)

2006年1月~2006年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 神戸

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2		
																								合 計	未超過	合 計
1201~																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
1101~1200																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
1001~1100																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
901~1000																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
801~ 900																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
701~ 800																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
651~ 700																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
601~ 650																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
551~ 600																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
501~ 550																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
451~ 500																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
401~ 450																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
351~ 400																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
301~ 350																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
251~ 300																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
201~ 250																				0 (0)	4169 (1000)		4171 (1000)		4171 (1000)	
176~ 200					2 (0)															2 (0)	4169 (1000)	2 (0)	4171 (1000)	2 (0)	4171 (1000)	
151~ 175																				0 (0)	4167 (1000)		4169 (1000)		4169 (1000)	
126~ 150			2 (0)	2 (0)																4 (1)	4167 (1000)	4 (1)	4169 (1000)	4 (1)	4169 (1000)	
101~ 125		2 (0)	12 (3)	2 (0)																16 (4)	4163 (999)	16 (4)	4165 (999)	16 (4)	4165 (999)	
76~ 100		13 (3)	30 (7)	1 (0)																44 (11)	4147 (995)	44 (11)	4149 (995)	44 (11)	4149 (995)	
51~ 75		3 (1)	134 (32)	33 (8)	8 (2)	3 (1)	3 (1)	1 (0)												185 (44)	4103 (984)	185 (44)	4105 (984)	4105 (984)	4105 (984)	
26~ 50		241 (58)	1326 (318)	318 (76)	69 (17)	26 (6)	9 (2)	2 (0)												1991 (478)	3918 (940)	1992 (478)	3920 (940)			
~ 25		287 (69)	1492 (358)	134 (32)	10 (2)	1 (0)	3 (1)													1927 (462)	1927 (462)	1928 (462)	1928 (462)			
合 計 (0.1%)		531 (127)	2967 (712)	529 (127)	94 (23)	30 (7)	15 (4)	3 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4169 (1000)		4171 (1000)	2 (0)	4171 (1000)		
未超過 (0.1%)		531 (127)	3498 (839)	4027 (966)	4121 (988)	4151 (996)	4166 (999)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)	4169 (1000)						