

付表-A.2.11(a) 伏木富山 波高・周期別出現頻度統計 (2006年12月～2007年2月)

2006年12月～2007年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201～																				0	1060	0	1060	0	1060
1101～1200																				0	1060	0	1060	0	1060
1001～1100																				0	1060	0	1060	0	1060
901～1000																				0	1060	0	1060	0	1060
801～900																				0	1060	0	1060	0	1060
701～800																				0	1060	0	1060	0	1060
651～700																				0	1060	0	1060	0	1060
601～650																				0	1060	0	1060	0	1060
551～600																				0	1060	0	1060	0	1060
501～550																				0	1060	0	1060	0	1060
451～500																				0	1060	0	1060	0	1060
401～450																				0	1060	0	1060	0	1060
351～400																				0	1060	0	1060	0	1060
301～350																				0	1060	0	1060	0	1060
251～300																				0	1060	0	1060	0	1060
201～250																				0	1060	0	1060	0	1060
176～200																				0	1060	0	1060	0	1060
151～175																				0	1060	0	1060	0	1060
126～150																				0	1060	0	1060	0	1060
101～125																				0	1060	0	1060	0	1060
76～100																				0	1060	0	1060	0	1060
51～75																				0	1060	0	1060	0	1060
26～50																				0	1060	0	1060	0	1060
～25																				0	1060	0	1060	0	1060
合計																				0	1060	0	1060	0	1060
未超過																				0	1060	0	1060	0	1060

付表-A.2.11(b) 伏木富山 波高・周期別出現頻度統計 (2007年3月～2007年5月)

2007年3月～2007年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計
1201～																				0	1098	0	1098	0	1098
1101～1200																				0	1098	0	1098	0	1098
1001～1100																				0	1098	0	1098	0	1098
901～1000																				0	1098	0	1098	0	1098
801～900																				0	1098	0	1098	0	1098
701～800																				0	1098	0	1098	0	1098
651～700																				0	1098	0	1098	0	1098
601～650																				0	1098	0	1098	0	1098
551～600																				0	1098	0	1098	0	1098
501～550																				0	1098	0	1098	0	1098
451～500																				0	1098	0	1098	0	1098
401～450																				0	1098	0	1098	0	1098
351～400																				0	1098	0	1098	0	1098
301～350																				0	1098	0	1098	0	1098
251～300																				0	1098	0	1098	0	1098
201～250																				0	1098	0	1098	0	1098
176～200																				0	1098	0	1098	0	1098
151～175																				0	1098	0	1098	0	1098
126～150																				0	1098	0	1098	0	1098
101～125																				0	1098	0	1098	0	1098
76～100																				0	1098	0	1098	0	1098
51～75																				0	1098	0	1098	0	1098
26～50																				0	1098	0	1098	0	1098
～25																				0	1098	0	1098	0	1098
合計																				0	1098	0	1098	0	1098
未超過																				0	1098	0	1098	0	1098

付表-A.2.11(c) 伏木富山 波高・周期別出現頻度統計 (2007年6月~2007年8月)

2007年6月~2007年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	1079	0	1079	0	1079
1101~1200																				0	1079	0	1079	0	1079
1001~1100																				0	1079	0	1079	0	1079
901~1000																				0	1079	0	1079	0	1079
801~900																				0	1079	0	1079	0	1079
701~800																				0	1079	0	1079	0	1079
651~700																				0	1079	0	1079	0	1079
601~650																				0	1079	0	1079	0	1079
551~600																				0	1079	0	1079	0	1079
501~550																				0	1079	0	1079	0	1079
451~500																				0	1079	0	1079	0	1079
401~450																				0	1079	0	1079	0	1079
351~400																				0	1079	0	1079	0	1079
301~350																				0	1079	0	1079	0	1079
251~300																				0	1079	0	1079	0	1079
201~250						1														1	1079	1	1079	1	1079
176~200					2															2	1078	2	1078	1078	1078
151~175					1															1	1076	1	1076		
126~150					2															2	1075	2	1075		
101~125				2		2														4	1073	4	1073		
76~100		4	9		7	2														22	1069	22	1069		
51~75		13	27		9	9	7													65	1047	65	1047		
26~50		2	91	64	40	19	7													223	982	223	982		
~25		7	413	231	78	29	1													759	759	759	759		
合計		9	521	333	139	62	15	0	0	0	0	0	0	0	0	0	0	0	0	1079		1079		1079	
未超過		9	530	863	1002	1064	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079					1079

付表-A.2.11(d) 伏木富山 波高・周期別出現頻度統計 (2007年9月~2007年11月)

2007年9月~2007年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	1082	0	1082	0	1082
1101~1200																				0	1082	0	1082	0	1082
1001~1100																				0	1082	0	1082	0	1082
901~1000																				0	1082	0	1082	0	1082
801~900																				0	1082	0	1082	0	1082
701~800																				0	1082	0	1082	0	1082
651~700																				0	1082	0	1082	0	1082
601~650																				0	1082	0	1082	0	1082
551~600																				0	1082	0	1082	0	1082
501~550																				0	1082	0	1082	0	1082
451~500																				0	1082	0	1082	0	1082
401~450																				0	1082	0	1082	0	1082
351~400																				0	1082	0	1082	0	1082
301~350																				0	1082	0	1082	0	1082
251~300																				0	1082	0	1082	0	1082
201~250																				0	1082	0	1082	0	1082
176~200					2	1														3	1082	3	1082	1082	1082
151~175					17	2														19	1079	19	1079		
126~150				5	15	1	2													23	1060	23	1060		
101~125				25	15	3	4	1												44	1037	44	1037		
76~100		1	32	26	5	12	7	1												84	989	84	989		
51~75		24	38	31	19	32	31	13		4										192	905	192	905		
26~50		1	64	88	67	81	49	28	8	2										388	713	388	713		
~25		2	83	105	83	39	11	1	1											325	325	325	325		
合計		3	172	293	256	151	110	68	23	6	0	0	0	0	0	0	0	0	0	1082		1082		1082	
未超過		3	175	468	724	875	985	1053	1076	1082	1082	1082	1082	1082	1082	1082	1082	1082	1082	1082					1082

付表-A.2.11(e) 伏木富山 波高・周期別出現頻度統計 (2007年1月~2007年12月)

2007年 1月~2007年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 伏木富山

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
1101~1200																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
1001~1100																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
901~1000																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
801~ 900																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
701~ 800																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
651~ 700																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
601~ 650																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
551~ 600																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
501~ 550																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
451~ 500																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
401~ 450																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
351~ 400																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
301~ 350																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
251~ 300																				0	4310		4310		4310
																				(0)	(1000)		(1000)		(1000)
201~ 250						2														2	4310	2	4310	2	4310
					(0)	(0)														(0)	(1000)	(0)	(1000)	(0)	(1000)
176~ 200					9	1														10	4308	10	4308	10	4308
					(2)	(0)														(2)	(1000)	(2)	(1000)	(1000)	(1000)
151~ 175					23	4	1				1		2							31	4298	31	4298		4308
					(5)	(1)	(0)			(0)		(0)	(2)							(7)	(997)	(7)	(997)		(1000)
126~ 150					6	26	6	4			1		1	1						45	4267	45	4267		4308
					(6)	(1)	(1)	(4)		(0)		(0)	(0)	(1)						(10)	(990)	(10)	(990)		(1000)
101~ 125					1	43	25	13	7	4			4	3	3					103	4222	103	4222		4308
					(0)	(10)	(6)	(3)	(2)	(1)			(1)	(1)	(1)					(24)	(980)	(24)	(980)		(1000)
76~ 100					5	83	51	21	33	26	13		20	6	2					260	4119	260	4119		4308
					(1)	(19)	(12)	(5)	(8)	(6)	(3)		(5)	(1)	(0)					(60)	(956)	(60)	(956)		(1000)
51~ 75					52	144	96	82	96	75	38		21	8						612	3859	612	3859		4308
					(12)	(33)	(22)	(19)	(22)	(17)	(9)		(5)	(2)						(142)	(895)	(142)	(895)		(1000)
26~ 50					10	228	289	262	252	186	84		22	2						1335	3247	1335	3247		4308
					(2)	(53)	(67)	(61)	(58)	(43)	(19)		(5)	(0)						(310)	(753)	(310)	(753)		(1000)
~ 25					14	655	644	371	174	45	7		2							1912	1912	1912	1912		4310
					(3)	(152)	(149)	(86)	(40)	(10)	(2)		(0)							(444)	(444)	(444)	(444)		(1000)
合 計					24	941	1209	863	555	372	196		75	48	18					4310		4310		4310	
					(6)	(218)	(281)	(200)	(129)	(86)	(45)		(17)	(11)	(4)					(0)	(0)	(0)	(0)	(0)	(1000)
未超過					24	965	2174	3037	3592	3964	4160		4235	4283	4301					4310		4310		4310	
(0.1%)					(6)	(224)	(504)	(705)	(833)	(920)	(965)		(983)	(994)	(998)					(1000)		(1000)		(1000)	