

付表—A.2.5(a) 深浦 波高・周期別出現頻度統計 (2006年12月～2007年2月)

2006年12月～2007年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																						合計	未超過	合計	未超過
1201～																				0	1080	0	1080	0	1080
1101～1200																				0	1080	0	1080	0	1080
1001～1100																				0	1080	0	1080	0	1080
901～1000																				0	1080	0	1080	0	1080
801～900																				0	1080	0	1080	0	1080
701～800											(5)	(2)								7	1080	7	1080	7	1080
651～700										(1)	(4)									5	1073	5	1073	5	1073
601～650										(1)										1	1068	1	1068	1	1068
551～600									(2)	(5)										7	1067	7	1067	7	1067
501～550								(1)	(2)	(1)										4	1060	4	1060	4	1060
451～500								(2)	(7)											9	1056	9	1056	9	1056
401～450							(1)	(8)		(1)										10	1047	10	1047	10	1047
351～400							(4)	(16)	(4)											24	1037	24	1037	24	1037
301～350					(2)	(32)	(16)	(1)												51	1013	51	1013	51	1013
251～300					(16)	(96)	(8)	(2)	(1)											124	962	124	962	124	962
201～250			(3)	(84)	(58)	(4)														149	838	149	838	149	838
176～200			(17)	(55)	(14)	(1)														87	689	87	689	87	689
151～175			(21)	(53)	(17)															91	602	91	602	91	602
126～150		(2)	(27)	(48)	(5)															82	511	82	511	82	511
101～125		(13)	(48)	(50)	(1)															112	429	112	429	112	429
76～100		(22)	(51)	(29)																102	317	102	317	102	317
51～75	(8)	(43)	(63)	(12)																126	215	126	215	126	215
26～50	(6)	(41)	(33)	(1)																81	89	81	89	81	89
～25		(1)	(7)																	8	8	8	8	8	8
合計 (0.1%)		(0)	(13)	(122)	(270)	(350)	(228)	(57)	(18)	(17)	(9)	(8)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	1080		1080		1080	
未超過 (0.1%)		(0)	(13)	(136)	(406)	(756)	(984)	(1041)	(1059)	(1069)	(1078)	(1080)	(1080)	(1080)	(1080)	(1080)	(1080)	(1080)	(1080)						

付表—A.2.5(b) 深浦 波高・周期別出現頻度統計 (2007年3月～2007年5月)

2007年3月～2007年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
																						合計	未超過	合計	未超過	
1201～																				0	1104	0	1104	0	1104	
1101～1200																					0	1104	0	1104	0	1104
1001～1100																					0	1104	0	1104	0	1104
901～1000																					0	1104	0	1104	0	1104
801～900																					0	1104	0	1104	0	1104
701～800											(2)										2	1104	2	1104	2	1104
651～700										(1)	(1)										2	1102	2	1102	2	1102
601～650										(5)	(1)										6	1100	6	1100	6	1100
551～600										(5)											5	1093	5	1093	5	1093
501～550										(2)											2	1088	2	1088	2	1088
451～500								(1)	(8)	(1)											11	1086	11	1086	11	1086
401～450							(3)	(5)	(3)												11	1075	11	1075	11	1075
351～400						(4)	(2)	(4)	(1)												11	1064	11	1064	11	1064
301～350					(6)	(5)	(1)														13	1053	13	1053	13	1053
251～300					(5)	(12)	(5)														22	1039	22	1039	22	1039
201～250			(3)	(22)	(24)	(2)	(1)														52	1017	52	1017	52	1017
176～200			(3)	(17)	(5)	(5)															30	965	30	965	30	965
151～175				(15)	(28)	(11)	(2)														27	935	27	935	27	935
126～150		(1)	(25)	(25)	(14)	(7)															51	847	51	847	51	847
101～125		(6)	(54)	(33)	(27)	(5)	(1)														80	879	80	879	80	879
76～100		(49)	(57)	(34)	(9)																126	799	126	799	126	799
51～75	(11)	(85)	(94)	(29)	(1)																165	673	165	673	165	673
26～50	(18)	(150)	(68)	(12)	(1)																220	508	220	508	220	508
～25	(1)	(26)	(12)																		39	39	39	39	39	39
合計 (0.1%)		(0)	(30)	(322)	(340)	(212)	(117)	(39)	(21)	(19)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104		
未超過 (0.1%)		(0)	(27)	(292)	(308)	(192)	(106)	(35)	(19)	(17)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)							

付表-A.2.5(c) 深浦 波高・周期別出現頻度統計 (2007年6月~2007年8月)

2007年6月~2007年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2			
																							合計	未超過	合計	未超過	
1201~																				0	1102		1102		1102		
1101~1200																				0	1102		1102		1102		
1001~1100																				0	1102		1102		1102		
901~1000																				0	1102		1102		1102		
801~900																				0	1102		1102		1102		
701~800																				0	1102		1102		1102		
651~700																				0	1102		1102		1102		
601~650																				0	1102		1102		1102		
551~600																				0	1102		1102		1102		
501~550																				0	1102		1102		1102		
451~500																				0	1102		1102		1102		
401~450																				0	1102		1102		1102		
351~400																				0	1102		1102		1102		
301~350																				0	1102		1102		1102		
251~300																				1	1102		1102		1102		
201~250																				2	1101		1101		1101		
176~200																				10	1099		1099		1099		
151~175																				17	1089		1089		1089		
126~150																				27	1072		1072		1072		
101~125																				58	1045		1045		1045		
76~100																				85	987		987		987		
51~75																				249	902		902		902		
26~50																				528	653		653		653		
~25																				125	125		125		125		
合計																				1102		1102		1102		1102	
未超過																				1	102		102		102		102

付表-A.2.5(d) 深浦 波高・周期別出現頻度統計 (2007年9月~2007年11月)

2007年9月~2007年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2			
																							合計	未超過	合計	未超過	
1201~																				0	1092		1092		1092		
1101~1200																				0	1092		1092		1092		
1001~1100																				0	1092		1092		1092		
901~1000																				0	1092		1092		1092		
801~900																				0	1092		1092		1092		
701~800																				0	1092		1092		1092		
651~700																				0	1092		1092		1092		
601~650																				0	1092		1092		1092		
551~600																				1	1092		1092		1092		
501~550																				4	1091		1091		1091		
451~500																				12	1087		1087		1087		
401~450																				25	1075		1075		1075		
351~400																				16	1050		1050		1050		
301~350																				16	1034		1034		1034		
251~300																				42	1018		1018		1018		
201~250																				69	976		976		976		
176~200																				39	907		907		907		
151~175																				77	868		868		868		
126~150																				73	791		791		791		
101~125																				130	718		718		718		
76~100																				140	588		588		588		
51~75																				170	448		448		448		
26~50																				231	278		278		278		
~25																				47	47		47		47		
合計																				1092		1092		1092		1092	
未超過																				1	102		102		102		102

付表-A.2.5(e) 深浦 波高・周期別出現頻度統計 (2007年1月~2007年12月)

2007年1月~2007年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1	補足2		
1201~																				0 (0)	4378 (1000)		4378 (1000)	4378 (1000)	
1101~1200																				0 (0)	4378 (1000)		4378 (1000)	4378 (1000)	
1001~1100																				0 (0)	4378 (1000)		4378 (1000)	4378 (1000)	
901~1000																				0 (0)	4378 (1000)		4378 (1000)	4378 (1000)	
801~ 900																				0 (0)	4378 (1000)		4378 (1000)	4378 (1000)	
701~ 800											(2)	(0)								9 (2)	4378 (1000)	9 (2)	4378 (1000)	9 (2)	4378 (1000)
651~ 700										(0)	(5)	(1)								7 (2)	4369 (998)	7 (2)	4369 (998)	7 (2)	4369 (998)
601~ 650										(7)	(1)									8 (2)	4362 (996)	8 (2)	4362 (996)	8 (2)	4362 (996)
551~ 600									(2)	(10)										12 (3)	4354 (995)	12 (3)	4354 (995)	12 (3)	4354 (995)
501~ 550								(1)	(4)	(5)										10 (2)	4342 (992)	10 (2)	4342 (992)	10 (2)	4342 (992)
451~ 500								(3)	(26)	(2)										31 (7)	4332 (989)	31 (7)	4332 (989)	31 (7)	4332 (989)
401~ 450								(16)	(19)	(5)										40 (9)	4301 (982)	40 (9)	4301 (982)	40 (9)	4301 (982)
351~ 400							(10)	(31)	(9)	(1)										51 (12)	4261 (973)	51 (12)	4261 (973)	51 (12)	4261 (973)
301~ 350					(1)	(44)	(35)	(4)												84 (19)	4210 (962)	84 (19)	4210 (962)	84 (19)	4210 (962)
251~ 300					(22)	(102)	(37)	(3)												164 (37)	4126 (942)	164 (37)	4126 (942)	164 (37)	4126 (942)
201~ 250				(7)	(101)	(120)	(13)	(2)												243 (56)	3962 (905)	243 (56)	3962 (905)	243 (56)	3962 (905)
176~ 200				(19)	(100)	(42)	(7)													168 (38)	3719 (849)	168 (38)	3719 (849)	168 (38)	3719 (849)
151~ 175				(59)	(137)	(44)	(3)													243 (56)	3551 (811)	243 (56)	3551 (811)		
126~ 150			(2)	(94)	(137)	(32)	(9)													274 (63)	3308 (756)	274 (63)	3308 (756)		
101~ 125			(27)	(188)	(181)	(32)	(7)	(1)												436 (100)	3034 (693)	436 (100)	3034 (693)		
76~ 100		(1)	(132)	(237)	(115)	(14)	(1)													500 (114)	2598 (593)	500 (114)	2598 (593)		
51~ 75		(26)	(322)	(330)	(85)	(6)														769 (176)	2098 (479)	769 (176)	2098 (479)		
26~ 50	(1)	(111)	(623)	(342)	(28)	(6)														1111 (254)	1329 (304)	1111 (254)	1329 (304)		
~ 25		(27)	(121)	(50)	(12)	(8)														218 (50)	218 (50)	218 (50)	218 (50)		
合 計 (0.1%)		(1)	(165)	(1227)	(1326)	(919)	(460)	(163)	(70)	(32)	(13)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	4378 (1000)	4378 (1000)		4378 (1000)	4378 (1000)	
未超過 (0.1%)		(1)	(166)	(1393)	(2719)	(3638)	(4098)	(4261)	(4331)	(4363)	(4376)	(4378)	(4378)	(4378)	(4378)	(4378)	(4378)	(4378)	(4378)						