

付表-A.2.37(a) 仙台新港 波高・周期別出現頻度統計 (2006年12月~2007年2月)

2006年12月~2007年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 仙台新港

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(8)	(25)	(61)	(112)	(193)	(370)	(638)	(816)	(913)	(975)	(992)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1000)	(1000)	(1000)
1201~		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
1101~1200		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
1001~1100		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
901~1000		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
801~900		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
701~800		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
651~700		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
601~650		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
551~600		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
501~550		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
451~500		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
401~450		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
351~400		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
301~350		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
251~300		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
201~250		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
176~200		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
151~175		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
126~150		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
101~125		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
76~100		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
51~75		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
26~50		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
~25		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
合計(0.1%)		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	
未超過(0.1%)		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1080	1080	1080	1080	1080	

付表-A.2.37(b) 仙台新港 波高・周期別出現頻度統計 (2007年3月~2007年5月)

2007年3月~2007年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 仙台新港

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(8)	(25)	(61)	(112)	(193)	(370)	(638)	(816)	(913)	(975)	(992)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1000)	(1000)	(1000)
1201~		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
1101~1200		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
1001~1100		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
901~1000		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
801~900		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
701~800		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
651~700		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
601~650		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
551~600		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
501~550		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
451~500		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
401~450		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
351~400		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
301~350		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
251~300		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
201~250		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
176~200		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
151~175		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
126~150		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
101~125		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
76~100		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
51~75		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
26~50		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
~25		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
合計(0.1%)		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	
未超過(0.1%)		0	9	18	39	55	87	192	289	192	105	67	18	9	0	0	0	0	0	1104	1104	1104	1104	1104	

附表-A.2.37(c) 仙台新港 波高・周期別出現頻度統計 (2007年6月~2007年8月)

2007年6月~2007年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 仙台新港

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過										
1201~		0																		0	1103	0	1103	0	1103
1101~1200		0																		0	1103	0	1103	0	1103
1001~1100		0																		0	1103	0	1103	0	1103
901~1000		0																		0	1103	0	1103	0	1103
801~900		0																		0	1103	0	1103	0	1103
701~800		0																		0	1103	0	1103	0	1103
651~700		0																		0	1103	0	1103	0	1103
601~650		0																		0	1103	0	1103	0	1103
551~600		0																		0	1103	0	1103	0	1103
501~550		0																		0	1103	0	1103	0	1103
451~500		0																		0	1103	0	1103	0	1103
401~450		0																		0	1103	0	1103	0	1103
351~400		0																		0	1103	0	1103	0	1103
301~350		3					1	1		1										3	1103	3	1103	3	1103
251~300		16					1	1	3	11										16	1100	16	1100	16	1100
201~250		4								4										4	1084	4	1084	4	1084
176~200		2				1			1											2	1080	2	1080	2	1080
151~175		22			1	2	2	4	4	8	1									22	1078	22	1078	22	1078
126~150		39			4	10	5	7	5	8										39	1056	39	1056	39	1056
101~125		123			2	15	25	29	26	16										123	1017	123	1017	123	1017
76~100		230			1	6	23	47	78	48	19									230	894	230	894	230	894
51~75		485			3	20	52	120	166	109	15									485	664	485	664	485	664
26~50		179			4	24	47	56	46	2										179	179	179	179	179	179
~25		0																		0	0				
合計		0	4	32	119	252	338	242	65	46	5	0	0	0	0	0	0	0	0	1103		1103		1103	
未超過		0	4	36	155	407	745	987	1052	1098	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103					

附表-A.2.37(d) 仙台新港 波高・周期別出現頻度統計 (2007年9月~2007年11月)

2007年9月~2007年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 仙台新港

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過	合計	未超過										
1201~		0																		0	1087	0	1087	0	1087
1101~1200		0																		0	1087	0	1087	0	1087
1001~1100		0																		0	1087	0	1087	0	1087
901~1000		0																		0	1087	0	1087	0	1087
801~900		0																		0	1087	0	1087	0	1087
701~800		0																		0	1087	0	1087	0	1087
651~700		0																		0	1087	0	1087	0	1087
601~650		0																		0	1087	0	1087	0	1087
551~600		0								1										0	1087	1	1087	1	1087
501~550		0								1										0	1086	0	1086	0	1086
451~500		1								1										1	1086	1	1086	1	1086
401~450		1							1											1	1085	1	1085	1	1085
351~400		2							2											2	1084	2	1084	2	1084
301~350		1							1											1	1082	1	1082	1	1082
251~300		2							1											2	1081	2	1081	2	1081
201~250		18							3											18	1079	18	1079	18	1079
176~200		26							5	9										26	1061	26	1061	26	1061
151~175		46				2	1	10	14	5										46	1035	46	1035	46	1035
126~150		75				5	3	6	21	11										75	985	75	985	75	985
101~125		131				1	11	9	12	25	37									131	910	131	910	131	910
76~100		248				4	25	31	51	83	46									248	779	248	779	248	779
51~75		280				2	21	20	52	85	71									280	509	280	509	280	509
26~50		174				1	8	24	38	63	32									174	205	174	205	174	205
~25		15				3	2	3	1	3										15	16	15	16	15	16
合計		1	2	17	76	91	172	305	214	144	46	18	1	0	0	0	0	0	0	1087		1087		1087	
未超過		1	3	20	96	187	359	664	878	1022	1068	1086	1087	1087	1087	1087	1087	1087	1087	1087					

付表-A.2.37(e) 仙台新港 波高・周期別出現頻度統計 (2007年1月~2007年12月)

2007年 1月~2007年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 仙台新港

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( 0 )	( 6 )	( 22 )	( 70 )	( 123 )	( 195 )	( 223 )	( 159 )	( 110 )	( 51 )	( 23 )	( 12 )	( 5 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )			( 0 )	( 4374 )	( 1000 )	( 4374 )
1201 ~		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
1101 ~1200		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
1001 ~1100		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
901 ~1000		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
801 ~ 900		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
701 ~ 800		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
651 ~ 700		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
601 ~ 650		( 0 )																		( 0 )	4374	( 4374 )	( 0 )	4374	( 4374 )
551 ~ 600		( 0 )								( 1 )										( 1 )	4374	( 4374 )	( 1 )	4374	( 4374 )
501 ~ 550		( 0 )																		( 0 )	4373	( 4373 )	( 0 )	4373	( 4373 )
451 ~ 500		( 0 )								( 1 )										( 1 )	4373	( 4373 )	( 1 )	4373	( 4373 )
401 ~ 450		( 0 )						( 1 )		( 0 )										( 2 )	4372	( 4372 )	( 2 )	4372	( 4372 )
351 ~ 400		( 0 )						( 2 )		( 0 )										( 3 )	4370	( 4370 )	( 3 )	4370	( 4370 )
301 ~ 350		( 0 )					( 1 )	( 2 )		( 0 )										( 5 )	4367	( 4367 )	( 5 )	4367	( 4367 )
251 ~ 300		( 0 )					( 2 )	( 4 )	( 5 )	( 1 )	( 3 )	( 6 )								( 32 )	4362	( 4362 )	( 32 )	4362	( 4362 )
201 ~ 250		( 0 )			( 1 )		( 6 )	( 11 )	( 15 )	( 26 )	( 17 )	( 2 )								( 78 )	4330	( 4330 )	( 78 )	4330	( 4330 )
176 ~ 200					( 4 )	( 9 )	( 22 )	( 26 )	( 24 )	( 9 )	( 1 )	( 3 )								( 98 )	4252	( 4252 )	( 98 )	4252	( 4252 )
151 ~ 175					( 4 )	( 5 )	( 20 )	( 37 )	( 26 )	( 37 )	( 10 )	( 14 )	( 8 )	( 6 )						( 167 )	4154	( 4154 )	( 167 )	4154	( 4154 )
126 ~ 150				( 1 )	( 15 )	( 17 )	( 23 )	( 50 )	( 36 )	( 45 )	( 16 )	( 12 )	( 3 )	( 1 )	( 1 )					( 220 )	3987	( 3987 )	( 220 )	3987	( 3987 )
101 ~ 125				( 4 )	( 34 )	( 54 )	( 81 )	( 86 )	( 83 )	( 65 )	( 21 )	( 5 )	( 5 )	( 4 )						( 442 )	3767	( 3767 )	( 442 )	3767	( 3767 )
76 ~ 100		( 0 )	( 18 )	( 68 )	( 130 )	( 211 )	( 207 )	( 122 )	( 61 )	( 39 )	( 16 )	( 3 )	( 1 )	( 0 )						( 877 )	3325	( 3325 )	( 877 )	3325	( 3325 )
51 ~ 75		( 2 )	( 36 )	( 107 )	( 183 )	( 289 )	( 281 )	( 176 )	( 77 )	( 55 )	( 40 )	( 22 )	( 6 )							( 1279 )	2448	( 2448 )	( 1279 )	2448	( 2448 )
26 ~ 50		( 0 )	( 18 )	( 33 )	( 72 )	( 133 )	( 200 )	( 255 )	( 190 )	( 114 )	( 47 )	( 11 )	( 8 )	( 2 )						( 1085 )	1169	( 1169 )	( 1085 )	1169	( 1169 )
~ 25			( 4 )	( 6 )	( 11 )	( 11 )	( 16 )	( 18 )	( 15 )	( 3 )										( 84 )	84	( 84 )	( 84 )	84	( 84 )
合 計		( 2 )	( 26 )	( 96 )	( 307 )	( 537 )	( 853 )	( 974 )	( 697 )	( 483 )	( 225 )	( 101 )	( 52 )	( 20 )	( 1 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4374 )		( 4374 )		4374	( 1000 )
未超過	( 0.1% )	( 0 )	( 6 )	( 22 )	( 70 )	( 123 )	( 195 )	( 223 )	( 159 )	( 110 )	( 51 )	( 23 )	( 12 )	( 5 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4374 )		( 4374 )		4374	( 1000 )