

付表-B.2.4(a) 青森 波高・周期別出現頻度統計(連続観測, 2006年12月~2007年2月)

2006年12月~2007年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201~																				0	6479	0	6479	0	6479	
1101~1200																				0	6479	0	6479	0	6479	
1001~1100																				0	6479	0	6479	0	6479	
901~1000																				0	6479	0	6479	0	6479	
801~900																				0	6479	0	6479	0	6479	
701~800																				0	6479	0	6479	0	6479	
651~700																				0	6479	0	6479	0	6479	
601~650																				0	6479	0	6479	0	6479	
551~600																				0	6479	0	6479	0	6479	
501~550																				0	6479	0	6479	0	6479	
451~500																				0	6479	0	6479	0	6479	
401~450																				0	6479	0	6479	0	6479	
351~400																				0	6479	0	6479	0	6479	
301~350																				0	6479	0	6479	0	6479	
251~300					2	3														5	6479	5	6479	5	6479	
201~250					9	1														9	6474	9	6474	9	6474	
176~200				2	3															5	6465	5	6465	5	6465	
151~175				3	7															10	6460	10	6460	10	6460	
126~150				13	10															23	6450	23	6450	23	6450	
101~125				6	78	3														87	6427	87	6427	87	6427	
76~100				78	110	1														189	6340	189	6340	189	6340	
51~75				11	811	240	3	2												1067	6151	1067	6151	1067	6151	
26~50				188	1535	728	80	7												2538	5084	2538	5084	2538	5084	
~25				55	1574	858	57	2												2546	2546	2546	2546	2546	2546	
合計				254	4004	2032	175	14	0	0	0	0	0	0	0	0	0	0	0	6479	6479	6479	6479	6479	6479	
未超過				254	4258	6290	6465	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479	6479

(連続観測)

付表-B.2.4(b) 青森 波高・周期別出現頻度統計(连续観測, 2007年3月~2007年5月)

2007年3月~2007年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201~																				0	6623	0	6623	0	6623	
1101~1200																				0	6623	0	6623	0	6623	
1001~1100																				0	6623	0	6623	0	6623	
901~1000																				0	6623	0	6623	0	6623	
801~900																				0	6623	0	6623	0	6623	
701~800																				0	6623	0	6623	0	6623	
651~700																				0	6623	0	6623	0	6623	
601~650																				0	6623	0	6623	0	6623	
551~600																				0	6623	0	6623	0	6623	
501~550																				0	6623	0	6623	0	6623	
451~500																				0	6623	0	6623	0	6623	
401~450																				0	6623	0	6623	0	6623	
351~400																				0	6623	0	6623	0	6623	
301~350																				0	6623	0	6623	0	6623	
251~300																				0	6623	0	6623	0	6623	
201~250																				0	6623	0	6623	0	6623	
176~200																				0	6623	0	6623	0	6623	
151~175																				0	6623	0	6623	0	6623	
126~150																				0	6623	0	6623	0	6623	
101~125					3															3	6623	3	6623	3	6623	
76~100					49	37														86	6620	86	6620	86	6620	
51~75					31	276	73													380	6534	380	6534	380	6534	
26~50					1038	1384	332	22												2776	6154	2776	6154	2776	6154	
~25					381	2272	692	33												3378	3378	3378	3378	3378	3378	
合計					1450	3981	1137	55	0	0	0	0	0	0	0	0	0	0	0	6623	6623	6623	6623	6623	6623	
未超過					1450	5431	6568	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623

(连续観測)

付表-B.2.4(c) 青森 波高・周期別出現頻度統計(連続観測, 2007年6月~2007年8月)

2007年6月~2007年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	6562	6562	6562	6562	
1101~1200																				0	6562	6562	6562	6562	
1001~1100																				0	6562	6562	6562	6562	
901~1000																				0	6562	6562	6562	6562	
801~ 900																				0	6562	6562	6562	6562	
701~ 800																				0	6562	6562	6562	6562	
651~ 700																				0	6562	6562	6562	6562	
601~ 650																				0	6562	6562	6562	6562	
551~ 600																				0	6562	6562	6562	6562	
501~ 550																				0	6562	6562	6562	6562	
451~ 500																				0	6562	6562	6562	6562	
401~ 450																				0	6562	6562	6562	6562	
351~ 400																				0	6562	6562	6562	6562	
301~ 350																				0	6562	6562	6562	6562	
251~ 300																				0	6562	6562	6562	6562	
201~ 250																				0	6562	6562	6562	6562	
176~ 200																				0	6562	6562	6562	6562	
151~ 175																				0	6562	6562	6562	6562	
126~ 150																				0	6562	6562	6562	6562	
101~ 125																				0	6562	6562	6562	6562	
76~ 100			( 11 )																	11	6562	6562	6562	6562	
51~ 75		( 86 )	( 255 )																	2	6562	6562	6562	6562	
26~ 50		( 13 )	( 39 )																	2	6562	6562	6562	6562	
~ 25		( 917 )	( 808 )	( 110 )	( 14 )															1849	6210	1849	6210	1849	6210
合 計		( 236 )	( 627 )	( 132 )	( 5 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6562	6562	6562	6562	6562	
未超過		( 236 )	( 627 )	( 132 )	( 5 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6562	6562	6562	6562	6562	

(連続観測)

付表-B.2.4(d) 青森 波高・周期別出現頻度統計(连续観測, 2007年9月~2007年11月)

2007年9月~2007年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	6538	6538	6538	6538	
1101~1200																				0	6538	6538	6538	6538	
1001~1100																				0	6538	6538	6538	6538	
901~1000																				0	6538	6538	6538	6538	
801~ 900																				0	6538	6538	6538	6538	
701~ 800																				0	6538	6538	6538	6538	
651~ 700																				0	6538	6538	6538	6538	
601~ 650																				0	6538	6538	6538	6538	
551~ 600																				0	6538	6538	6538	6538	
501~ 550																				0	6538	6538	6538	6538	
451~ 500																				0	6538	6538	6538	6538	
401~ 450																				0	6538	6538	6538	6538	
351~ 400																				0	6538	6538	6538	6538	
301~ 350																				0	6538	6538	6538	6538	
251~ 300																				0	6538	6538	6538	6538	
201~ 250					( 7 )	( 1 )														8	6538	6538	6538	6538	
176~ 200			( 4 )	( 14 )																1	6538	6538	6538	6538	
151~ 175			( 11 )	( 3 )																3	6538	6538	6538	6538	
126~ 150			( 19 )	( 3 )																2	6538	6538	6538	6538	
101~ 125		( 7 )	( 31 )																	6	6538	6538	6538	6538	
76~ 100		( 103 )	( 71 )	( 1 )	( 3 )															27	6538	6538	6538	6538	
51~ 75		( 15 )	( 346 )	( 128 )	( 12 )	( 1 )	( 1 )													503	6263	503	6263	503	6263
26~ 50		( 83 )	( 1010 )	( 536 )	( 123 )	( 20 )	( 2 )													2235	5760	2235	5760	2235	5760
~ 25		( 281 )	( 1929 )	( 1157 )	( 157 )	( 1 )														3525	3525	3525	3525	3525	3525
合 計		( 840 )	( 3395 )	( 1957 )	( 317 )	( 26 )	( 3 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6538	6538	6538	6538	6538	
未超過		( 840 )	( 3395 )	( 1957 )	( 317 )	( 26 )	( 3 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6538	6538	6538	6538	6538	

(连续観測)

付表-B.2.4(e) 青森 波高・周期別出現頻度統計 (連続観測, 2007年1月~2007年12月)

2007年1月~2007年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~		( 0)																		0	26202		26202		26202
1101~1200		( 0)																		0	26202		26202		26202
1001~1100		( 0)																		0	26202		26202		26202
901~1000		( 0)																		0	26202		26202		26202
801~ 900		( 0)																		0	26202		26202		26202
701~ 800		( 0)																		0	26202		26202		26202
651~ 700		( 0)																		0	26202		26202		26202
601~ 650		( 0)																		0	26202		26202		26202
551~ 600		( 0)																		0	26202		26202		26202
501~ 550		( 0)																		0	26202		26202		26202
451~ 500		( 0)																		0	26202		26202		26202
401~ 450		( 0)																		0	26202		26202		26202
351~ 400		( 0)																		0	26202		26202		26202
301~ 350		( 0)																		0	26202		26202		26202
251~ 300		( 0)																		0	26202		26202		26202
201~ 250					( 7)	( 1)														8	26202	8	26202	8	26202
176~ 200			( 4)	( 14)																18	26194	18	26194	18	26194
151~ 175			( 11)	( 7)																18	26176	18	26176	18	26176
126~ 150			( 22)	( 8)																30	26158	30	26158	30	26158
101~ 125		( 10)	( 86)	( 1)																97	26128	97	26128	97	26128
76~ 100		( 229)	( 201)	( 1)	( 3)															434	26031	434	26031	434	26031
51~ 75	( 142)	( 1615)	( 348)	( 13)	( 1)	( 1)														2120	25597	2120	25597	2120	25597
26~ 50	( 2739)	( 4961)	( 1625)	( 251)	( 23)	( 2)														9601	23477	9601	23477	9601	23477
~ 25	( 1265)	( 8746)	( 3562)	( 302)	( 1)															13876	13876	13876	13876	13876	13876
合 計	( 4146)	( 15561)	( 5859)	( 604)	( 29)	( 3)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	26202	26202	26202	26202	26202	26202
未超過	( 4146)	( 19707)	( 25566)	( 26170)	( 26199)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)	( 26202)						

(連続観測)