

付表-A.2.7(a) 酒田 波高・周期別出現頻度統計 (2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合計	未超過
1201~																				0	1091	0	1091	0	1091
1101~1200																				0	1091	0	1091	0	1091
1001~1100																				0	1091	0	1091	0	1091
901~1000																				0	1091	0	1091	0	1091
801~900																				0	1091	0	1091	0	1091
701~800																				0	1091	0	1091	0	1091
651~700																				0	1091	0	1091	0	1091
601~650																				0	1091	0	1091	0	1091
551~600																				0	1091	0	1091	0	1091
501~550																				0	1091	0	1091	0	1091
451~500																				0	1091	0	1091	0	1091
401~450																				0	1091	0	1091	0	1091
351~400																				0	1091	0	1091	0	1091
301~350																				0	1091	0	1091	0	1091
251~300																				0	1091	0	1091	0	1091
201~250																				0	1091	0	1091	0	1091
176~200																				0	1091	0	1091	0	1091
151~175																				0	1091	0	1091	0	1091
126~150																				0	1091	0	1091	0	1091
101~125																				0	1091	0	1091	0	1091
76~100																				0	1091	0	1091	0	1091
51~75																				0	1091	0	1091	0	1091
26~50																				0	1091	0	1091	0	1091
~25																				0	1091	0	1091	0	1091
合計																				0	1091	0	1091	0	1091
未超過																				0	1091	0	1091	0	1091

付表-A.2.7(b) 酒田 波高・周期別出現頻度統計 (2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合計	未超過
1201~																				0	1103	0	1103	0	1103
1101~1200																				0	1103	0	1103	0	1103
1001~1100																				0	1103	0	1103	0	1103
901~1000																				0	1103	0	1103	0	1103
801~900																				0	1103	0	1103	0	1103
701~800																				0	1103	0	1103	0	1103
651~700																				0	1103	0	1103	0	1103
601~650																				0	1103	0	1103	0	1103
551~600																				0	1103	0	1103	0	1103
501~550																				0	1103	0	1103	0	1103
451~500																				0	1103	0	1103	0	1103
401~450																				0	1103	0	1103	0	1103
351~400																				0	1103	0	1103	0	1103
301~350																				0	1103	0	1103	0	1103
251~300																				0	1103	0	1103	0	1103
201~250																				0	1103	0	1103	0	1103
176~200																				0	1103	0	1103	0	1103
151~175																				0	1103	0	1103	0	1103
126~150																				0	1103	0	1103	0	1103
101~125																				0	1103	0	1103	0	1103
76~100																				0	1103	0	1103	0	1103
51~75																				0	1103	0	1103	0	1103
26~50																				0	1103	0	1103	0	1103
~25																				0	1103	0	1103	0	1103
合計																				0	1103	0	1103	0	1103
未超過																				0	1103	0	1103	0	1103

付表-A.2.7(c) 酒田 波高・周期別出現頻度統計 (2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1101		1101		1101
1101~1200																				0	1101		1101		1101
1001~1100																				0	1101		1101		1101
901~1000																				0	1101		1101		1101
801~900																				0	1101		1101		1101
701~800																				0	1101		1101		1101
651~700																				0	1101		1101		1101
601~650																				0	1101		1101		1101
551~600																				0	1101		1101		1101
501~550																				0	1101		1101		1101
451~500																				0	1101		1101		1101
401~450																				0	1101		1101		1101
351~400																				0	1101		1101		1101
301~350																				0	1101		1101		1101
251~300																				0	1101		1101		1101
201~250							1	1												2	1101	2	1101	2	1101
176~200					1	2	2													5	1099	5	1099	1099	1099
151~175					4	3	10	1	1											19	1094	19	1094		
126~150				1	12	11	7	2	1											34	1075	34	1075		
101~125				14	22	19	10	1												66	1041	66	1041		
76~100				6	12	45	35	5	2											105	975	105	975		
51~75		1	21	44	65	38	7													176	870	176	870		
26~50		5	55	142	154	51	2	1												410	694	410	694		
~25		1	36	148	79	17	3													284	284	284	284		
合計		7	118	361	382	177	47	7	2	0	0	0	0	0	0	0	0	0	0	1101		1101		1101	
未超過		7	125	486	868	1045	1092	1099	1101	1101	1101	1101	1101	1101	1101	1101	1101	1101	1101						
(0.1%)		(6)	(114)	(441)	(788)	(949)	(992)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.7(d) 酒田 波高・周期別出現頻度統計 (2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1092		1092		1092
1101~1200																				0	1092		1092		1092
1001~1100																				0	1092		1092		1092
901~1000																				0	1092		1092		1092
801~900																				0	1092		1092		1092
701~800																				0	1092		1092		1092
651~700																				0	1092		1092		1092
601~650																				0	1092		1092		1092
551~600																				0	1092		1092		1092
501~550																				2	1092	2	1092	2	1092
451~500																				3	1090	3	1090	3	1090
401~450																				6	1087	6	1087	6	1087
351~400																				11	1081	11	1081	11	1081
301~350																				24	1070	24	1070	24	1070
251~300																				41	1046	41	1046	41	1046
201~250																				58	1005	58	1005	58	1005
176~200																				50	896	50	896	50	896
151~175																				56	846	56	846	56	846
126~150																				61	790	61	790	61	790
101~125																				50	729	50	729	50	729
76~100																				77	679	77	679	77	679
51~75																				119	602	119	602	119	602
26~50																				284	483	284	483	284	483
~25																				199	199	199	199	199	199
合計		18	111	314	205	167	114	131	31	1	0	0	0	0	0	0	0	0	0	1092		1092		1092	
未超過		18	129	443	648	815	929	1060	1091	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092						
(0.1%)		(16)	(102)	(288)	(188)	(153)	(104)	(120)	(28)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.7(e) 酒田 波高・周期別出現頻度統計 (2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( 0 )	( 1 )	( 2 )	( 3 )	( 4 )	( 5 )	( 6 )	( 7 )	( 8 )	( 9 )	( 0 )	( 1 )	( 2 )	( 3 )	( 4 )	( 5 )	( 6 )	( 7 )			( 8 )	( 9 )	( 0 )	( 1 )
1201~		( 0 )																		4387	4387	4387	4387		
1101~1200		( 0 )																		4387	4387	4387	4387		
1001~1100		( 0 )																		4387	4387	4387	4387		
901~1000		( 0 )																		4387	4387	4387	4387		
801~ 900		( 0 )																		4387	4387	4387	4387		
701~ 800										( 1 )	( 2 )									5	5	5	5		
651~ 700									( 0 )	( 1 )	( 2 )									9	9	9	9		
601~ 650									( 0 )	( 1 )	( 0 )									9	9	9	9		
551~ 600									( 3 )	( 2 )										21	21	21	21		
501~ 550								( 0 )	( 6 )	( 1 )	( 0 )									36	36	36	36		
451~ 500								( 1 )	( 5 )	( 4 )										33	33	33	33		
401~ 450						( 0 )	( 2 )	( 6 )	( 4 )	( 1 )										48	48	48	48		
351~ 400							( 3 )	( 10 )	( 2 )											65	65	65	65		
301~ 350						( 1 )	( 5 )	( 13 )	( 10 )	( 2 )	( 0 )									118	118	118	118		
251~ 300						( 8 )	( 35 )	( 18 )	( 12 )	( 2 )										176	176	176	176		
201~ 250					( 1 )	( 4 )	( 21 )	( 23 )	( 8 )	( 0 )										231	231	231	231		
176~ 200					( 7 )	( 32 )	( 23 )	( 10 )	( 3 )	( 1 )										191	191	191	191	3636	3636
151~ 175			( 0 )	( 1 )	( 12 )	( 51 )	( 21 )	( 14 )	( 3 )	( 1 )										223	223	223	223		
126~ 150			( 2 )	( 10 )	( 16 )	( 70 )	( 23 )	( 16 )	( 3 )	( 0 )										268	268	268	268		
101~ 125		( 0 )	( 1 )	( 49 )	( 30 )	( 133 )	( 27 )	( 10 )	( 1 )											349	349	349	349		
76~ 100			( 3 )	( 15 )	( 85 )	( 159 )	( 36 )	( 33 )	( 6 )	( 1 )										433	433	433	433		
51~ 75		( 0 )	( 2 )	( 65 )	( 124 )	( 198 )	( 45 )	( 32 )	( 5 )	( 0 )										549	549	549	549		
26~ 50		( 10 )	( 43 )	( 214 )	( 355 )	( 340 )	( 81 )	( 78 )	( 19 )	( 1 )	( 2 )									1042	1042	1042	1042		
~ 25		( 1 )	( 3 )	( 79 )	( 310 )	( 143 )	( 18 )	( 71 )	( 33 )	( 28 )	( 9 )	( 2 )	( 8 )	( 1 )						581	581	581	581		
合 計	( 0.1% )	( 11 )	( 48 )	( 374 )	( 934 )	( 1130 )	( 85 )	( 213 )	( 258 )	( 216 )	( 121 )	( 59 )	( 28 )	( 8 )	( 2 )	( 0 )	( 0 )	( 0 )	( 0 )	4387	4387	4387	4387		
未超過	( 0.1% )	( 11 )	( 48 )	( 374 )	( 934 )	( 1130 )	( 85 )	( 213 )	( 258 )	( 216 )	( 121 )	( 59 )	( 28 )	( 8 )	( 2 )	( 0 )	( 0 )	( 0 )	( 0 )	4387	4387	4387	4387		