

付表-A.2.28(a) 釧路 波高・周期別出現頻度統計 (2008年12月~2009年2月)

2008年12月~2009年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 釧路

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1080		1080		1080
1101~1200																				0	1080		1080		1080
1001~1100																				0	1080		1080		1080
901~1000																				0	1080		1080		1080
801~900																				0	1080		1080		1080
701~800																				0	1080		1080		1080
651~700																				0	1080		1080		1080
601~650																				0	1080		1080		1080
551~600																				0	1080		1080		1080
501~550																				0	1080		1080		1080
451~500																				0	1080		1080		1080
401~450										1	2									3	1080	3	1080	3	1080
351~400							2	4	2	3	1	1								13	1077	13	1077	13	1077
301~350							3	4	3	1	1	1								13	1064	13	1064	13	1064
251~300						2	5	10	7	8	1	2								35	1051	35	1051	35	1051
201~250					3	7	21	15	4	8	7	4								69	1016	69	1016	69	1016
176~200		1	14	9	12	10	3	5	3	2	2	1								60	947	60	947	60	947
151~175			15	19	18	8	3	6	7	3										79	887	79	887	79	887
126~150			3	34	22	19	19	11	14	7	2									131	808	131	808	131	808
101~125		1	11	34	22	17	18	15	6	3										127	677	127	677	127	677
76~100		7	27	36	38	29	21	19	1	1										179	550	179	550	179	550
51~75		6	48	44	43	37	31	16												226	371	226	371	226	371
26~50		4	28	38	42	18	8	7												145	145	145	145	145	145
~25																				0	0				
合計		0	19	118	218	204	181	148	91	52	33	15	1	0	0	0	0	0	0	1080		1080		1080	
未超過		0	19	137	355	559	740	888	979	1031	1064	1079	1080	1080	1080	1080	1080	1080	1080	1080					

付表-A.2.28(b) 釧路 波高・周期別出現頻度統計 (2009年3月~2009年5月)

2009年3月~2009年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 釧路

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104		1104		1104
1101~1200																				0	1104		1104		1104
1001~1100																				0	1104		1104		1104
901~1000																				0	1104		1104		1104
801~900																				0	1104		1104		1104
701~800																				0	1104		1104		1104
651~700																				0	1104		1104		1104
601~650																				0	1104		1104		1104
551~600																				0	1104		1104		1104
501~550										1										1	1104	1	1104	1	1104
451~500									3	1	1									5	1103	5	1103	5	1103
401~450						1	2	4	1	1	1									9	1098	9	1098	9	1098
351~400						1	2	4	1	1	1									19	1089	19	1089	19	1089
301~350						3	8	5	4	1										22	1070	22	1070	22	1070
251~300					3	5	13	5	3	2										20	969	20	969	20	969
201~250					2	2	10	9	2	3										25	920	25	920	25	920
176~200					2	9	2	3	3	6										23	895	23	895	23	895
151~175					6	13	7	6	8	8										54	963	54	963	54	963
126~150			3	22	15	19	23	14	9											105	909	105	909	105	909
101~125			9	29	46	44	39	29			1									95	823	95	823	95	823
76~100			22	50	66	60	48	28	5	4										283	607	283	607	283	607
51~75			25	49	67	60	21	6	1	1										230	324	230	324	230	324
26~50			6	23	31	17	7	9	1											85	94	85	94	85	94
~25																				0	0				
合計		0	0	65	184	253	229	187	127	48	10	1	0	0	0	0	0	0	0	1104		1104		1104	
未超過		0	0	65	249	502	731	918	1045	1093	1103	1104	1104	1104	1104	1104	1104	1104	1104	1104					

付表-A.2.28(c) 釧路 波高・周期別出現頻度統計(2009年6月~2009年8月)

2009年 6月~2009年 8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 釧路

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過 (0)	補足1		補足2	
		(0)	(0)	(5)	(45)	(233)	(392)	(304)	(81)	(36)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1104)	(1000)	合計
1201~																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
1101~1200																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
1001~1100																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
901~1000																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
801~900																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
701~800																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
651~700																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
601~650																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
551~600																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
501~550																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
451~500																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
401~450																				0	1104		1104		1104
																				0	(1000)		(1000)		(1000)
351~400																				3	1104	3	1104	3	1104
																				(3)	(1000)	(3)	(1000)	(3)	(1000)
301~350																				3	1101	3	1101	3	1101
																				(3)	(997)	(3)	(997)	(3)	(997)
251~300																				9	1098	9	1098	9	1098
																				(8)	(995)	(8)	(995)	(8)	(995)
201~250																				19	1089	19	1089	19	1089
																				(17)	(986)	(17)	(986)	(17)	(986)
176~200																				35	1070	35	1070	35	1070
																				(32)	(969)	(32)	(969)	(32)	(969)
151~175																				73	1035	73	1035	73	1035
																				(66)	(938)	(66)	(938)	(66)	(938)
126~150																				95	962	95	962	95	962
																				(86)	(871)	(86)	(871)	(86)	(871)
101~125																				241	867	241	867	241	867
																				(218)	(785)	(218)	(785)	(218)	(785)
76~100																				329	626	329	626	329	626
																				(298)	(567)	(298)	(567)	(298)	(567)
51~75																				268	297	268	297	268	297
																				(243)	(269)	(243)	(269)	(243)	(269)
26~50																				29	29	29	29	29	29
																				(26)	(26)	(26)	(26)	(26)	(26)
~25																				0	0	0	0	0	0
																				(0)	(0)	(0)	(0)	(0)	(0)
合計		0	0	5	45	233	392	304	81	36	7	1	0	0	0	0	0	0	0	1104		1104		1104	
(0.1%)		(0)	(0)	(5)	(45)	(233)	(392)	(304)	(81)	(36)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
未超過		0	0	5	45	233	392	304	81	36	7	1	0	0	0	0	0	0	0	1104		1104		1104	
(0.1%)		(0)	(0)	(5)	(45)	(233)	(392)	(304)	(81)	(36)	(7)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.28(d) 釧路 波高・周期別出現頻度統計(2009年9月~2009年11月)

2009年 9月~2009年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 釧路

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過 (0)	補足1		補足2	
		(0)	(2)	(70)	(167)	(227)	(267)	(163)	(116)	(41)	(15)	(11)	(8)	(3)	(0)	(0)	(0)	(0)	(0)			(1090) <th>(1000) <th>合計</th> <th>未超過</th> <th>合計</th> <th>未超過</th> </th>	(1000) <th>合計</th> <th>未超過</th> <th>合計</th> <th>未超過</th>	合計	未超過
1201~																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
1101~1200																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
1001~1100																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
901~1000																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
801~900																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
701~800																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
651~700																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
601~650																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
551~600																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
501~550																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
451~500																				0	1090		1090		1090
																				0	(1000)		(1000)		(1000)
401~450																				1	1090	1	1090	1	1090
																				(1)	(1000)	(1)	(1000)	(1)	(1000)
351~400																				2	1089	2	1089	2	1089
																				(2)	(999)	(2)	(999)	(2)	(999)
301~350																				8	1087	8	1087	8	1087
																				(7)	(997)	(7)	(997)	(7)	(997)
251~300																				31	1079	31	1079	31	1079
																				(28)	(990)	(28)	(990)	(28)	(990)

付表-A.2.28(e) 釧路 波高・周期別出現頻度統計 (2009年1月~2009年12月)

2009年1月~2009年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 釧路

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
																								合計	未超過	合計
1201~																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
1101~1200																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
1001~1100																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
901~1000																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
801~ 900																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
701~ 800																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
651~ 700																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
601~ 650																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
551~ 600																				0 (0)	4378 (1000)		4378 (1000)		4378 (1000)	
501~ 550										1 (0)										1 (0)	4378 (1000)	1 (0)	4378 (1000)	1 (0)	4378 (1000)	
451~ 500									3 (1)	1 (0)	1 (0)									5 (1)	4377 (1000)	5 (1)	4377 (1000)	5 (1)	4377 (1000)	
401~ 450							1 (0)	3 (1)	5 (1)	1 (0)	3 (1)									13 (3)	4372 (999)	13 (3)	4372 (999)	13 (3)	4372 (999)	
351~ 400							6 (1)	13 (3)	11 (3)	7 (2)	2 (0)	1 (0)								40 (9)	4359 (996)	40 (9)	4359 (996)	40 (9)	4359 (996)	
301~ 350							2 (0)	14 (3)	19 (4)	11 (3)	6 (1)	1 (0)	1 (0)							54 (12)	4319 (987)	54 (12)	4319 (987)	54 (12)	4319 (987)	
251~ 300							16 (4)	19 (4)	32 (7)	22 (5)	8 (2)	3 (1)	3 (1)							103 (24)	4265 (974)	103 (24)	4265 (974)	103 (24)	4265 (974)	
201~ 250					6 (1)	28 (6)	50 (11)	42 (10)	12 (3)	10 (2)	12 (3)	7 (2)	1 (0)							168 (38)	4162 (951)	168 (38)	4162 (951)	168 (38)	4162 (951)	
176~ 200			1 (0)	12 (3)	43 (10)	33 (8)	29 (7)	10 (2)	12 (3)	2 (0)	3 (1)	3 (1)								148 (34)	3994 (912)	148 (34)	3994 (912)	148 (34)	3994 (912)	
151~ 175			1 (0)	38 (9)	64 (15)	49 (11)	43 (10)	26 (6)	16 (4)	6 (0)	2 (1)	6 (0)	1 (0)	1 (0)						247 (56)	3846 (878)	247 (56)	3846 (878)	247 (56)	3846 (878)	
126~ 150			8 (2)	76 (17)	82 (19)	80 (18)	67 (15)	43 (10)	25 (6)	10 (2)	2 (0)	2 (0)	2 (0)	2 (0)						397 (91)	3599 (822)	397 (91)	3599 (822)	3599 (822)	3599 (822)	
101~ 125		1 (0)	54 (12)	109 (25)	123 (28)	203 (46)	120 (27)	85 (19)	29 (7)	12 (3)	3 (1)	3 (0)	2 (0)							741 (169)	3202 (731)	741 (169)	3202 (731)	3202 (731)	3202 (731)	
76~ 100		9 (2)	98 (22)	152 (35)	246 (56)	287 (66)	200 (46)	88 (20)	30 (7)	8 (2)	2 (0)									1120 (256)	2461 (562)	1120 (256)	2461 (562)	2461 (562)	2461 (562)	
51~ 75		12 (3)	97 (22)	158 (36)	235 (54)	249 (57)	157 (36)	38 (9)	12 (3)	1 (0)										959 (219)	1341 (306)	959 (219)	1341 (306)	1341 (306)	1341 (306)	
26~ 50		4 (1)	48 (11)	93 (21)	105 (24)	66 (15)	36 (8)	24 (5)	1 (0)											377 (86)	382 (87)	377 (86)	382 (87)	382 (87)	382 (87)	
~ 25					4 (1)	1 (0)														5 (1)	5 (1)	5 (1)	5 (1)			
合計 (0.1%)		0 (0)	26 (6)	307 (70)	648 (148)	945 (216)	1057 (241)	761 (174)	378 (86)	159 (36)	57 (13)	28 (6)	9 (2)	3 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4378 (1000)		4378 (1000)		4378 (1000)		
未超過 (0.1%)		0 (0)	26 (6)	333 (76)	981 (224)	1926 (440)	2983 (681)	3744 (855)	4122 (942)	4281 (978)	4338 (991)	4366 (997)	4375 (999)	4378 (1000)	4378 (1000)	4378 (1000)	4378 (1000)	4378 (1000)	4378 (1000)	4378 (1000)						