

付表-B.2.53(a) 高知 波高・周期別出現頻度統計 (連続観測, 2008年12月~2009年2月)

2008年12月~2009年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 高知

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
		(0)	(13)	(48)	(105)	(214)	(378)	(541)	(620)	(638)	(642)	(644)	(643)	(644)	(643)	(643)	(643)	(643)	(643)			(643)	(1000)	(1000)	合計
1201~																				0	6443	6446		6446	6446
1101~1200																				0	6443	6446		6446	6446
1001~1100																				0	6443	6446		6446	6446
901~1000																				0	6443	6446		6446	6446
801~900																				0	6443	6446		6446	6446
701~800																				0	6443	6446		6446	6446
651~700																				0	6443	6446		6446	6446
601~650																				0	6443	6446		6446	6446
551~600																				0	6443	6446		6446	6446
501~550																				0	6443	6446		6446	6446
451~500																				0	6443	6446		6446	6446
401~450											2	1								3	6443	6446	3	6446	6446
351~400										5	3									8	6440	8	6443	8	6443
301~350										15	5	3								23	6432	23	6435	23	6435
251~300										6	44	7	2							59	6409	59	6412	59	6412
201~250										1	7	20	28	12						68	6350	68	6353	68	6353
176~200										3	21	7	12	4						47	6282	47	6285	47	6285
151~175										3	15	15	18	6	4					61	6235	61	6238	61	6238
126~150										9	20	23	19	23	12					106	6174	106	6177	106	6177
101~125										11	31	89	71	19	7					228	6068	228	6071	228	6071
76~100										19	58	140	100	61	22					400	5840	400	5843	400	5843
51~75										35	89	104	176	396	465	221	53			1539	5440	1539	5443	1539	5443
26~50										49	235	485	755	882	843	419	77	36	22	3803	3901	3805	3904	3805	3904
~ 25										7	21	50	17	3						98	98	99	99	99	99
合計										0	84	324	642	1104	1628	1632	787	184	36	22	6443	6446	3	6446	6446
未超過										0	84	408	1050	2154	3782	5414	6201	6385	6421	6443	6443	6443	6443	6443	6443

(連続観測)

付表-B.2.53(b) 高知 波高・周期別出現頻度統計 (连续観測, 2009年3月~2009年5月)

2009年3月~2009年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 高知

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
		(0)	(12)	(43)	(101)	(171)	(253)	(253)	(122)	(29)	(6)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	合計
1201~																				0	6624	6624		6624	6624
1101~1200																				0	6624	6624		6624	6624
1001~1100																				0	6624	6624		6624	6624
901~1000																				0	6624	6624		6624	6624
801~900																				0	6624	6624		6624	6624
701~800																				0	6624	6624		6624	6624
651~700																				0	6624	6624		6624	6624
601~650																				0	6624	6624		6624	6624
551~600																				0	6624	6624		6624	6624
501~550																				2	6624	4	6624	4	6624
451~500																				1	6620	5	6620	5	6620
401~450																				1	6615	8	6615	8	6615
351~400																				1	6607	8	6607	8	6607
301~350																				23	6599	23	6599	23	6599
251~300																				46	6576	46	6576	46	6576
201~250																				104	6530	104	6530	104	6530
176~200																				107	6426	107	6426	107	6426
151~175																				165	6319	165	6319	165	6319
126~150																				193	6154	193	6154	193	6154
101~125																				352	5961	352	5961	352	5961
76~100																				671	5609	671	5609	671	5609
51~75																				1824	4938	1824	4938	1824	4938
26~50																				2969	3114	2969	3114	2969	3114
~ 25																				145	145	145	145	145	145
合計																				6624	6624	6624	6624	6624	6624
未超過																				6624	6624	6624	6624	6624	6624

(连续観測)

付表-B.2.53(c) 高知 波高・周期別出現頻度統計(連続観測, 2009年6月~2009年8月)

2009年6月~2009年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 高知

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)			(18)	(19)	合計	未超過
1201~		0																		0	3356	0	3356	0	3356
1101~1200		0																		0	3356	0	3356	0	3356
1001~1100		0																		0	3356	0	3356	0	3356
901~1000		0																		0	3356	0	3356	0	3356
801~900		0																		0	3356	0	3356	0	3356
701~800		0																		0	3356	0	3356	0	3356
651~700		0																		0	3356	0	3356	0	3356
601~650		0																		0	3356	0	3356	0	3356
551~600		0																		0	3356	0	3356	0	3356
501~550		0																		0	3356	0	3356	0	3356
451~500		0																		0	3356	0	3356	0	3356
401~450		0																		0	3356	0	3356	0	3356
351~400		0																		0	3356	0	3356	0	3356
301~350		0																		0	3356	0	3356	0	3356
251~300										1	5									6	3356	6	3356	6	3356
201~250										0	1	8								10	3350	10	3350	10	3350
176~200										0	1	32	19	9						61	3340	61	3340	61	3340
151~175										15	74	20	6							115	3279	115	3279	115	3279
126~150										4	22	6	2							245	3164	245	3164	245	3164
101~125										8	115	244	48	3						418	2919	418	2919	418	2919
76~100										3	293	299	81							676	2501	676	2501	676	2501
51~75										2	40	386	610	95	11					1144	1825	1144	1825	1144	1825
26~50										1	20	136	280	227	17					681	681	681	681	681	681
~25										0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計(0.1%)		0	3	71	990	1713	507	72	0	0	0	0	0	0	0	0	0	0	0	3356	3356	3356	3356	3356	
未超過(0.1%)		0	3	74	1064	2777	3284	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	3356	

(連続観測)

付表-B.2.53(d) 高知 波高・周期別出現頻度統計(连续観測, 2009年9月~2009年11月)

2009年9月~2009年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 高知

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)			(18)	(19)	合計	未超過
1201~		0																		0	5360	0	5360	0	5360
1101~1200		0																		0	5360	0	5360	0	5360
1001~1100		0																		0	5360	0	5360	0	5360
901~1000		0																		0	5360	0	5360	0	5360
801~900		0																		0	5360	0	5360	0	5360
701~800		0																		0	5360	0	5360	0	5360
651~700		0																		0	5360	0	5360	0	5360
601~650		0																		0	5360	0	5360	0	5360
551~600		0																		0	5360	0	5360	0	5360
501~550																				3	5360	3	5360	3	5360
451~500																				4	5357	4	5357	4	5357
401~450																				4	5353	4	5353	4	5353
351~400																				7	5349	7	5349	7	5349
301~350																				29	5342	29	5342	29	5342
251~300																				76	5313	76	5313	76	5313
201~250																				139	5237	139	5237	139	5237
176~200																				103	5098	103	5098	103	5098
151~175																				175	4995	175	4995	175	4995
126~150																				277	4820	277	4820	277	4820
101~125																				587	4543	587	4543	587	4543
76~100																				1761	2892	1761	2892	1761	2892
51~75																				1131	1131	1131	1131	1131	1131
26~50																				0	0	0	0	0	0
~25																				0	0	0	0	0	0
合計(0.1%)		0	5	84	173	786	1195	1214	684	464	384	177	99	55	24	7	7	2	0	5360	5360	5360	5360	5360	
未超過(0.1%)		0	5	89	262	1048	2243	3457	4141	4605	4989	5166	5265	5320	5344	5351	5358	5360	5360	5360	5360	5360	5360	5360	

(连续観測)

付表-B.2.53(e) 高知 波高・周期別出現頻度統計(連続観測, 2009年1月~2009年12月)

2009年1月~2009年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 高知

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)			(0)	(1)	(0)	(1)	
1201~		(0)																		21783	21783	21786	21786	21786	21786	
1101~1200		(0)																		21783	21783	21786	21786	21786	21786	
1001~1100		(0)																		21783	21783	21786	21786	21786	21786	
901~1000		(0)																		21783	21783	21786	21786	21786	21786	
801~ 900		(0)																		21783	21783	21786	21786	21786	21786	
701~ 800		(0)																		21783	21783	21786	21786	21786	21786	
651~ 700		(0)																		21783	21783	21786	21786	21786	21786	
601~ 650		(0)																		21783	21783	21786	21786	21786	21786	
551~ 600		(0)																		21783	21783	21786	21786	21786	21786	
501~ 550									(2)	(2)						(1)	(1)	(1)		7	21783	21786	7	21786	7	21786
451~ 500									(4)	(1)					(1)	(1)	(2)			9	21776	9	21779	9	21779	
401~ 450									(0)	(7)	(3)				(1)		(2)	(1)		15	21767	15	21770	15	21770	
351~ 400									(5)	(8)	(3)				(1)	(2)	(2)	(2)		23	21752	23	21755	23	21755	
301~ 350									(2)	(30)	(7)				(3)	(10)	(13)	(3)		75	21729	75	21732	75	21732	
251~ 300									(4)	(30)	(78)	(12)			(7)	(1)	(2)	(18)	(29)	187	21654	187	21657	187	21657	
201~ 250									(19)	(76)	(74)	(24)			(20)	(25)	(24)	(38)	(13)	314	21467	314	21470	314	21470	
176~ 200									(4)	(89)	(75)	(49)			(31)	(14)	(22)	(10)	(2)	315	21153	315	21156	315	21156	
151~ 175									(34)	(173)	(76)	(82)			(43)	(26)	(34)	(36)	(22)	526	20838	526	20841	526	20841	
126~ 150									(1)	(76)	(273)	(73)			(102)	(91)	(66)	(50)	(6)	828	20312	828	20315	828	20315	
101~ 125									(18)	(196)	(389)	(257)			(222)	(142)	(171)	(185)	(45)	1627	19484	1627	19487	1627	19487	
76~ 100									(40)	(442)	(685)	(602)			(485)	(247)	(212)	(70)	(3)	2786	17857	2786	17860	2786	17860	
51~ 75									(48)	(283)	(895)	(1346)			(1512)	(1163)	(463)	(114)	(21)	5846	15071	5846	15074	5846	15074	
26~ 50									(1)	(195)	(787)	(1334)			(2103)	(2411)	(1578)	(509)	(55)	8976	9225	8978	9228	8978	9228	
~ 25									(0)	(9)	(47)	(67)			(98)	(24)	(3)	(0)	(0)	249	249	250	250	249	250	
合計		(0)	(244)	(1138)	(3028)	(5148)	(5212)	(3893)	(1581)	(742)	(419)	(183)			(99)	(55)	(24)	(7)	(7)	21783		21786	(3)	21786		
未超過		(0)	(245)	(1383)	(4411)	(9559)	(14771)	(18664)	(20245)	(20987)	(21406)	(21589)	(21688)		(21743)	(21767)	(21774)	(21781)	(21783)							
(0.1%)		(0)	(11)	(63)	(202)	(439)	(678)	(857)	(929)	(963)	(983)	(991)	(996)		(998)	(999)	(1000)	(1000)	(1000)							

(連続観測)