

付表-B.2.13(a) 金沢 波高・周期別出現頻度統計(連続観測, 2012年12月~2013年2月)

2012年12月~2013年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(5)	(57)	(178)	(406)	(691)	(872)	(546)	(244)	(31)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(6421)	(1000)	合計
1201~		(0)																		0	6421	6421		6421	
1101~1200		(0)																		0	6421	6421		6421	
1001~1100		(0)																		0	6421	6421		6421	
901~1000		(0)																		0	6421	6421		6421	
801~900		(0)																		0	6421	6421		6421	
701~800		(0)																		3	6421	6421	3	6421	3
651~700		(0)																		11	6418	11	6418	11	6418
601~650		(0)																		41	6407	41	6407	41	6407
551~600		(0)																		99	6366	99	6366	99	6366
501~550		(0)																		120	6267	120	6267	120	6267
451~500		(0)																		172	6147	172	6147	172	6147
401~450		(0)																		283	5975	283	5975	283	5975
351~400		(0)																		261	5692	261	5692	261	5692
301~350		(0)																		352	5431	352	5431	352	5431
251~300		(0)																		543	5079	543	5079	543	5079
201~250		(0)																		887	4536	887	4536	887	4536
176~200		(0)																		566	3649	566	3649	566	3649
151~175		(0)																		565	3083	565	3083	565	3083
126~150		(0)																		595	2518	595	2518	595	2518
101~125		(0)																		603	1923	603	1923	603	1923
76~100		(0)																		647	1320	647	1320	647	1320
51~75		(0)																		504	673	504	673	504	673
26~50		(0)																		159	169	159	169	159	169
~25		(0)																		10	10	10	10	10	10
合計(0.1%)		(0)	(5)	(57)	(178)	(406)	(691)	(872)	(546)	(244)	(31)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	6421	(1000)	6421	(1000)	6421	(1000)
未超過(0.1%)		(0)	(5)	(57)	(178)	(406)	(691)	(872)	(546)	(244)	(31)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	6421	(1000)	6421	(1000)	6421	(1000)

(連続観測)

付表-B.2.13(b) 金沢 波高・周期別出現頻度統計(连续観測, 2013年3月~2013年5月)

2013年3月~2013年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(5)	(57)	(178)	(406)	(691)	(872)	(546)	(244)	(31)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(6569)	(1000)	合計
1201~		(0)																		0	6569	6569		6569	
1101~1200		(0)																		0	6569	6569		6569	
1001~1100		(0)																		0	6569	6569		6569	
901~1000		(0)																		0	6569	6569		6569	
801~900		(0)																		0	6569	6569		6569	
701~800		(0)																		0	6569	6569		6569	
651~700		(0)																		0	6569	6569		6569	
601~650		(0)																		0	6569	6569		6569	
551~600		(0)																		1	6569	1	6569	1	6569
501~550		(0)																		20	6568	20	6568	20	6568
451~500		(0)																		49	6548	49	6548	49	6548
401~450		(0)																		42	6499	42	6499	42	6499
351~400		(0)																		51	6457	51	6457	51	6457
301~350		(0)																		84	6406	84	6406	84	6406
251~300		(0)																		115	6322	115	6322	115	6322
201~250		(0)																		253	6207	253	6207	253	6207
176~200		(0)																		197	5954	197	5954	197	5954
151~175		(0)																		374	5757	374	5757	374	5757
126~150		(0)																		626	5383	626	5383	626	5383
101~125		(0)																		845	4757	845	4757	845	4757
76~100		(0)																		981	3912	981	3912	981	3912
51~75		(0)																		1170	2931	1170	2931	1170	2931
26~50		(0)																		228	1761	228	1761	228	1761
~25		(0)																		40	266	40	266	40	266
合計(0.1%)		(1)	(109)	(360)	(625)	(827)	(911)	(948)	(627)	(29)	(22)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	6569	(1000)	6569	(1000)	6569	(1000)
未超過(0.1%)		(1)	(109)	(360)	(625)	(827)	(911)	(948)	(627)	(29)	(22)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	6569	(1000)	6569	(1000)	6569	(1000)

(连续観測)

付表-B.2.13(c) 金沢 波高・周期別出現頻度統計(連続観測, 2013年6月~2013年8月)

2013年6月~2013年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6611	0	6611	0	6611
1101~1200																				0	6611	0	6611	0	6611
1001~1100																				0	6611	0	6611	0	6611
901~1000																				0	6611	0	6611	0	6611
801~900																				0	6611	0	6611	0	6611
701~800																				0	6611	0	6611	0	6611
651~700																				0	6611	0	6611	0	6611
601~650																				0	6611	0	6611	0	6611
551~600																				0	6611	0	6611	0	6611
501~550																				0	6611	0	6611	0	6611
451~500																				0	6611	0	6611	0	6611
401~450																				0	6611	0	6611	0	6611
351~400																				0	6611	0	6611	0	6611
301~350																				0	6611	0	6611	0	6611
251~300																				0	6611	0	6611	0	6611
201~250																				1	6611	1	6611	1	6611
176~200																				2	6610	2	6610	6610	6610
151~175																				26	6608	26	6608		
126~150																				157	6582	157	6582		
101~125																				370	6425	370	6425		
76~100																				884	6055	884	6055		
51~75																				1512	5171	1512	5171		
26~50																				2571	3659	2571	3659		
~25																				1088	1088	1088	1088		
合計																				6611		6611	6611		
未超過																				(1000)		(1000)	(1000)		

(連続観測)

付表-B.2.13(d) 金沢 波高・周期別出現頻度統計(连续観測, 2013年9月~2013年11月)

2013年9月~2013年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6436	0	6436	0	6436
1101~1200																				0	6436	0	6436	0	6436
1001~1100																				0	6436	0	6436	0	6436
901~1000																				0	6436	0	6436	0	6436
801~900																				0	6436	0	6436	0	6436
701~800																				0	6436	0	6436	0	6436
651~700																				0	6436	0	6436	0	6436
601~650																				2	6436	2	6436	2	6436
551~600																				6	6434	6	6434	6	6434
501~550																				26	6428	26	6428	26	6428
451~500																				51	6402	51	6402	51	6402
401~450																				104	6351	104	6351	104	6351
351~400																				120	6247	120	6247	120	6247
301~350																				181	6127	181	6127	181	6127
251~300																				301	5946	301	5946	301	5946
201~250																				404	5645	404	5645	404	5645
176~200																				258	5241	258	5241	258	5241
151~175																				324	4983	324	4983	324	4983
126~150																				363	4659	363	4659	363	4659
101~125																				563	4296	563	4296	563	4296
76~100																				630	3733	630	3733	630	3733
51~75																				1016	3103	1016	3103	1016	3103
26~50																				1527	2087	1527	2087	1527	2087
~25																				560	560	560	560	560	560
合計																				6436		6436	6436		
未超過																				(1000)		(1000)	(1000)		

(连续観測)

付表-B.2.13(e) 金沢 波高・周期別出現頻度統計(連続観測, 2013年1月~2013年12月)

2013年1月~2013年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	26033		26033		26033
																				(0)	(1000)		(26033)		(1000)
1101~1200																				0	26033		26033		26033
																				(0)	(1000)		(26033)		(1000)
1001~1100																				0	26033		26033		26033
																				(0)	(1000)		(26033)		(1000)
901~1000																				0	26033		26033		26033
																				(0)	(1000)		(26033)		(1000)
801~ 900																				0	26033		26033		26033
																				(0)	(1000)		(26033)		(1000)
701~ 800																				2	26033	2	26033	2	26033
																				(0)	(1000)	(0)	(1000)	(0)	(1000)
651~ 700																				3	26031	5	26031	5	26031
																				(0)	(1000)	(0)	(1000)	(0)	(1000)
601~ 650																				1	26026	19	26026	19	26026
																				(0)	(1000)	(1)	(1000)	(1)	(1000)
551~ 600																				23	26007	80	26007	80	26007
																				(1)	(999)	(3)	(999)	(3)	(999)
501~ 550																				58	25927	147	25927	147	25927
																				(2)	(996)	(6)	(996)	(6)	(996)
451~ 500																				147	25780	241	25780	241	25780
																				(6)	(990)	(9)	(990)	(9)	(990)
401~ 450																				119	25539	385	25539	385	25539
																				(5)	(981)	(15)	(981)	(15)	(981)
351~ 400																				226	25154	465	25154	465	25154
																				(9)	(966)	(18)	(966)	(18)	(966)
301~ 350																				124	24689	698	24689	698	24689
																				(5)	(948)	(27)	(948)	(27)	(948)
251~ 300																				394	23991	991	23991	991	23991
																				(12)	(922)	(38)	(922)	(38)	(922)
201~ 250																				587	23000	1496	23000	1496	23000
																				(14)	(883)	(57)	(883)	(57)	(883)
176~ 200																				393	21504	960	21504	960	21504
																				(7)	(826)	(37)	(826)	(37)	(826)
151~ 175																				420	20544	1328	20544	1328	20544
																				(6)	(789)	(51)	(789)	(51)	(789)
126~ 150																				406	19216	1727	19216	1727	19216
																				(16)	(738)	(66)	(738)	(66)	(738)
101~ 125																				824	17489	2434	17489	2434	17489
																				(17)	(672)	(93)	(672)	(93)	(672)
76~ 100																				454	15055	3225	15055	3225	15055
																				(3)	(578)	(124)	(578)	(124)	(578)
51~ 75																				139	11830	4232	11830	4232	11830
																				(5)	(454)	(163)	(454)	(163)	(454)
26~ 50																				40	7598	5684	7598	5684	7598
																				(2)	(292)	(218)	(292)	(218)	(292)
~ 25																				116	1914	1914	1914	1914	1914
																				(4)	(74)	(74)	(74)	(74)	(74)
合計																				26033	26033	26033	26033	26033	26033
																				(6)	(1000)	(1000)	(1000)	(1000)	(1000)
未超過																				26033	26033	26033	26033	26033	26033
(0.1%)																				(6)	(121)	(336)	(550)	(734)	(861)

(連続観測)