

付表-A.2.6(a) 秋田 波高・周期別出現頻度統計 (2013年12月～2014年2月)

2013年12月～2014年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 秋田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201～																				0	1078	0	1078	0	1078	
1101～1200																				0	1078	0	1078	0	1078	
1001～1100																				0	1078	0	1078	0	1078	
901～1000																				0	1078	0	1078	0	1078	
801～900																				0	1078	0	1078	0	1078	
701～800																				0	1078	0	1078	0	1078	
651～700																				0	1078	0	1078	0	1078	
601～650																				0	1078	0	1078	0	1078	
551～600																				0	1078	0	1078	0	1078	
501～550									2	5	1									8	1078	8	1078	8	1078	
451～500								1	10	2										13	1070	13	1070	13	1070	
401～450								7	7	3										17	1057	17	1057	17	1057	
351～400							7	7	14	1										29	1040	29	1040	29	1040	
301～350							15	26	4											45	1011	45	1011	45	1011	
251～300						14	49	23	4											90	966	90	966	90	966	
201～250					4	72	57	11	2											146	876	146	876	146	876	
176～200					12	60	32	1	2											107	730	107	730	107	730	
151～175				2	37	42	36	4												121	623	121	623	121	623	
126～150				8	48	47	14	4												121	502	121	502	121	502	
101～125				1	12	62	47	11	4											137	381	137	381	137	381	
76～100				6	17	44	27	10												104	244	104	244	104	244	
51～75				11	6	24	20	2												63	140	63	140	63	140	
26～50				2	18	6	14	17	1											58	77	58	77	58	77	
～25				3	6	7	8	2												19	19	19	19	19	19	
合計 (0.1%)		2	39	57	253	348	234	90	48	7	0	0	0	0	0	0	0	0	0	1078		1078		1078		
未超過 (0.1%)		2	41	98	351	699	933	1023	1071	1078	1078	1078	1078	1078	1078	1078	1078	1078	1078	1078					1078	

付表-A.2.6(b) 秋田 波高・周期別出現頻度統計 (2014年3月～2014年5月)

2014年3月～2014年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 秋田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201～																				0	1104	0	1104	0	1104	
1101～1200																				0	1104	0	1104	0	1104	
1001～1100																				0	1104	0	1104	0	1104	
901～1000																				0	1104	0	1104	0	1104	
801～900																				0	1104	0	1104	0	1104	
701～800																				0	1104	0	1104	0	1104	
651～700																				0	1104	0	1104	0	1104	
601～650																				0	1104	0	1104	0	1104	
551～600																				0	1104	0	1104	0	1104	
501～550																				0	1104	0	1104	0	1104	
451～500									1											1	1104	1	1104	1	1104	
401～450								1												1	1103	1	1103	1	1103	
351～400								6												6	1102	6	1102	6	1102	
301～350							1	17	10											28	1096	28	1096	28	1096	
251～300							10	21	8											39	1068	39	1068	39	1068	
201～250					12	44	27	6												89	1029	89	1029	89	1029	
176～200					17	27	9	1												54	940	54	940	54	940	
151～175				2	24	35	9													70	886	70	886	70	886	
126～150				10	41	28	10													89	816	89	816	89	816	
101～125				26	47	27	13													113	727	113	727	113	727	
76～100				4	23	40	46	1												114	614	114	614	114	614	
51～75				31	27	55	41													154	500	154	500	154	500	
26～50				19	52	86	44	5												206	346	206	346	206	346	
～25				8	60	50	15	2												140	140	140	140	140	140	
合計 (0.1%)		27	147	224	295	269	109	33	0	0	0	0	0	0	0	0	0	0	0	1104		1104		1104		
未超過 (0.1%)		27	174	398	693	962	1071	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104					1104	

付表-A.2.6(c) 秋田 波高・周期別出現頻度統計 (2014年6月～2014年8月)

2014年6月～2014年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 秋田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1091	0	1091	0	1091
1101～1200																				0	1091	0	1091	0	1091
1001～1100																				0	1091	0	1091	0	1091
901～1000																				0	1091	0	1091	0	1091
801～900																				0	1091	0	1091	0	1091
701～800																				0	1091	0	1091	0	1091
651～700																				0	1091	0	1091	0	1091
601～650																				0	1091	0	1091	0	1091
551～600																				0	1091	0	1091	0	1091
501～550																				0	1091	0	1091	0	1091
451～500																				0	1091	0	1091	0	1091
401～450																				0	1091	0	1091	0	1091
351～400																				3	1091	3	1091	3	1091
301～350																				5	1088	5	1088	5	1088
251～300																				12	1083	12	1083	12	1083
201～250																				19	1071	19	1071	19	1071
176～200																				16	1052	16	1052	16	1052
151～175																				27	1036	27	1036	27	1036
126～150																				31	1009	31	1009	31	1009
101～125																				44	978	44	978	44	978
76～100																				49	934	49	934	49	934
51～75																				97	885	97	885	97	885
26～50																				337	788	337	788	337	788
～25																				451	451	451	451	451	451
合計																				1091	1091	1091	1091	1091	1091
未超過																				1091	1091	1091	1091	1091	1091

付表-A.2.6(d) 秋田 波高・周期別出現頻度統計 (2014年9月～2014年11月)

2014年9月～2014年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 秋田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1079	0	1079	0	1079
1101～1200																				0	1079	0	1079	0	1079
1001～1100																				0	1079	0	1079	0	1079
901～1000																				0	1079	0	1079	0	1079
801～900																				0	1079	0	1079	0	1079
701～800																				0	1079	0	1079	0	1079
651～700																				0	1079	0	1079	0	1079
601～650																				0	1079	0	1079	0	1079
551～600																				3	1079	3	1079	3	1079
501～550																				5	1076	5	1076	5	1076
451～500																				11	1071	11	1071	11	1071
401～450																				14	1060	14	1060	14	1060
351～400																				12	1046	12	1046	12	1046
301～350																				17	1034	17	1034	17	1034
251～300																				39	1017	39	1017	39	1017
201～250																				22	978	22	978	22	978
176～200																				16	956	16	956	16	956
151～175																				28	940	28	940	28	940
126～150																				49	912	49	912	49	912
101～125																				101	863	101	863	101	863
76～100																				112	762	112	762	112	762
51～75																				181	650	181	650	181	650
26～50																				352	469	352	469	352	469
～25																				117	117	117	117	117	117
合計																				1079	1079	1079	1079	1079	1079
未超過																				1079	1079	1079	1079	1079	1079

付表-A.2.6(e) 秋田 波高・周期別出現頻度統計 (2014年1月~2014年12月)

2014年1月~2014年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 秋田

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201 ~																				0 (0)	4352 (1000)		4352 (1000)		4352 (1000)
1101 ~ 1200																				0 (0)	4352 (1000)		4352 (1000)		4352 (1000)
1001 ~ 1100																				0 (0)	4352 (1000)		4352 (1000)		4352 (1000)
901 ~ 1000																				0 (0)	4352 (1000)		4352 (1000)		4352 (1000)
801 ~ 900																				0 (0)	4352 (1000)		4352 (1000)		4352 (1000)
701 ~ 800											6 (1)									6 (1)	4352 (1000)	6 (1)	4352 (1000)	6 (1)	4352 (1000)
651 ~ 700										4 (1)	1 (0)									5 (1)	4346 (999)	5 (1)	4346 (999)	5 (1)	4346 (999)
601 ~ 650										1 (0)	2 (0)									3 (1)	4341 (997)	3 (1)	4341 (997)	3 (1)	4341 (997)
551 ~ 600										8 (2)	2 (0)	1 (0)								11 (3)	4338 (997)	11 (3)	4338 (997)	11 (3)	4338 (997)
501 ~ 550								1 (0)	9 (2)	4 (1)	3 (1)									17 (4)	4327 (994)	17 (4)	4327 (994)	17 (4)	4327 (994)
451 ~ 500								4 (1)	21 (5)	6 (1)	1 (0)	2 (0)								34 (8)	4310 (990)	34 (8)	4310 (990)	34 (8)	4310 (990)
401 ~ 450							1 (0)	13 (3)	22 (5)	7 (2)	1 (0)									44 (10)	4276 (983)	44 (10)	4276 (983)	44 (10)	4276 (983)
351 ~ 400							9 (2)	29 (7)	17 (4)	4 (1)										59 (14)	4232 (972)	59 (14)	4232 (972)	59 (14)	4232 (972)
301 ~ 350						2 (0)	47 (11)	54 (12)	13 (3)	1 (0)										117 (27)	4173 (959)	117 (27)	4173 (959)	117 (27)	4173 (959)
251 ~ 300					2 (0)	35 (8)	95 (22)	53 (12)	3 (1)	1 (0)										189 (43)	4056 (932)	189 (43)	4056 (932)	189 (43)	4056 (932)
201 ~ 250					20 (5)	108 (25)	97 (22)	29 (7)	4 (1)	1 (0)										259 (60)	3867 (889)	259 (60)	3867 (889)	259 (60)	3867 (889)
176 ~ 200					37 (9)	96 (22)	57 (13)	6 (1)												196 (45)	3608 (829)	196 (45)	3608 (829)	196 (45)	3608 (829)
151 ~ 175				5 (1)	85 (20)	101 (23)	46 (11)	3 (1)												240 (55)	3412 (784)	240 (55)	3412 (784)		
126 ~ 150				25 (6)	107 (25)	113 (26)	32 (7)													277 (64)	3172 (729)	277 (64)	3172 (729)		
101 ~ 125				2 (0)	63 (14)	158 (36)	112 (26)	35 (8)												370 (85)	2895 (665)	370 (85)	2895 (665)		
76 ~ 100				16 (4)	82 (19)	163 (37)	106 (24)	10 (2)												377 (87)	2525 (580)	377 (87)	2525 (580)		
51 ~ 75				3 (1)	86 (20)	109 (25)	187 (43)	98 (23)	4 (1)											487 (112)	2148 (494)	487 (112)	2148 (494)		
26 ~ 50				86 (20)	280 (64)	337 (77)	199 (46)	36 (8)	1 (0)											939 (216)	1661 (382)	939 (216)	1661 (382)		
~ 25				48 (11)	284 (65)	285 (65)	90 (21)	10 (2)	5 (1)											722 (166)	722 (166)	722 (166)	722 (166)		
合計 (0.1%)		137 (31)	668 (153)	906 (208)	1048 (241)	817 (188)	439 (101)	192 (44)	89 (20)	37 (9)	16 (4)	3 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4352 (1000)		4352 (1000)		4352 (1000)	
未超過 (0.1%)		137 (31)	805 (185)	1711 (393)	2759 (634)	3576 (822)	4015 (923)	4207 (967)	4296 (987)	4333 (996)	4349 (999)	4352 (1000)	4352 (1000)	4352 (1000)	4352 (1000)	4352 (1000)	4352 (1000)	4352 (1000)	4352 (1000)						