

付表-A.2.34(a) 宮古 波高・周期別出現頻度統計 (2013年12月~2014年2月)

2013年12月~2014年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1080	0	1080	0	1080
1101~1200																				0	1080	0	1080	0	1080
1001~1100																				0	1080	0	1080	0	1080
901~1000																				0	1080	0	1080	0	1080
801~900																				0	1080	0	1080	0	1080
701~800																				0	1080	0	1080	0	1080
651~700																				0	1080	0	1080	0	1080
601~650																				0	1080	0	1080	0	1080
551~600																				0	1080	0	1080	0	1080
501~550																				0	1080	0	1080	0	1080
451~500																				0	1080	0	1080	0	1080
401~450																				1	1080	1	1080	1	1080
351~400																				2	1079	2	1079	2	1079
301~350																				5	1077	5	1077	5	1077
251~300																				8	1062	8	1062	8	1062
201~250																				4	1044	4	1044	4	1044
176~200																				1	1011	1	1011	1	1011
151~175																				1	1000	1	1000	1	1000
126~150																				5	970	5	970	5	970
101~125																				19	893	19	893	19	893
76~100																				48	808	48	808	48	808
51~75																				22	669	22	669	22	669
26~50																				35	396	35	396	35	396
~25																				2	104	2	104	2	104
合計																				0	1080	0	1080	0	1080
未超過																				0	1080	0	1080	0	1080
(0.1%)																				1	1080	1	1080	1	1080

付表-A.2.34(b) 宮古 波高・周期別出現頻度統計 (2014年3月~2014年5月)

2014年3月~2014年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550																				0	1104	0	1104	0	1104
451~500																				0	1104	0	1104	0	1104
401~450																				1	1104	1	1104	1	1104
351~400																				1	1103	1	1103	1	1103
301~350																				1	1102	1	1102	1	1102
251~300																				5	1094	5	1094	5	1094
201~250																				2	1081	2	1081	2	1081
176~200																				1	1070	1	1070	1	1070
151~175																				3	1058	3	1058	3	1058
126~150																				9	1041	9	1041	9	1041
101~125																				8	1012	8	1012	8	1012
76~100																				19	963	19	963	19	963
51~75																				12	894	12	894	12	894
26~50																				21	720	21	720	21	720
~25																				2	334	2	334	2	334
合計																				0	1104	0	1104	0	1104
未超過																				0	1104	0	1104	0	1104
(0.1%)																				1	1104	1	1104	1	1104

付表-A.2.34(c) 宮古 波高・周期別出現頻度統計 (2014年6月~2014年8月)

2014年6月~2014年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(11)	(76)	(330)	(629)	(881)	(971)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1000)	合計	未超過
1201~		(0)																		0	1104		1104		1104
1101~1200		(0)																		0	1104		1104		1104
1001~1100		(0)																		0	1104		1104		1104
901~1000		(0)																		0	1104		1104		1104
801~900		(0)																		0	1104		1104		1104
701~800		(0)																		0	1104		1104		1104
651~700		(0)																		0	1104		1104		1104
601~650		(0)																		0	1104		1104		1104
551~600		(0)																		0	1104		1104		1104
501~550		(0)																		0	1104		1104		1104
451~500		(0)																		0	1104		1104		1104
401~450		(0)																		0	1104		1104		1104
351~400		(0)																		0	1104		1104		1104
301~350		(0)																		0	1104		1104		1104
251~300		(0)																		0	1104		1104		1104
201~250		(0)																		0	1104		1104		1104
176~200		(0)																		0	1104		1104		1104
151~175		(0)																		0	1104		1104		1104
126~150		(0)																		0	1104		1104		1104
101~125					(2)	(4)		(1)	(1)											8	1104	8	1104	8	1104
76~100			(1)	(8)	(15)	(6)	(1)	(3)												34	1096	34	1096	1096	1096
51~75		(2)	(11)	(37)	(40)	(23)	(14)	(11)												152	1062	152	1062	1062	1062
26~50		(8)	(24)	(116)	(127)	(159)	(64)	(10)	(2)											563	910	563	910	910	910
~25		(2)	(32)	(101)	(127)	(65)	(10)	(2)	(1)											347	347	347	347	347	347
合計		(0)	(11)	(76)	(330)	(629)	(881)	(971)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	1104	1104	1104	1104	1104	1104
未超過		(0)	(11)	(76)	(330)	(629)	(881)	(971)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	1104	1104	1104	1104	1104	1104

付表-A.2.34(d) 宮古 波高・周期別出現頻度統計 (2014年9月~2014年11月)

2014年9月~2014年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(15)	(75)	(209)	(236)	(186)	(137)	(74)	(54)	(15)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	(1000)
1201~		(0)																		0	1059		1059		1059
1101~1200		(0)																		0	1059		1059		1059
1001~1100		(0)																		0	1059		1059		1059
901~1000		(0)																		0	1059		1059		1059
801~900		(0)																		0	1059		1059		1059
701~800		(0)																		0	1059		1059		1059
651~700		(0)																		0	1059		1059		1059
601~650		(0)																		0	1059		1059		1059
551~600		(0)																		0	1059		1059		1059
501~550		(0)																		0	1059		1059		1059
451~500		(0)																		0	1059		1059		1059
401~450		(0)																		0	1059		1059		1059
351~400		(0)						(1)	(2)											3	1059	3	1059	3	1059
301~350		(0)					(1)		(1)											2	1056	2	1056	2	1056
251~300		(0)				(2)		(4)	(1)											7	1054	7	1054	7	1054
201~250		(0)			(1)	(3)	(1)	(3)	(3)											11	1047	11	1047	11	1047
176~200		(0)			(4)	(3)		(2)		(1)										10	1036	10	1036	10	1036
151~175		(0)			(2)	(1)	(8)	(1)	(2)	(5)										20	1026	20	1026	20	1026
126~150		(0)		(6)	(7)	(8)	(3)	(2)	(7)											35	1006	35	1006	35	1006
101~125		(3)	(6)	(9)	(12)	(13)	(4)	(6)	(3)											59	971	59	971	59	971
76~100		(1)	(11)	(19)	(25)	(16)	(25)	(7)	(7)	(6)										123	912	123	912	912	912
51~75		(3)	(16)	(42)	(54)	(43)	(30)	(20)	(14)	(5)										241	789	241	789	789	789
26~50		(11)	(30)	(77)	(93)	(68)	(48)	(29)	(14)	(1)										395	548	395	548	548	548
~25		(13)	(56)	(38)	(25)	(13)														153	153	153	153	153	153
合計		(0)	(15)	(75)	(209)	(236)	(186)	(137)	(74)	(54)	(15)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1059	1059	1059	1059	1059	1059
未超過		(0)	(15)	(75)	(209)	(236)	(186)	(137)	(74)	(54)	(15)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1059	1059	1059	1059	1059	1059

付表-A.2.34(e) 宮古 波高・周期別出現頻度統計 (2014年1月~2014年12月)

2014年 1月~2014年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)			(18)	(19)	(0)	(1)
1201~		(0)																		4339	4339	4339	4339		
1101~1200		(0)																		4339	4339	4339	4339		
1001~1100		(0)																		4339	4339	4339	4339		
901~1000		(0)																		4339	4339	4339	4339		
801~ 900		(0)																		4339	4339	4339	4339		
701~ 800		(0)																		4339	4339	4339	4339		
651~ 700		(0)																		4339	4339	4339	4339		
601~ 650		(0)																		4339	4339	4339	4339		
551~ 600		(0)																		4339	4339	4339	4339		
501~ 550		(0)																		4339	4339	4339	4339		
451~ 500		(0)																		4339	4339	4339	4339		
401~ 450									(1)	(1)										2	4339	2	4339	2	4339
351~ 400								(1)	(4)	(1)										6	4337	6	4337	6	4337
301~ 350							(0)	(6)	(9)	(4)										20	4331	20	4331	20	4331
251~ 300					(2)	(11)	(13)	(3)	(3)	(2)										28	4311	28	4311	28	4311
201~ 250			(1)	(3)	(7)	(13)	(9)	(3)	(2)	(1)										36	4283	36	4283	36	4283
176~ 200					(7)	(8)	(9)	(4)	(2)	(2)										32	4247	32	4247	32	4247
151~ 175			(3)	(5)	(11)	(8)	(8)	(8)	(2)	(0)	(1)									45	4215	45	4215	45	4215
126~ 150		(1)	(15)	(19)	(33)	(20)	(13)	(10)	(3)											114	4170	114	4170	114	4170
101~ 125		(3)	(37)	(39)	(34)	(28)	(13)	(13)	(12)	(3)										190	4056	190	4056	190	4056
76~ 100		(2)	(27)	(104)	(113)	(51)	(40)	(23)	(18)	(22)	(2)									402	3866	402	3866	3866	3866
51~ 75		(4)	(72)	(289)	(207)	(101)	(72)	(73)	(26)	(15)	(4)									875	3464	875	3464	3464	3464
26~ 50		(1)	(35)	(151)	(402)	(381)	(321)	(190)	(109)	(51)	(8)									1649	2589	1649	2589	2589	2589
~ 25		(0)	(5)	(90)	(285)	(305)	(172)	(54)	(21)	(6)	(1)									940	940	940	940	940	940
合 計		(2)	(58)	(352)	(1136)	(1081)	(739)	(452)	(300)	(145)	(64)	(10)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	4339		4339		4339	
未超過	(0.1%)	(0)	(14)	(95)	(357)	(606)	(776)	(880)	(950)	(983)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						