

表 - 8.3(a) 深浦 波高・周期別出現頻度統計 (2002年12月~2003年2月)

2002年12月~2003年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1	補足 2
1201 ~																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
1101 ~ 1200																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
1001 ~ 1100																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
901 ~ 1000																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
801 ~ 900																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
701 ~ 800																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
651 ~ 700																				0	1080	1080	1080
																				(0)	(1000)	(1000)	(1000)
601 ~ 650																				1	1080	1080	1080
																				(1)	(1000)	(1)	(1000)
551 ~ 600																				2	1079	2	1079
																				(2)	(999)	(2)	(999)
501 ~ 550																				6	1077	6	1077
																				(6)	(997)	(6)	(997)
451 ~ 500																				15	1071	15	1071
																				(14)	(992)	(14)	(992)
401 ~ 450																				29	1056	29	1056
																				(27)	(978)	(27)	(978)
351 ~ 400																				35	1027	35	1027
																				(32)	(951)	(32)	(951)
301 ~ 350																				43	992	43	992
																				(40)	(919)	(40)	(919)
251 ~ 300																				105	949	105	949
																				(97)	(879)	(97)	(879)
201 ~ 250																				132	844	132	844
																				(122)	(781)	(122)	(781)
176 ~ 200																				95	712	95	712
																				(88)	(659)	(88)	(659)
151 ~ 175																				119	617	119	617
																				(110)	(571)	(110)	(571)
126 ~ 150																				143	498	143	498
																				(132)	(461)	(132)	(461)
101 ~ 125																				131	355	131	355
																				(121)	(329)	(121)	(329)
76 ~ 100																				76	224	76	224
																				(70)	(207)	(70)	(207)
51 ~ 75																				79	148	79	148
																				(73)	(137)	(73)	(137)
26 ~ 50																				69	69	69	69
																				(64)	(64)	(64)	(64)
~ 25																				0	0		
																				(0)	(0)		
合 計																				1080		1080	1080
																				(1000)		(1000)	(1000)
未超過																				0			
(0.1%)																				(0)			

表 - 8.3(b) 深浦 波高・周期別出現頻度統計 (2003年3月~2003年5月)

2003年3月~2003年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1	補足 2
1201 ~																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
1101 ~ 1200																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
1001 ~ 1100																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
901 ~ 1000																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
801 ~ 900																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
701 ~ 800																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
651 ~ 700																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
601 ~ 650																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
551 ~ 600																				0	1104	1104	1104
																				(0)	(1000)	(1000)	(1000)
501 ~ 550																				4	1104	4	1104
																				(4)	(1000)	(4)	(1000)
451 ~ 500																				4	1100	4	1100
																				(4)	(996)	(4)	(996)
401 ~ 450																				2	1096	2	1096
																				(2)	(993)	(2)	(993)
351 ~ 400																				3	1094	3	1094
																				(3)	(991)	(3)	(991)
301 ~ 350																				7	1091	7	1091
																				(6)	(988)	(6)	(988)
251 ~ 300																				18	1084	18	1084
																				(16)	(982)	(16)	(982)
201 ~ 250																				60	1066	60	1066
																				(54)	(966)	(54)	(966)
176 ~ 200																				40	1006	40	1006
																				(36)	(911)	(36)	(911)
151 ~ 175																				47	966	47	966
																				(43)	(875)	(43)	(875)
126 ~ 150																				77	919	77	919
																				(70)	(832)	(70)	(832)
101 ~ 125																				103	842	103	842
																				(93)	(763)	(93)	(763)
76 ~ 100																				130	739	130	739
																				(118)	(669)	(118)	(669)
51 ~ 75																				219	609	219	609
																				(198)	(552)	(198)	(552)
26 ~ 50																				238	390	238	390
																				(216)	(353)	(216)	(353)
~ 25																				152	152	152	152
																				(138)	(138)	(138)	(138)
合 計																				1104		1104	1104
																				(1000)		(1000)	(1000)
未超過																							
(0.1%)																							

表 - 8.3(c) 深浦 波高・周期別出現頻度統計 (2003年6月~2003年8月)

2003年 6月~2003年 8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過 (0.1%)	補足 1 合 計	未超過 (0.1%)	補足 2 合 計	未超過 (0.1%)
1201 ~																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
1101 ~ 1200																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
1001 ~ 1100																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
901 ~ 1000																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
801 ~ 900																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
701 ~ 800																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
651 ~ 700																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
601 ~ 650																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
551 ~ 600																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
501 ~ 550																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
451 ~ 500																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
401 ~ 450																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
351 ~ 400																				0 (0)	1098 (1000)	1098 (1000)		1098 (1000)	
301 ~ 350																				1 (1)	1098 (1000)	1 (1)	1098 (1000)	1 (1)	1098 (1000)
251 ~ 300																				0 (0)	1097 (999)	1097 (999)		1097 (999)	
201 ~ 250																				3 (3)	1097 (999)	3 (3)	1097 (999)	3 (3)	1097 (999)
176 ~ 200																				10 (9)	1094 (996)	10 (9)	1094 (996)	1094 (996)	1094 (996)
151 ~ 175																				8 (7)	1084 (987)	8 (7)	1084 (987)		
126 ~ 150																				28 (26)	1076 (980)	28 (26)	1076 (980)		
101 ~ 125																				44 (40)	1048 (954)	44 (40)	1048 (954)		
76 ~ 100																				131 (119)	1004 (914)	131 (119)	1004 (914)		
51 ~ 75																				313 (285)	873 (795)	313 (285)	873 (795)		
26 ~ 50																				433 (394)	560 (510)	433 (394)	560 (510)		
~ 25																				127 (116)	127 (116)	127 (116)	127 (116)		
合 計 (0.1%)																				1098 (1000)		1098 (1000)		1098 (1000)	
未超過 (0.1%)																				0 (0)	95 (87)	554 (505)	309 (281)	122 (111)	13 (12)

表 - 8.3(d) 深浦 波高・周期別出現頻度統計 (2003年9月~2003年11月)

2003年 9月~2003年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過 (0.1%)	補足 1 合 計	未超過 (0.1%)	補足 2 合 計	未超過 (0.1%)
1201 ~																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
1101 ~ 1200																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
1001 ~ 1100																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
901 ~ 1000																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
801 ~ 900																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
701 ~ 800																				0 (0)	1092 (1000)	1092 (1000)		1092 (1000)	
651 ~ 700										1 (1)										1 (1)	1092 (1000)	1 (1)	1092 (1000)	1 (1)	1092 (1000)
601 ~ 650										2 (2)										2 (2)	1091 (999)	2 (2)	1091 (999)	2 (2)	1091 (999)
551 ~ 600									1 (1)	1 (1)										2 (2)	1089 (997)	2 (2)	1089 (997)	2 (2)	1089 (997)
501 ~ 550									2 (2)	2 (2)	1 (1)									5 (5)	1087 (995)	5 (5)	1087 (995)	5 (5)	1087 (995)
451 ~ 500								1 (1)	11 (10)	2 (2)	2 (2)									14 (13)	1082 (991)	14 (13)	1082 (991)	14 (13)	1082 (991)
401 ~ 450								5 (5)	7 (6)	7 (6)	1 (1)									12 (11)	1068 (978)	12 (11)	1068 (978)	12 (11)	1068 (978)
351 ~ 400							1 (1)	6 (6)	7 (6)	7 (6)	1 (1)									16 (15)	1056 (967)	16 (15)	1056 (967)	16 (15)	1056 (967)
301 ~ 350							3 (3)	8 (7)	5 (5)											16 (15)	1040 (952)	16 (15)	1040 (952)	16 (15)	1040 (952)
251 ~ 300						4 (4)	28 (26)	14 (13)	1 (1)											47 (43)	1024 (938)	47 (43)	1024 (938)	47 (43)	1024 (938)
201 ~ 250				1 (1)	22 (20)	41 (38)	7 (6)	1 (1)												72 (66)	977 (895)	72 (66)	977 (895)	72 (66)	977 (895)
176 ~ 200				5 (5)	13 (12)	15 (14)	1 (1)													34 (31)	905 (829)	34 (31)	905 (829)	34 (31)	905 (829)
151 ~ 175				6 (5)	31 (28)	17 (16)														54 (49)	871 (798)	54 (49)	871 (798)		
126 ~ 150			1 (1)	21 (19)	43 (39)	5 (5)														70 (64)	817 (748)	70 (64)	817 (748)		
101 ~ 125			8 (7)	43 (39)	23 (21)	2 (2)														76 (70)	747 (684)	76 (70)	747 (684)		
76 ~ 100			2 (2)	33 (30)	70 (64)	29 (27)														134 (123)	671 (614)	134 (123)	671 (614)		
51 ~ 75			6 (5)	85 (78)	126 (115)	29 (27)														246 (225)	537 (492)	246 (225)	537 (492)		
26 ~ 50			27 (25)	148 (136)	69 (63)	12 (11)														256 (234)	291 (266)	256 (234)	291 (266)		
~ 25			2 (2)	20 (18)	13 (12)															35 (32)	35 (32)	35 (32)	35 (32)		
合 計 (0.1%)		0 (0)	37 (34)	295 (270)	354 (324)	206 (189)	112 (103)	43 (39)	35 (32)	9 (8)	1 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	1092 (1000)		1092 (1000)		1092 (1000)	
未超過 (0.1%)		0 (0)	37 (34)	332 (304)	686 (628)	892 (817)	1004 (919)	1047 (954)	1082 (991)	1091 (999)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)	1092 (1000)						

表 - 8.3(e) 深浦 波高・周期別出現頻度統計 (2003年1月~2003年12月)

2003年 1月~2003年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 深浦

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足 1	補足 2
1201 ~																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
1101 ~ 1200																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
1001 ~ 1100																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
901 ~ 1000																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
801 ~ 900																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
701 ~ 800																				0	4374	4374	4374
																				(0)	(1000)	(1000)	(1000)
651 ~ 700										1										1	4374	4374	4374
										(0)										(0)	(1000)	(1000)	(1000)
601 ~ 650										3										3	4373	4373	4373
										(1)										(1)	(1000)	(1000)	(1000)
551 ~ 600									1	2										3	4370	4370	4370
									(0)	(0)										(1)	(999)	(999)	(999)
501 ~ 550								3	8	2	1									14	4367	4367	4367
								(1)	(2)	(0)	(0)									(3)	(998)	(998)	(998)
451 ~ 500								4	25	4										33	4353	4353	4353
								(1)	(6)	(1)										(8)	(995)	(995)	(995)
401 ~ 450								2	26	26										54	4320	4320	4320
								(0)	(6)	(6)										(12)	(988)	(988)	(988)
351 ~ 400								9	41	17	1									68	4266	4266	4266
								(2)	(9)	(4)	(0)									(16)	(975)	(975)	(975)
301 ~ 350								1	36	41	9									87	4198	4198	4198
								(0)	(8)	(9)	(2)									(20)	(960)	(960)	(960)
251 ~ 300								26	112	27	2									169	4111	4111	4111
								(6)	(26)	(6)	(0)	(0)								(39)	(940)	(940)	(940)
201 ~ 250								6	103	141	14	3								267	3942	3942	3942
								(1)	(24)	(32)	(3)	(1)								(61)	(901)	(901)	(901)
176 ~ 200								26	83	52	4	1								166	3675	3675	3675
								(6)	(19)	(12)	(1)	(0)								(38)	(840)	(840)	(840)
151 ~ 175								66	98	43										207	3509	3509	3509
								(15)	(22)	(10)										(47)	(802)	(802)	(802)
126 ~ 150								11	129	139	26									305	3302	3302	3302
								(3)	(29)	(32)	(6)									(70)	(755)	(755)	(755)
101 ~ 125								49	193	100	11	1	1							355	2997	2997	2997
								(11)	(44)	(23)	(3)	(0)	(0)							(81)	(685)	(685)	(685)
76 ~ 100								3	115	232	120	4	1							475	2642	2642	2642
								(1)	(26)	(53)	(27)	(1)	(0)							(109)	(604)	(604)	(604)
51 ~ 75								30	394	342	85	11								862	2167	2167	2167
								(7)	(90)	(78)	(19)	(3)								(197)	(495)	(495)	(495)
26 ~ 50								2	124	579	247	39								991	1305	1305	1305
								(0)	(28)	(132)	(56)	(9)								(227)	(298)	(298)	(298)
~ 25								75	165	68	6									314	314	314	314
								(17)	(38)	(16)	(1)									(72)	(72)	(72)	(72)
合 計		2	232	1313	1309	800	447	162	93	15	1	0	0	0	0	0	0	0	0	4374		4374	4374
(0.1%)		(0)	(53)	(300)	(299)	(183)	(102)	(37)	(21)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)	(1000)
未超過		2	234	1547	2856	3656	4103	4265	4358	4373	4374	4374	4374	4374	4374	4374	4374	4374	4374				
(0.1%)		(0)	(53)	(354)	(653)	(836)	(938)	(975)	(996)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)				