

付表-A.2.32(a) 八戸 波高・周期別出現頻度統計 (2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 八戸

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1091	0	1092	0	1092
1101~1200																				0	1091	0	1092	0	1092
1001~1100																				0	1091	0	1092	0	1092
901~1000																				0	1091	0	1092	0	1092
801~900																				0	1091	0	1092	0	1092
701~800																				0	1091	0	1092	0	1092
651~700																				0	1091	0	1092	0	1092
601~650																				0	1091	0	1092	0	1092
551~600																				0	1091	0	1092	0	1092
501~550									1											1	1091	1	1092	1	1092
451~500								1	2											3	1090	3	1091	3	1091
401~450								2	2		1	1								4	1087	4	1088	4	1088
351~400								1	2	1	1									5	1083	5	1084	5	1084
301~350								2	1	3	1	2								9	1078	9	1079	9	1079
251~300					1	3	1	5	2	4	4	5								25	1069	25	1070	25	1070
201~250			1	7	9	6	3	1	1	4	1									33	1044	33	1045	33	1045
176~200			1	7	4	5	6	1		7										31	1011	31	1012	31	1012
151~175			2	8	2	4	2	4	4			2								28	980	28	981	28	981
126~150			3	11	5	10	7	10		10	4									60	952	60	953	60	953
101~125		1	9	28	19	10	6	11	10	12										106	892	106	893		
76~100		5	48	73	15	16	13	14	14	16	2	1								217	786	217	787		
51~75		12	84	84	53	23	21	22	25	14	4	2								344	569	345	570		
26~50		4	21	52	58	34	27	13	6	2										217	225	217	225		
~25					5	3														8	8	8	8		
合計		0	22	165	252	178	114	93	93	65	68	28	13	0	0	0	0	0	0	1091		1092	1	1092	
未超過	(0.1%)	(0)	(20)	(171)	(402)	(566)	(670)	(755)	(841)	(900)	(962)	(988)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)

付表-A.2.32(b) 八戸 波高・周期別出現頻度統計 (2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 八戸

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550												1	1							2	1104	2	1104	2	1104
451~500												2	1							3	1102	3	1102	3	1102
401~450												1	1							1	1099	1	1099	1	1099
351~400									1	1	1	1								4	1098	4	1098	4	1098
301~350									1	5	4	2								12	1094	12	1094	12	1094
251~300						2	1	3	9	10	1									26	1082	26	1082	26	1082
201~250			1	4	9	14	14	14	13	15	2									84	1056	84	1056	84	1056
176~200			4	7	18	14	14	7	2											66	972	66	972	66	972
151~175			11	7	18	22	29	12	3											102	906	102	906	102	906
126~150			15	20	23	24	20	21	2											125	804	125	804	125	804
101~125			8	20	29	24	20	21	3	1										126	679	126	679	126	679
76~100		3	4	45	50	41	36	23	6	2										220	501	220	501	220	501
51~75		6	21	33	50	30	37	30	14											200	281	200	281	200	281
26~50		6	5	12	21	14	22	6												78	89	78	89	78	89
~25				2	1															3	3	3	3		
合計		0	15	38	143	189	171	195	188	108	44	9	4	0	0	0	0	0	0	1104		1104	1	1104	
未超過	(0.1%)	(0)	(14)	(34)	(130)	(171)	(155)	(177)	(170)	(98)	(40)	(8)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)	(1000)	(1000)	

付表-A. 2. 32(c) 八戸 波高・周期別出現頻度統計 (2008年6月～2008年8月)

2008年6月～2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 八戸

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(1)	(31)	(190)	(176)	(408)	(334)	(125)	(27)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1104)	(1104)	合計	未超過	合計
1201～		(0)																		(0)	1104		1104		1104
1101～1200		(0)																		(0)	1104		1104		1104
1001～1100		(0)																		(0)	1104		1104		1104
901～1000		(0)																		(0)	1104		1104		1104
801～900		(0)																		(0)	1104		1104		1104
701～800		(0)																		(0)	1104		1104		1104
651～700		(0)																		(0)	1104		1104		1104
601～650		(0)																		(0)	1104		1104		1104
551～600		(0)																		(0)	1104		1104		1104
501～550		(0)																		(0)	1104		1104		1104
451～500		(0)																		(0)	1104		1104		1104
401～450		(0)																		(0)	1104		1104		1104
351～400		(0)																		(2)	1104	(2)	1104	(2)	1104
301～350		(0)																		(4)	1102	(4)	1102	(4)	1102
251～300		(0)																		(7)	1098	(6)	1098	(7)	1098
201～250		(0)																		(34)	1091	(31)	1091	(34)	1091
176～200		(0)																		(34)	1057	(31)	1057	(34)	1057
151～175		(0)																		(52)	1023	(47)	1023	(52)	1023
126～150		(0)																		(59)	971	(53)	971	(59)	971
101～125		(0)																		(111)	912	(101)	912	(111)	912
76～100		(0)																		(241)	801	(218)	801	(241)	801
51～75		(1)																		(438)	560	(397)	560	(438)	560
26～50																				(122)	122	(111)	122	(122)	122
～25																				(0)	0	(0)	0	(0)	0
合計 (0.1%)		(0)	(1)	(31)	(190)	(176)	(408)	(334)	(125)	(27)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1104)	(1000)		1104	(1000)	1104
未超過 (0.1%)		(0)	(1)	(31)	(190)	(176)	(408)	(334)	(125)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1000)				(1000)

付表-A. 2. 32(d) 八戸 波高・周期別出現頻度統計 (2008年9月～2008年11月)

2008年9月～2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 八戸

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(24)	(116)	(289)	(189)	(283)	(241)	(118)	(63)	(20)	(16)	(14)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(1092) <td>(1092)</td> <td>合計</td> <td>未超過</td> <td>合計</td> <td>未超過</td>	(1092)	合計	未超過	合計
1201～		(0)																		(0)	1092		1092		1092
1101～1200		(0)																		(0)	1092		1092		1092
1001～1100		(0)																		(0)	1092		1092		1092
901～1000		(0)																		(0)	1092		1092		1092
801～900		(0)																		(0)	1092		1092		1092
701～800		(0)																		(0)	1092		1092		1092
651～700		(0)																		(0)	1092		1092		1092
601～650		(0)																		(0)	1092		1092		1092
551～600		(0)																		(0)	1092		1092		1092
501～550		(0)																		(0)	1092		1092		1092
451～500		(0)																		(0)	1092		1092		1092
401～450		(0)																		(0)	1092		1092		1092
351～400		(0)																		(0)	1092		1092		1092
301～350		(0)																		(0)	1092		1092		1092
251～300		(0)																		(3)	1092	(3)	1092	(3)	1092
201～250		(0)																		(5)	1089	(5)	1089	(5)	1089
176～200		(0)																		(11)	1084	(11)	1084	(11)	1084
151～175		(0)																		(26)	1072	(26)	1072	(26)	1072
126～150		(0)																		(66)	1044	(60)	1044	(66)	1044
101～125		(0)																		(108)	978	(108)	978	(108)	978
76～100		(4)																		(253)	860	(253)	860	(253)	860
51～75		(8)																		(299)	584	(299)	584	(299)	584
26～50		(13)																		(212)	257	(212)	257	(212)	257
～25																				(26)	26	(24)	26	(26)	26
合計 (0.1%)		(0)	(24)	(116)	(289)	(189)	(283)	(241)	(118)	(63)	(20)	(16)	(14)	(4)	(0)	(0)	(0)	(0)	(0)	(1092)	(1000)		1092	(1000)	1092
未超過 (0.1%)		(0)	(24)	(116)	(289)	(189)	(283)	(241)	(118)	(63)	(20)	(16)	(14)	(4)	(0)	(0)	(0)	(0)	(0)	(1092)	(1000)				(1000)

