

付表-A.2.34(a) 宮古 波高・周期別出現頻度統計 (2007年12月～2008年2月)

2007年12月～2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(4)	(78)	(434)	(688)	(823)	(892)	(944)	(977)	(996)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1061)	(1000)	合計
1201～		(0)																		(0)	1061		1063		1063
1101～1200		(0)																		(0)	1061		1063		1063
1001～1100		(0)																		(0)	1061		1063		1063
901～1000		(0)																		(0)	1061		1063		1063
801～900		(0)																		(0)	1061		1063		1063
701～800		(0)																		(0)	1061		1063		1063
651～700		(0)																		(0)	1061		1063		1063
601～650		(0)																		(0)	1061		1063		1063
551～600		(0)																		(0)	1061		1063		1063
501～550		(0)																		(0)	1061		1063		1063
451～500		(0)																		(0)	1061		1063		1063
401～450		(0)																		(0)	1061		1063		1063
351～400		(0)																		(0)	1061		1063		1063
301～350		(0)																		(0)	1061		1063		1063
251～300		(0)																		(0)	1061		1063		1063
201～250		(14)						(4)	(10)											(14)	1061	(14)	1063	(14)	1063
176～200		(6)					(1)		(2)	(2)		(1)								(6)	1047	(6)	1049	(6)	1049
151～175		(11)				(3)	(3)		(1)	(3)	(1)									(11)	1041	(11)	1043	(11)	1043
126～150		(1)	(6)	(12)	(8)			(4)	(1)	(2)										(34)	1030	(34)	1032	(34)	1032
101～125		(2)	(12)	(52)	(16)	(8)	(3)	(4)	(1)											(103)	996	(103)	998	(103)	998
76～100		(8)	(56)	(73)	(41)	(17)	(8)	(3)	(3)											(221)	893	(221)	895	(221)	895
51～75		(1)	(17)	(150)	(58)	(30)	(12)	(5)	(14)	(7)	(2)									(314)	672	(314)	674	(314)	674
26～50		(2)	(40)	(110)	(39)	(26)	(20)	(19)	(7)	(6)	(1)									(285)	358	(285)	360	(285)	360
～25		(1)	(7)	(22)	(19)	(9)	(8)	(3)												(73)	73	(73)	73	(73)	73
合計 (0.1%)		(0)	(4)	(79)	(377)	(270)	(143)	(73)	(56)	(35)	(20)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1061)	(1000)	(1063)	(2)	(1063)	
未超過 (0.1%)		(0)	(4)	(83)	(460)	(730)	(873)	(946)	(1002)	(1037)	(1057)	(1061)	(1061)	(1061)	(1061)	(1061)	(1061)	(1061)	(1061)	(1061)	(1000)				

付表-A.2.34(b) 宮古 波高・周期別出現頻度統計 (2008年3月～2008年5月)

2008年3月～2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(4)	(74)	(355)	(254)	(135)	(69)	(53)	(33)	(19)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1090)	(1000)	合計
1201～		(0)																		(0)	1090		1090		1090
1101～1200		(0)																		(0)	1090		1090		1090
1001～1100		(0)																		(0)	1090		1090		1090
901～1000		(0)																		(0)	1090		1090		1090
801～900		(0)																		(0)	1090		1090		1090
701～800		(0)																		(0)	1090		1090		1090
651～700		(0)																		(0)	1090		1090		1090
601～650		(0)																		(0)	1090		1090		1090
551～600		(0)																		(0)	1090		1090		1090
501～550		(0)																		(0)	1090		1090		1090
451～500		(0)																		(0)	1090		1090		1090
401～450		(0)																		(0)	1090		1090		1090
351～400		(0)																		(0)	1090		1090		1090
301～350		(1)								(1)										(1)	1090	(1)	1090	(1)	1090
251～300		(5)							(2)	(3)										(5)	1089	(5)	1089	(5)	1089
201～250		(4)						(1)	(2)	(1)										(4)	1084	(4)	1084	(4)	1084
176～200		(4)					(1)	(1)	(2)											(4)	1080	(4)	1080	(4)	1080
151～175		(6)				(1)	(4)	(1)	(1)											(6)	1076	(6)	1076	(6)	1076
126～150		(30)			(3)	(6)	(8)	(4)	(7)	(3)										(30)	1069	(30)	1069	(30)	1069
101～125		(2)	(14)	(6)	(4)	(16)	(6)	(2)												(49)	1036	(49)	1036	(49)	1036
76～100		(8)	(38)	(48)	(19)	(8)	(7)	(5)				(1)								(133)	983	(133)	983	(133)	983
51～75		(1)	(15)	(50)	(68)	(48)	(23)	(22)	(16)	(4)	(1)									(246)	838	(246)	838	(246)	838
26～50		(3)	(10)	(14)	(33)	(75)	(71)	(79)	(33)	(22)	(6)	(1)								(346)	570	(346)	570	(346)	570
～25		(7)	(11)	(24)	(68)	(45)	(21)	(1)												(177)	193	(177)	193	(177)	193
合計 (0.1%)		(3)	(18)	(49)	(161)	(272)	(198)	(153)	(76)	(54)	(13)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1090)	(1000)	(1090)		(1090)	
未超過 (0.1%)		(3)	(23)	(76)	(251)	(548)	(764)	(931)	(1014)	(1073)	(1087)	(1090)	(1090)	(1090)	(1090)	(1090)	(1090)	(1090)	(1090)	(1090)	(1000)				

付表-A.2.34(c) 宮古 波高・周期別出現頻度統計 (2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	1103	0	1104	0	1104
1101~1200																				0	1103	0	1104	0	1104
1001~1100																				0	1103	0	1104	0	1104
901~1000																				0	1103	0	1104	0	1104
801~900																				0	1103	0	1104	0	1104
701~800																				0	1103	0	1104	0	1104
651~700																				0	1103	0	1104	0	1104
601~650																				0	1103	0	1104	0	1104
551~600																				0	1103	0	1104	0	1104
501~550																				0	1103	0	1104	0	1104
451~500																				0	1103	0	1104	0	1104
401~450																				0	1103	0	1104	0	1104
351~400																				0	1103	0	1104	0	1104
301~350																				0	1103	0	1104	0	1104
251~300									1	1									2	1103	2	1104	2	1104	
201~250								3	4										7	1101	7	1102	7	1102	
176~200								3											3	1094	3	1095	3	1095	
151~175							3	14											17	1091	17	1092	17	1092	
126~150							13	15											28	1074	28	1075	28	1075	
101~125							2	11	8										21	1046	21	1047	21	1047	
76~100							4	10	18	18									50	1025	50	1026	1026	1026	
51~75							3	12	19	52	25	4							115	975	115	976			
26~50							1	11	36	100	161	165	21	1					496	860	497	861			
~25							15	85	184	73	7								364	364	364	364			
合計							1	14	67	216	442	324	37	2	0	0	0	0	1103	1103	1104	1	1104		
未超過							1	15	82	298	740	1064	1101	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	

付表-A.2.34(d) 宮古 波高・周期別出現頻度統計 (2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	1090	0	1091	0	1091
1101~1200																				0	1090	0	1091	0	1091
1001~1100																				0	1090	0	1091	0	1091
901~1000																				0	1090	0	1091	0	1091
801~900																				0	1090	0	1091	0	1091
701~800																				0	1090	0	1091	0	1091
651~700																				0	1090	0	1091	0	1091
601~650																				0	1090	0	1091	0	1091
551~600																				0	1090	0	1091	0	1091
501~550																				0	1090	0	1091	0	1091
451~500																				0	1090	0	1091	0	1091
401~450																				0	1090	0	1091	0	1091
351~400																				0	1090	0	1091	0	1091
301~350																				0	1090	0	1091	0	1091
251~300																				3	1090	3	1091	3	1091
201~250																				2	1087	2	1088	2	1088
176~200																				2	1085	2	1086	2	1086
151~175																				2	1083	2	1084	2	1084
126~150																				2	1083	2	1084	2	1084
101~125																				8	1081	8	1082	8	1082
76~100																				7	1073	7	1074	7	1074
51~75																				116	1033	116	1034	116	1034
26~50																				224	917	224	918	224	918
~25																				461	693	462	694	462	694
合計																				1090	1090	1091	1	1091	
未超過																				1090	1090	1090	1090	1090	1090

付表-A. 2. 34(e) 宮古 波高・周期別出現頻度統計 (2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201~																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
1101~1200																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
1001~1100																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
901~1000																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
801~ 900																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
701~ 800																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
651~ 700																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
601~ 650																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
551~ 600																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
501~ 550																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
451~ 500																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
401~ 450																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
351~ 400																				0	4344		4348		4348
																				(0)	(1000)		(4348)		(1000)
301~ 350										1										1	4344	1	4348	1	4348
										(0)										(0)	(1000)	(0)	(1000)	(0)	(1000)
251~ 300					1		3		1		2	3								10	4343	10	4347	10	4347
					(0)		(1)		(0)		(0)	(1)								(2)	(1000)	(2)	(1000)	(2)	(1000)
201~ 250						3	11	10		2	1									27	4333	27	4337	27	4337
						(1)	(3)	(2)		(0)	(0)									(6)	(997)	(6)	(997)	(6)	(997)
176~ 200						3	4	4		4		1								16	4306	16	4310	16	4310
						(1)	(1)	(1)		(1)		(0)								(4)	(991)	(4)	(991)	(4)	(991)
151~ 175				1	8	28	5	1	4	1										48	4290	48	4294	48	4294
				(0)	(2)	(6)	(1)	(0)	(1)	(0)										(11)	(988)	(11)	(988)	(11)	(988)
126~ 150			1	11	33	48	10	13	4	2	1	1								124	4242	124	4246	124	4246
			(0)	(3)	(8)	(11)	(2)	(3)	(1)	(0)	(0)	(0)								(29)	(977)	(29)	(977)	(29)	(977)
101~ 125			5	36	79	39	24	11	3	2	8	2								210	4118	210	4122	210	4122
			(1)	(8)	(18)	(9)	(6)	(3)	(1)	(0)	(2)	(0)								(48)	(948)	(48)	(948)	(48)	(948)
76~ 100			24	134	189	82	23	20	12	15	11	7								517	3908	517	3912	517	3912
			(6)	(31)	(44)	(19)	(5)	(5)	(3)	(3)	(3)	(2)								(119)	(900)	(119)	(900)	(119)	(900)
51~ 75		7	65	264	232	156	62	50	52	21	6	2								917	3391	917	3395	917	3395
		(2)	(15)	(61)	(53)	(36)	(14)	(12)	(12)	(5)	(1)	(0)								(211)	(781)	(211)	(781)	(211)	(781)
26~ 50		4	38	104	317	410	362	183	97	66	32	12	3							1629	2474	1633	2478	1629	2478
		(1)	(9)	(24)	(73)	(94)	(83)	(42)	(22)	(15)	(7)	(3)	(1)							(375)	(570)	(376)	(570)	(375)	(570)
~ 25		10	46	186	353	170	56	18	4	1	1									845	845	845	845	845	845
		(2)	(11)	(43)	(81)	(39)	(13)	(4)	(1)	(0)	(0)									(195)	(195)	(194)	(194)	(195)	(195)
合 計		4	55	245	949	1305	891	381	225	154	78	40	15	2	0	0	0	0	0	4344		4348	4	4348	
		(1)	(13)	(56)	(218)	(300)	(205)	(88)	(52)	(35)	(18)	(9)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)	(1)	(1000)	
未超過		4	59	304	1253	2558	3449	3830	4055	4209	4287	4327	4342	4344	4344	4344	4344	4344	4344						
(0.1%)		(1)	(14)	(70)	(288)	(589)	(794)	(882)	(933)	(969)	(987)	(996)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						