

付表-A.2.4(a) 青森 波高・周期別出現頻度統計 (2007年12月～2008年2月)

2007年12月～2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1065	0	1065	0	1065
1101～1200																				0	1065	0	1065	0	1065
1001～1100																				0	1065	0	1065	0	1065
901～1000																				0	1065	0	1065	0	1065
801～900																				0	1065	0	1065	0	1065
701～800																				0	1065	0	1065	0	1065
651～700																				0	1065	0	1065	0	1065
601～650																				0	1065	0	1065	0	1065
551～600																				0	1065	0	1065	0	1065
501～550																				0	1065	0	1065	0	1065
451～500																				0	1065	0	1065	0	1065
401～450																				0	1065	0	1065	0	1065
351～400																				0	1065	0	1065	0	1065
301～350																				0	1065	0	1065	0	1065
251～300																				0	1065	0	1065	0	1065
201～250					(2)															2	1065	2	1065	2	1065
176～200					(2)															2	1063	2	1063	2	1063
151～175			(1)																	1	1061	1	1061	1	1061
126～150			(5)	(3)																8	1060	8	1060	8	1060
101～125			(3)																	3	1052	3	1052	3	1052
76～100		(17)	(25)																	42	1049	42	1049	42	1049
51～75	(1)	(121)	(17)																	139	1007	139	1007	139	1007
26～50	(38)	(275)	(108)	(8)																429	868	429	868	429	868
～25	(15)	(222)	(166)	(9)																439	439	439	439	439	439
合計		55	649	336	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1065		1065		1065	
未超過		55	704	1040	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065	1065					

付表-A.2.4(b) 青森 波高・周期別出現頻度統計 (2008年3月～2008年5月)

2008年3月～2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1098	0	1098	0	1098
1101～1200																				0	1098	0	1098	0	1098
1001～1100																				0	1098	0	1098	0	1098
901～1000																				0	1098	0	1098	0	1098
801～900																				0	1098	0	1098	0	1098
701～800																				0	1098	0	1098	0	1098
651～700																				0	1098	0	1098	0	1098
601～650																				0	1098	0	1098	0	1098
551～600																				0	1098	0	1098	0	1098
501～550																				0	1098	0	1098	0	1098
451～500																				0	1098	0	1098	0	1098
401～450																				0	1098	0	1098	0	1098
351～400																				0	1098	0	1098	0	1098
301～350																				0	1098	0	1098	0	1098
251～300																				0	1098	0	1098	0	1098
201～250																				0	1098	0	1098	0	1098
176～200																				0	1098	0	1098	0	1098
151～175																				0	1098	0	1098	0	1098
126～150																				0	1098	0	1098	0	1098
101～125			(1)	(1)																2	1098	2	1098	2	1098
76～100		(3)	(5)																	9	1096	9	1096	9	1096
51～75	(28)	(87)	(6)																	121	1087	121	1087	121	1087
26～50	(162)	(149)	(36)	(17)	(1)															401	966	401	966	401	966
～25	(53)	(321)	(136)	(5)																565	565	565	565	565	565
合計		264	606	201	26	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1098		1098		1098	
未超過		264	870	1071	1097	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098	1098					

付表-A.2.4(c) 青森 波高・周期別出現頻度統計 (2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1100		1100		1100
1101~1200																				0	1100		1100		1100
1001~1100																				0	1100		1100		1100
901~1000																				0	1100		1100		1100
801~ 900																				0	1100		1100		1100
701~ 800																				0	1100		1100		1100
651~ 700																				0	1100		1100		1100
601~ 650																				0	1100		1100		1100
551~ 600																				0	1100		1100		1100
501~ 550																				0	1100		1100		1100
451~ 500																				0	1100		1100		1100
401~ 450																				0	1100		1100		1100
351~ 400																				0	1100		1100		1100
301~ 350																				0	1100		1100		1100
251~ 300																				0	1100		1100		1100
201~ 250																				0	1100		1100		1100
176~ 200																				0	1100		1100		1100
151~ 175																				0	1100		1100		1100
126~ 150																				0	1100		1100		1100
101~ 125																				0	1100		1100		1100
76~ 100			6																	6	1100		1100	6	1100
51~ 75		8	88	1																97	1094	97	1094	97	1094
26~ 50		133	125	30	21	4	1													314	997	314	997	314	997
~ 25		81	391	163	46	2														683	683	683	683	683	683
合 計		222	610	194	67	6	1	0	0	0	0	0	0	0	0	0	0	0	0	1100		1100		1100	
未超過		222	832	1026	1093	1099	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100					
(0.1%)		(202)	(756)	(933)	(994)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)					

付表-A.2.4(d) 青森 波高・周期別出現頻度統計 (2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1092		1092		1092
1101~1200																				0	1092		1092		1092
1001~1100																				0	1092		1092		1092
901~1000																				0	1092		1092		1092
801~ 900																				0	1092		1092		1092
701~ 800																				0	1092		1092		1092
651~ 700																				0	1092		1092		1092
601~ 650																				0	1092		1092		1092
551~ 600																				0	1092		1092		1092
501~ 550																				0	1092		1092		1092
451~ 500																				0	1092		1092		1092
401~ 450																				0	1092		1092		1092
351~ 400																				0	1092		1092		1092
301~ 350																				0	1092		1092		1092
251~ 300																				0	1092		1092		1092
201~ 250																				0	1092		1092		1092
176~ 200																				0	1092		1092		1092
151~ 175																				0	1092		1092		1092
126~ 150																				0	1092		1092		1092
101~ 125																				0	1092		1092		1092
76~ 100			5	2																7	1092		1092	7	1092
51~ 75		2	61	29	1															93	1085	93	1085	93	1085
26~ 50		55	139	82	36	4														316	992	316	992	316	992
~ 25		39	241	294	98	4														676	676	676	676	676	676
合 計		96	446	407	135	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1092		1092		1092	
未超過		96	542	949	1084	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092					
(0.1%)		(88)	(408)	(373)	(124)	(7)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.4(e) 青森 波高・周期別出現頻度統計 (2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	~ 3	3 ~ 4	4 ~ 5	5 ~ 6	6 ~ 7	7 ~ 8	8 ~ 9	9 ~ 10	10 ~ 11	11 ~ 12	12 ~ 13	13 ~ 14	14 ~ 15	15 ~ 16	16 ~ 17	17 ~ 18	18 ~ 19	19 ~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201 ~		( 0 )																		4355	4355	4355	4355	4355	4355
1101 ~ 1200		( 0 )																		4355	4355	4355	4355	4355	4355
1001 ~ 1100		( 0 )																		4355	4355	4355	4355	4355	4355
901 ~ 1000		( 0 )																		4355	4355	4355	4355	4355	4355
801 ~ 900		( 0 )																		4355	4355	4355	4355	4355	4355
701 ~ 800		( 0 )																		4355	4355	4355	4355	4355	4355
651 ~ 700		( 0 )																		4355	4355	4355	4355	4355	4355
601 ~ 650		( 0 )																		4355	4355	4355	4355	4355	4355
551 ~ 600		( 0 )																		4355	4355	4355	4355	4355	4355
501 ~ 550		( 0 )																		4355	4355	4355	4355	4355	4355
451 ~ 500		( 0 )																		4355	4355	4355	4355	4355	4355
401 ~ 450		( 0 )																		4355	4355	4355	4355	4355	4355
351 ~ 400		( 0 )																		4355	4355	4355	4355	4355	4355
301 ~ 350		( 0 )																		4355	4355	4355	4355	4355	4355
251 ~ 300		( 0 )																		4355	4355	4355	4355	4355	4355
201 ~ 250					( 2 )															2	4355	2	4355	2	4355
176 ~ 200					( 2 )															2	4353	2	4353	2	4353
151 ~ 175				( 1 )																1	4351	1	4351	1	4351
126 ~ 150				( 8 )	( 3 )															11	4350	11	4350	11	4350
101 ~ 125		( 1 )	( 15 )	( 3 )	( 1 )															17	4339	17	4339	17	4339
76 ~ 100		( 33 )	( 54 )	( 8 )	( 12 )															87	4322	87	4322	87	4322
51 ~ 75		( 39 )	( 349 )	( 80 )	( 63 )	( 1 )														452	4235	452	4235	452	4235
26 ~ 50		( 392 )	( 648 )	( 149 )	( 236 )	( 88 )	( 9 )	( 1 )												1374	3783	1374	3783	1374	3783
~ 25		( 44 )	( 276 )	( 189 )	( 821 )	( 184 )	( 7 )													2409	2409	2409	2409	2409	2409
合 計 (0.1%)		624 (143)	2235 (513)	1198 (275)	281 (65)	16 (4)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)
未超過 (0.1%)		624 (143)	2859 (656)	4057 (932)	4338 (996)	4354 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)	4355 (1000)						