

付表-A.2.51(a) 小松島 波高・周期別出現頻度統計 (2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	487		487		487
1101~1200																				0	487		487		487
1001~1100																				0	487		487		487
901~1000																				0	487		487		487
801~900																				0	487		487		487
701~800																				0	487		487		487
651~700																				0	487		487		487
601~650																				0	487		487		487
551~600																				0	487		487		487
501~550																				0	487		487		487
451~500																				0	487		487		487
401~450																				0	487		487		487
351~400																				0	487		487		487
301~350																				0	487		487		487
251~300																				0	487		487		487
201~250																				0	487		487		487
176~200																				0	487		487		487
151~175																				0	487		487		487
126~150																				0	487		487		487
101~125				2				1	1											4	487		487	4	487
76~100			1	2	1	1	4	5	2											16	483	16	483	16	483
51~75		2	6	6	4	10	7	13	5											53	467	53	467	467	467
26~50		92	49	21	7	8	5	4	1											187	414	187	414	414	414
~25		47	86	66	17	10	1													227	466	227	466	466	466
合計		141	142	97	29	29	18	23	8	0	0	0	0	0	0	0	0	0	0	487		487		487	
未超過		(290)	(292)	(199)	(60)	(60)	(37)	(47)	(16)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
		(141)	(283)	(380)	(409)	(438)	(456)	(479)	(487)	(487)	(487)	(487)	(487)	(487)	(487)	(487)	(487)	(487)	(487)						

付表-A.2.51(b) 小松島 波高・周期別出現頻度統計 (2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	1020		1020		1020
1101~1200																				0	1020		1020		1020
1001~1100																				0	1020		1020		1020
901~1000																				0	1020		1020		1020
801~900																				0	1020		1020		1020
701~800																				0	1020		1020		1020
651~700																				0	1020		1020		1020
601~650																				0	1020		1020		1020
551~600																				0	1020		1020		1020
501~550																				0	1020		1020		1020
451~500																				0	1020		1020		1020
401~450																				0	1020		1020		1020
351~400																				0	1020		1020		1020
301~350																				0	1020		1020		1020
251~300																				0	1020		1020		1020
201~250																				0	1020		1020		1020
176~200																				0	1020		1020		1020
151~175					2	5														7	1020	7	1020	7	1020
126~150					5	2	4													11	1013	11	1013	11	1013
101~125				8	7	6	1	5												26	1002	26	1002	26	1002
76~100				13	10	10	1	2	2	1	2									40	975	40	975	40	975
51~75		1	55	29	27	19	12	2	4	1										150	934	150	934	934	934
26~50		69	119	88	99	75	61	20	5											536	784	536	784	784	784
~25		5	69	97	52	18	5	1		1										248	248	248	248	248	248
合計		75	243	235	202	135	84	30	11	3	2	0	0	0	0	0	0	0	0	1020		1020		1020	
未超過		(74)	(238)	(230)	(198)	(132)	(82)	(29)	(11)	(3)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
		(75)	(312)	(542)	(740)	(873)	(955)	(984)	(995)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A. 2. 51 (c) 小松島 波高・周期別出現頻度統計 (2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550																				0	1104	0	1104	0	1104
451~500																				0	1104	0	1104	0	1104
401~450																				0	1104	0	1104	0	1104
351~400																				0	1104	0	1104	0	1104
301~350																				0	1104	0	1104	0	1104
251~300																				0	1104	0	1104	0	1104
201~250																				0	1104	0	1104	0	1104
176~200																				0	1104	0	1104	0	1104
151~175																				0	1104	0	1104	0	1104
126~150																				0	1104	0	1104	0	1104
101~125				6																6	1104	6	1104	6	1104
76~100			7	3	2		1	1	5	2									21	1098	21	1098	21	1098	
51~75		24	25	11	7	10	5	2		1									85	1077	85	1077	1077	1077	
26~50		24	168	157	174	110	26	7	2										668	992	668	992			
~25		2	39	124	102	48	8	1											324	324	324	324			
合計		26	231	319	290	167	44	14	5	5	3	0	0	0	0	0	0	0	1104	1104	1104	1104			
未超過		26	257	576	866	1033	1077	1091	1096	1101	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104			
(0.1%)		(24)	(233)	(522)	(784)	(936)	(976)	(988)	(993)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			

付表-A. 2. 51 (d) 小松島 波高・周期別出現頻度統計 (2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1092	0	1092	0	1092
1101~1200																				0	1092	0	1092	0	1092
1001~1100																				0	1092	0	1092	0	1092
901~1000																				0	1092	0	1092	0	1092
801~900																				0	1092	0	1092	0	1092
701~800																				0	1092	0	1092	0	1092
651~700																				0	1092	0	1092	0	1092
601~650																				0	1092	0	1092	0	1092
551~600																				0	1092	0	1092	0	1092
501~550																				0	1092	0	1092	0	1092
451~500																				0	1092	0	1092	0	1092
401~450																				0	1092	0	1092	0	1092
351~400																				0	1092	0	1092	0	1092
301~350																				0	1092	0	1092	0	1092
251~300																				0	1092	0	1092	0	1092
201~250																				0	1092	0	1092	0	1092
176~200																				0	1092	0	1092	0	1092
151~175																				0	1092	0	1092	0	1092
126~150					1															1	1092	1	1092	1	1092
101~125			4	3																7	1091	7	1091	7	1091
76~100		4	11	1	1	1		1											19	1084	19	1084	19	1084	
51~75		3	54	12	5	2	5	10	13	3									107	1065	107	1065	1065	1065	
26~50		54	155	117	96	101	67	37	14	1									642	958	642	958			
~25		12	64	106	87	34	12	1											316	316	316	316			
合計		69	277	250	193	138	85	48	28	4	0	0	0	0	0	0	0	0	1092	1092	1092	1092			
未超過		69	346	596	789	927	1012	1060	1088	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092			
(0.1%)		(63)	(254)	(229)	(177)	(126)	(78)	(44)	(26)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)			

付表-A. 2. 51(e) 小松島 波高・周期別出現頻度統計 (2008年1月～2008年12月)

2008年1月～2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	～ 3	3～ 4	4～ 5	5～ 6	6～ 7	7～ 8	8～ 9	9～ 10	10～ 11	11～ 12	12～ 13	13～ 14	14～ 15	15～ 16	16～ 17	17～ 18	18～ 19	19～	合 計	未超過	補足1	補足2		
																						合 計	未超過	合 計	未超過
1201～																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
1101～1200																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
1001～1100																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
901～1000																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
801～ 900																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
701～ 800																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
651～ 700																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
601～ 650																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
551～ 600																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
501～ 550																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
451～ 500																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
401～ 450																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
351～ 400																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
301～ 350																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
251～ 300																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
201～ 250																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
176～ 200																				0 (0)	3703 (1000)		3703 (1000)		3703 (1000)
151～ 175					2 (1)	5 (1)														7 (2)	3703 (1000)	7 (2)	3703 (1000)	7 (2)	3703 (1000)
126～ 150					6 (2)	2 (1)	4 (1)													12 (3)	3696 (998)	12 (3)	3696 (998)	12 (3)	3696 (998)
101～ 125				18 (5)	10 (3)	6 (2)	1 (0)	5 (1)												40 (11)	3684 (995)	40 (11)	3684 (995)	40 (11)	3684 (995)
76～ 100		5 (1)	33 (9)	14 (4)	13 (4)	2 (1)	3 (1)	4 (1)	6 (2)	4 (1)										84 (23)	3644 (984)	84 (23)	3644 (984)	84 (23)	3644 (984)
51～ 75		6 (2)	154 (42)	73 (20)	45 (12)	29 (8)	28 (8)	17 (5)	19 (5)	4 (1)	1 (0)									376 (102)	3560 (961)	376 (102)	3560 (961)	3560 (961)	3560 (961)
26～ 50		207 (56)	486 (131)	395 (107)	400 (108)	303 (82)	179 (48)	83 (22)	29 (8)	1 (0)										2083 (563)	3184 (860)	2083 (563)	3184 (860)		
～ 25		43 (12)	227 (61)	391 (106)	281 (76)	123 (33)	32 (9)	3 (1)		1 (0)										1101 (297)	1101 (297)	1101 (297)	1101 (297)		
合 計 (0.1%)		256 (69)	872 (235)	910 (246)	758 (205)	481 (130)	246 (66)	111 (30)	52 (14)	12 (3)	5 (1)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	3703 (1000)		3703 (1000)		3703 (1000)	
未超過 (0.1%)		256 (69)	1128 (305)	2038 (550)	2796 (755)	3277 (885)	3523 (951)	3634 (981)	3686 (995)	3698 (999)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)	3703 (1000)						