

付表-A.2.61(a) 石垣沖 波高・周期別出現頻度統計 (2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 石垣沖

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1089	0	1089	0	1089
1101~1200																				0	1089	0	1089	0	1089
1001~1100																				0	1089	0	1089	0	1089
901~1000																				0	1089	0	1089	0	1089
801~900																				0	1089	0	1089	0	1089
701~800																				0	1089	0	1089	0	1089
651~700																				0	1089	0	1089	0	1089
601~650																				0	1089	0	1089	0	1089
551~600																				0	1089	0	1089	0	1089
501~550																				0	1089	0	1089	0	1089
451~500																				0	1089	0	1089	0	1089
401~450																				0	1089	0	1089	0	1089
351~400																				0	1089	0	1089	0	1089
301~350																				0	1089	0	1089	0	1089
251~300																				0	1089	0	1089	0	1089
201~250																				0	1089	0	1089	0	1089
176~200																				1	1089	1	1089	1	1089
151~175																				2	1088	2	1088	2	1088
126~150																				40	1086	40	1086	40	1086
101~125																				83	1046	83	1046	83	1046
76~100																				185	963	185	963	185	963
51~75																				260	778	260	778	260	778
26~50																				382	518	382	518	382	518
~25																				136	136	136	136	136	136
合計																				1089	1089	1089	1089	1089	1089
未超過																				1089	1089	1089	1089	1089	1089

付表-A.2.61(b) 石垣沖 波高・周期別出現頻度統計 (2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 石垣沖

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550																				0	1104	0	1104	0	1104
451~500																				0	1104	0	1104	0	1104
401~450																				0	1104	0	1104	0	1104
351~400																				0	1104	0	1104	0	1104
301~350																				0	1104	0	1104	0	1104
251~300																				0	1104	0	1104	0	1104
201~250																				0	1104	0	1104	0	1104
176~200																				0	1104	0	1104	0	1104
151~175																				5	1104	5	1104	5	1104
126~150																				7	1099	7	1099	7	1099
101~125																				24	1092	24	1092	24	1092
76~100																				60	1065	60	1065	60	1065
51~75																				115	1005	115	1005	115	1005
26~50																				410	890	410	890	410	890
~25																				480	480	480	480	480	480
合計																				1104	1104	1104	1104	1104	1104
未超過																				1104	1104	1104	1104	1104	1104

付表-A.2.61(c) 石垣沖 波高・周期別出現頻度統計 (2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 石垣沖

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	665	0	665	0	665
1101~1200																				0	665	0	665	0	665
1001~1100																				0	665	0	665	0	665
901~1000																				0	665	0	665	0	665
801~900																				0	665	0	665	0	665
701~800																				0	665	0	665	0	665
651~700																				0	665	0	665	0	665
601~650																				0	665	0	665	0	665
551~600																				0	665	0	665	0	665
501~550																				0	665	0	665	0	665
451~500																				0	665	0	665	0	665
401~450																				0	665	0	665	0	665
351~400																				0	665	0	665	0	665
301~350																				0	665	0	665	0	665
251~300																				0	665	0	665	0	665
201~250																				0	665	0	665	0	665
176~200																				0	665	0	665	0	665
151~175																				0	665	0	665	0	665
126~150																				0	665	0	665	665	665
101~125																				0	665	0	665	0	665
76~100			1 (2)	2 (3)																3	665	3	665	3	665
51~75			29 (44)	6 (9)	3 (5)															38	662	38	662	38	662
26~50		19 (29)	132 (198)	69 (104)	24 (36)	2 (3)														246	624	246	624	246	624
~25		11 (17)	273 (411)	76 (114)	17 (26)	1 (2)														378	378	378	378	378	
合計 (0.1%)		30 (45)	435 (654)	153 (230)	44 (66)	3 (5)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	665	665	665	665	665	
未超過 (0.1%)		30 (45)	465 (699)	618 (929)	662 (995)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665 (1000)	665	665	665	665	665	

付表-A.2.61(d) 石垣沖 波高・周期別出現頻度統計 (2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 石垣沖

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201~																				0	807	0	807	0	807
1101~1200																				0	807	0	807	0	807
1001~1100																				0	807	0	807	0	807
901~1000																				0	807	0	807	0	807
801~900																				0	807	0	807	0	807
701~800																				0	807	0	807	0	807
651~700																				0	807	0	807	0	807
601~650																				0	807	0	807	0	807
551~600																				0	807	0	807	0	807
501~550																				0	807	0	807	0	807
451~500																				0	807	0	807	0	807
401~450																				0	807	0	807	0	807
351~400																				0	807	0	807	0	807
301~350																				0	807	0	807	0	807
251~300																				0	807	0	807	0	807
201~250																				0	807	0	807	0	807
176~200																				4	807	4	807	4	807
151~175																				5	803	5	803	5	803
126~150																				10	795	10	795	10	795
101~125																				20	795	20	795	20	795
76~100																				31	779	31	779	31	779
51~75																				54	748	54	748	54	748
26~50																				80	694	80	694	80	694
~25																				305	305	305	305	305	305
合計 (0.1%)		1 (1)	81 (100)	209 (259)	292 (362)	162 (201)	52 (64)	10 (12)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	807	807	807	807	807	
未超過 (0.1%)		1 (1)	82 (102)	291 (361)	583 (722)	745 (923)	797 (988)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807 (1000)	807	807	807	807	807	

付表-A.2.61(e) 石垣沖 波高・周期別出現頻度統計 (2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 石垣沖

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201~																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
1101~1200																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
1001~1100																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
901~1000																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
801~ 900																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
701~ 800																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
651~ 700																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
601~ 650																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
551~ 600																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
501~ 550																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
451~ 500																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
401~ 450																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
351~ 400																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
301~ 350																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
251~ 300																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
201~ 250																				0 (0)	3623 (1000)		3623 (1000)		3623 (1000)
176~ 200						2 (1)	4 (1)	3 (1)												9 (2)	3623 (1000)	9 (2)	3623 (1000)	9 (2)	3623 (1000)
151~ 175						5 (1)	10 (3)	4 (1)												19 (5)	3614 (998)	19 (5)	3614 (998)	19 (5)	3614 (998)
126~ 150			1 (0)	11 (3)	34 (9)	24 (7)	1 (0)													71 (20)	3595 (992)	71 (20)	3595 (992)	3595 (992)	3595 (992)
101~ 125		2 (1)	5 (1)	30 (8)	69 (19)	31 (9)	4 (1)													141 (39)	3524 (973)	141 (39)	3524 (973)		
76~ 100		6 (2)	36 (10)	86 (24)	137 (38)	43 (12)	4 (1)													312 (86)	3383 (934)	312 (86)	3383 (934)		
51~ 75		58 (16)	86 (24)	133 (37)	115 (32)	51 (14)	2 (1)													445 (123)	3071 (848)	445 (123)	3071 (848)		
26~ 50		44 (12)	270 (75)	346 (96)	371 (102)	235 (65)	41 (11)	3 (1)												1310 (362)	2626 (725)	1310 (362)	2626 (725)		
~ 25		24 (7)	515 (142)	462 (128)	250 (69)	59 (16)	6 (2)													1316 (363)	1316 (363)	1316 (363)	1316 (363)		
合 計 (0.1%)		68 (19)	851 (235)	936 (258)	881 (243)	656 (181)	210 (58)	21 (6)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	3623 (1000)		3623 (1000)		3623 (1000)	
未超過 (0.1%)		68 (19)	919 (254)	1855 (512)	2736 (755)	3392 (936)	3602 (994)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)	3623 (1000)						