

付表-B.2.13(a) 金沢 波高・周期別出現頻度統計(連続観測, 2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(5)	(70)	(181)	(258)	(284)	(124)	(54)	(26)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	合計
1201~		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
1101~1200		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
1001~1100		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
901~1000		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
801~900		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
701~800		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
651~700		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
601~650		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
551~600		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
501~550		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
451~500		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
401~450		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
351~400		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
301~350		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
251~300		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
201~250		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
176~200		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
151~175		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
126~150		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
101~125		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
76~100		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
51~75		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
26~50		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
~25		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
合計(0.1%)		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504
未超過(0.1%)		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6504	6504	6504	6504	6504	6504

(連続観測)

付表-B.2.13(b) 金沢 波高・周期別出現頻度統計(连续観測, 2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(5)	(65)	(181)	(258)	(284)	(124)	(54)	(26)	(4)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	合計
1201~		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
1101~1200		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
1001~1100		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
901~1000		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
801~900		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
701~800		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
651~700		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
601~650		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
551~600		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
501~550		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
451~500		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
401~450		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
351~400		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
301~350		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
251~300		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
201~250		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
176~200		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
151~175		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
126~150		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
101~125		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
76~100		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
51~75		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
26~50		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
~25		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
合計(0.1%)		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486
未超過(0.1%)		0	31	425	1175	1677	1850	804	350	166	26	0	0	0	0	0	0	0	0	6486	6486	6486	6486	6486	6486

(连续観測)

付表-B.2.13(c) 金沢 波高・周期別出現頻度統計(連続観測, 2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	6296	6296	6296	6296	
1101~1200																				0	6296	6296	6296	6296	
1001~1100																				0	6296	6296	6296	6296	
901~1000																				0	6296	6296	6296	6296	
801~900																				0	6296	6296	6296	6296	
701~800																				0	6296	6296	6296	6296	
651~700																				0	6296	6296	6296	6296	
601~650																				0	6296	6296	6296	6296	
551~600																				0	6296	6296	6296	6296	
501~550																				0	6296	6296	6296	6296	
451~500																				0	6296	6296	6296	6296	
401~450																				0	6296	6296	6296	6296	
351~400																				0	6296	6296	6296	6296	
301~350									( 4 )	( 1 )									5	6296	5	6296	5	6296	
251~300								( 19 )	( 22 )	( 17 )									58	6291	58	6291	58	6291	
201~250							( 2 )	( 16 )	( 31 )	( 10 )									59	6233	59	6233	59	6233	
176~200					( 1 )		( 22 )	( 23 )	( 3 )	( 0 )									49	6174	49	6174	6174	6174	
151~175					( 1 )	( 10 )	( 50 )	( 22 )											83	6125	83	6125	( 981 )	( 981 )	
126~150				( 13 )	( 12 )	( 57 )	( 53 )	( 5 )											140	6042	140	6042			
101~125		( 1 )	( 18 )	( 23 )	( 157 )	( 65 )	( 14 )												278	5902	278	5902			
76~100		( 27 )	( 74 )	( 229 )	( 207 )	( 163 )	( 18 )												718	5624	718	5624			
51~75	( 4 )	( 252 )	( 493 )	( 631 )	( 160 )	( 35 )	( 10 )												1585	4906	1585	4906			
26~50	( 101 )	( 521 )	( 1238 )	( 502 )	( 27 )	( 7 )	( 1 )												2397	3321	2397	3321			
~25	( 22 )	( 231 )	( 588 )	( 83 )															924	924	924	924			
合計(0.1%)	( 127 )	( 1032 )	( 2424 )	( 1482 )	( 620 )	( 430 )	( 150 )	( 31 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6296	6296	6296	6296			
未超過(0.1%)	( 127 )	( 1159 )	( 3583 )	( 5065 )	( 5685 )	( 6115 )	( 6265 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	( 6296 )	6296						

(連続観測)

付表-B.2.13(d) 金沢 波高・周期別出現頻度統計(连续観測, 2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	6420	6420	6420	6420	
1101~1200																				0	6420	6420	6420	6420	
1001~1100																				0	6420	6420	6420	6420	
901~1000																				0	6420	6420	6420	6420	
801~900																				0	6420	6420	6420	6420	
701~800																				0	6420	6420	6420	6420	
651~700																				0	6420	6420	6420	6420	
601~650																				0	6420	6420	6420	6420	
551~600										( 1 )									1	6420	1	6420	1	6420	
501~550									( 15 )	( 1 )									16	6419	16	6419	16	6419	
451~500								( 4 )	( 39 )	( 4 )									47	6403	47	6403	47	6403	
401~450								( 40 )	( 31 )	( 2 )									73	6356	73	6356	73	6356	
351~400								( 2 )	( 34 )	( 28 )									71	6283	71	6283	71	6283	
301~350								( 0 )	( 5 )	( 4 )	( 1 )								62	6212	62	6212	62	6212	
251~300						( 15 )	( 30 )	( 63 )	( 38 )	( 4 )									150	6150	150	6150	150	6150	
201~250				( 4 )	( 75 )	( 103 )	( 118 )	( 32 )	( 1 )										333	6000	333	6000	333	6000	
176~200				( 14 )	( 79 )	( 99 )	( 74 )	( 1 )											267	5667	267	5667	5667	5667	
151~175				( 52 )	( 144 )	( 99 )	( 60 )												355	5400	355	5400			
126~150				( 12 )	( 68 )	( 145 )	( 150 )	( 16 )											391	5045	391	5045			
101~125				( 71 )	( 141 )	( 169 )	( 87 )												468	4654	468	4654			
76~100				( 50 )	( 160 )	( 238 )	( 154 )	( 6 )											608	4186	608	4186			
51~75				( 234 )	( 331 )	( 402 )	( 102 )												1069	3578	1069	3578			
26~50				( 65 )	( 557 )	( 596 )	( 337 )	( 34 )											1589	2509	1589	2509			
~25				( 40 )	( 470 )	( 361 )	( 48 )	( 1 )											920	920	920	920			
合計(0.1%)	( 105 )	( 1311 )	( 1531 )	( 1304 )	( 918 )	( 579 )	( 446 )	( 206 )	( 20 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	6420	6420	6420	6420			
未超過(0.1%)	( 105 )	( 1416 )	( 2947 )	( 4251 )	( 5169 )	( 5748 )	( 6194 )	( 6400 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	( 6420 )	6420						

(连续観測)

付表-B.2.13(e) 金沢 波高・周期別出現頻度統計(連続観測, 2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 金沢

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
1101~1200																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
1001~1100																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
901~1000																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
801~ 900																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
701~ 800																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
651~ 700																				0	25702		25702		25702
																				(0)	(1000)		(1000)		(1000)
601~ 650										6	2									8	25702	8	25702	8	25702
										(0)	(0)									(0)	(1000)	(0)	(1000)	(0)	(1000)
551~ 600									10	35	4									49	25694	49	25694	49	25694
									(0)	(1)	(0)									(2)	(1000)	(2)	(1000)	(2)	(1000)
501~ 550								1	46	72	9									128	25645	128	25645	128	25645
								(0)	(2)	(3)	(0)									(5)	(998)	(5)	(998)	(5)	(998)
451~ 500							1	16	85	46	3									151	25517	151	25517	151	25517
							(0)	(1)	(3)	(2)	(0)									(6)	(993)	(6)	(993)	(6)	(993)
401~ 450							3	68	102	29	7									209	25366	209	25366	209	25366
							(0)	(3)	(4)	(1)	(0)									(8)	(987)	(8)	(987)	(8)	(987)
351~ 400							23	74	115	61	5									278	25157	278	25157	278	25157
							(1)	(3)	(4)	(2)	(0)									(11)	(979)	(11)	(979)	(11)	(979)
301~ 350						15	89	172	135	23	3									437	24879	437	24879	437	24879
						(1)	(3)	(7)	(5)	(1)	(0)									(17)	(968)	(17)	(968)	(17)	(968)
251~ 300					3	57	255	356	154	14										839	24442	839	24442	839	24442
					(0)	(2)	(10)	(14)	(6)	(1)										(33)	(951)	(33)	(951)	(33)	(951)
201~ 250					25	363	482	378	89	3										1340	23603	1340	23603	1340	23603
					(1)	(14)	(19)	(15)	(3)	(0)										(52)	(918)	(52)	(918)	(52)	(918)
176~ 200			2	47	299	389	212	19												968	22263	968	22263	968	22263
			(0)	(2)	(12)	(15)	(8)	(1)												(38)	(866)	(38)	(866)	(38)	(866)
151~ 175			4	200	485	527	175	2												1393	21295	1393	21295	1393	21295
			(0)	(8)	(19)	(21)	(7)	(0)												(54)	(829)	(54)	(829)	(54)	(829)
126~ 150			83	313	555	559	65													1575	19902	1575	19902	1575	19902
			(3)	(12)	(22)	(22)	(3)													(61)	(774)	(61)	(774)	(61)	(774)
101~ 125			7	208	560	901	421	20												2117	18327	2117	18327	2117	18327
			(0)	(8)	(22)	(35)	(16)	(1)												(82)	(713)	(82)	(713)	(82)	(713)
76~ 100			148	650	1145	1067	276	18												3304	16210	3304	16210	3304	16210
			(6)	(25)	(45)	(42)	(11)	(1)												(129)	(631)	(129)	(631)	(129)	(631)
51~ 75		6	661	1452	1922	774	97	13												4925	12906	4925	12906	4925	12906
		(0)	(26)	(56)	(75)	(30)	(4)	(1)												(192)	(502)	(192)	(502)	(192)	(502)
26~ 50		223	1525	2417	1227	244	22	1												5659	7981	5659	7981	5659	7981
		(9)	(59)	(94)	(48)	(9)	(1)	(0)												(220)	(311)	(220)	(311)	(220)	(311)
~ 25		98	933	1116	164	8	1	2												2322	2322	2322	2322	2322	2322
		(4)	(36)	(43)	(6)	(0)	(0)	(0)												(90)	(90)	(90)	(90)	(90)	(90)
合計		327	3274	5932	5606	4768	3145	1571	757	289	33	0	0	0	0	0	0	0	0	25702	25702	25702	25702	25702	25702
		(13)	(127)	(231)	(218)	(186)	(122)	(61)	(29)	(11)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)
未超過		327	3601	9533	15139	19907	23052	24623	25380	25669	25702	25702	25702	25702	25702	25702	25702	25702	25702						
(0.1%)		(13)	(140)	(371)	(589)	(775)	(897)	(958)	(987)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

(連続観測)