

付表-B.2.34(a) 宮古 波高・周期別出現頻度統計(連続観測, 2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
		(0)	(4)	(8)	(12)	(16)	(20)	(24)	(28)	(32)	(36)	(40)	(44)	(48)	(52)	(56)	(60)	(64)	(68)			(72)	(0)	(1000)	合計	未超過
1201~																				0	6376	6378	6378	6378		
1101~1200																				0	6376	6378	6378	6378		
1001~1100																				0	6376	6378	6378	6378		
901~1000																				0	6376	6378	6378	6378		
801~900																				0	6376	6378	6378	6378		
701~800																				0	6376	6378	6378	6378		
651~700																				0	6376	6378	6378	6378		
601~650																				0	6376	6378	6378	6378		
551~600																				0	6376	6378	6378	6378		
501~550																				0	6376	6378	6378	6378		
451~500																				0	6376	6378	6378	6378		
401~450																				0	6376	6378	6378	6378		
351~400																				0	6376	6378	6378	6378		
301~350																				0	6376	6378	6378	6378		
251~300																				0	6376	6378	6378	6378		
201~250									23	39	3									65	6376	65	6378	65	6378	
176~200							1	4	8	24	6	2	2							47	6311	47	6313	47	6313	
151~175					1	26	22	2	12	17	15									95	6264	95	6266	95	6266	
126~150			3	28	73	46	5	15	15	13	1									199	6169	199	6171	199	6171	
101~125			12	74	298	118	41	19	17	7										586	5970	586	5972	586	5972	
76~100		1	57	338	502	228	119	54	11	16										1326	5384	1326	5386	5386	5386	
51~75		4	116	932	366	218	105	42	82	39	3									1907	4058	1907	4060	4060	4060	
26~50		1	14	272	713	236	155	138	93	66	44	3								1735	2151	1737	2153	2153	2153	
~25		3	50	127	91	85	45	14	1											416	416	416	416	416	416	
合計(0.1%)		1	22	510	2213	1593	876	486	312	218	136	9	0	0	0	0	0	0	0	6376	6376	6378	6378	6378	6378	
未超過(0.1%)		1	23	533	2746	4339	5215	5701	6013	6231	6367	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376	6376

(連続観測)

付表-B.2.34(b) 宮古 波高・周期別出現頻度統計(连续観測, 2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
		(0)	(4)	(8)	(12)	(16)	(20)	(24)	(28)	(32)	(36)	(40)	(44)	(48)	(52)	(56)	(60)	(64)	(68)			(0)	(1000)	合計	未超過	合計
1201~																				0	6524	6524	6524	6524		
1101~1200																				0	6524	6524	6524	6524		
1001~1100																				0	6524	6524	6524	6524		
901~1000																				0	6524	6524	6524	6524		
801~900																				0	6524	6524	6524	6524		
701~800																				0	6524	6524	6524	6524		
651~700																				0	6524	6524	6524	6524		
601~650																				0	6524	6524	6524	6524		
551~600																				0	6524	6524	6524	6524		
501~550																				0	6524	6524	6524	6524		
451~500																				0	6524	6524	6524	6524		
401~450																				0	6524	6524	6524	6524		
351~400																				0	6524	6524	6524	6524		
301~350										2	2									4	6524	4	6524	4	6524	
251~300									3	14	8									25	6520	25	6520	25	6520	
201~250								6	4	18	6									34	6495	34	6495	34	6495	
176~200							2	2	6	4										14	6461	14	6461	14	6461	
151~175					1	16	21	5	5	5										53	6447	53	6447	53	6447	
126~150			1	21	39	42	33	34	16	3										189	6394	189	6394	189	6394	
101~125			11	79	52	39	77	43	14	2										315	6205	315	6205	315	6205	
76~100			63	244	262	147	65	53	40	2	1									877	5890	877	5890	877	5890	
51~75		7	74	326	450	275	172	152	97	24	12									1589	5013	1589	5013	1589	5013	
26~50		8	65	289	486	472	471	226	109	46	9									2257	3424	2257	3424	2257	3424	
~25		4	44	91	191	394	310	122	11											1167	1167	1167	1167	1167	1167	
合計(0.1%)		12	116	316	1151	1699	1308	953	537	319	91	22	0	0	0	0	0	0	0	6524	6524	6524	6524	6524	6524	
未超過(0.1%)		12	128	444	1595	3294	4602	5555	6092	6411	6502	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524	6524

(连续観測)

付表-B.2.34(c) 宮古 波高・周期別出現頻度統計(連続観測, 2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201~																				0	6623	6624	6624	6624		
1101~1200																				0	6623	6624	6624	6624		
1001~1100																				0	6623	6624	6624	6624		
901~1000																				0	6623	6624	6624	6624		
801~900																				0	6623	6624	6624	6624		
701~800																				0	6623	6624	6624	6624		
651~700																				0	6623	6624	6624	6624		
601~650																				0	6623	6624	6624	6624		
551~600																				0	6623	6624	6624	6624		
501~550																				0	6623	6624	6624	6624		
451~500																				0	6623	6624	6624	6624		
401~450																				0	6623	6624	6624	6624		
351~400																				0	6623	6624	6624	6624		
301~350																				0	6623	6624	6624	6624		
251~300									9	1										10	6623	10	6624	10	6624	
201~250									5	32										37	6613	37	6614	37	6614	
176~200									18	2										20	6576	20	6577	20	6577	
151~175									13	85	1									99	6556	99	6557	99	6557	
126~150									66	112	2									180	6457	180	6458	180	6458	
101~125									6	58	54	1								119	6277	119	6278	119	6278	
76~100									29	55	92	108	1							285	6158	285	6159	285	6159	
51~75									14	64	135	313	145	41	2					714	5873	714	5874	714	5874	
26~50									1	65	240	579	979	909	164	9				2946	5159	2947	5160	2947	5160	
~25									1	5	105	470	1111	478	43	1				2213	2213	2213	2213	2213	2213	
合計(0.1%)									1	84	438	1245	2632	1914	296	13				6623	6623	6624	6624	6624	6624	
未超過(0.1%)									1	85	523	1768	4400	6314	6610	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623	6623

(連続観測)

付表-B.2.34(d) 宮古 波高・周期別出現頻度統計(连续観測, 2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201~																				0	6544	6545	6545	6545		
1101~1200																				0	6544	6545	6545	6545		
1001~1100																				0	6544	6545	6545	6545		
901~1000																				0	6544	6545	6545	6545		
801~900																				0	6544	6545	6545	6545		
701~800																				0	6544	6545	6545	6545		
651~700																				0	6544	6545	6545	6545		
601~650																				0	6544	6545	6545	6545		
551~600																				0	6544	6545	6545	6545		
501~550																				0	6544	6545	6545	6545		
451~500																				0	6544	6545	6545	6545		
401~450																				0	6544	6545	6545	6545		
351~400																				0	6544	6545	6545	6545		
301~350																				0	6544	6545	6545	6545		
251~300																				15	6544	15	6545	15	6545	
201~250																				12	6529	12	6530	12	6530	
176~200																				2	6517	2	6518	2	6518	
151~175																				12	6502	12	6503	12	6503	
126~150																				48	6490	48	6491	48	6491	
101~125																				235	6442	235	6443	235	6443	
76~100																				666	6207	666	6208	666	6208	
51~75																				1374	5541	1374	5542	1374	5542	
26~50																				2765	4167	2766	4168	2766	4168	
~25																				1402	1402	1402	1402	1402	1402	
合計(0.1%)																				6544	6544	6545	6545	6545	6545	
未超過(0.1%)																				6544	6544	6544	6544	6544	6544	6544

(连续観測)

付表-B.2.34(e) 宮古 波高・周期別出現頻度統計(連続観測, 2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 宮古

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
1101~1200																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
1001~1100																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
901~1000																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
801~ 900																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
701~ 800																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
651~ 700																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
601~ 650																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
551~ 600																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
501~ 550																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
451~ 500																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
401~ 450																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
351~ 400																				0	26068		26072		26072
																				(0)	(1000)		(1000)		(1000)
301~ 350										2	2									4	26068	4	26072	4	26072
										(0)	(0)									(0)	(1000)	(0)	(1000)	(0)	(1000)
251~ 300						1	4	18	5	14	8									50	26064	50	26068	50	26068
						(0)	(0)	(1)	(0)	(1)	(0)									(2)	(1000)	(2)	(1000)	(2)	(1000)
201~ 250				1	2	6	71	43	21	6										150	26014	150	26018	150	26018
				(0)	(0)	(0)	(3)	(2)	(1)	(0)										(6)	(998)	(6)	(998)	(6)	(998)
176~ 200				2	23	34	34	10	2	2										107	25864	107	25868	107	25868
				(0)	(1)	(1)	(1)	(0)	(0)	(0)										(4)	(992)	(4)	(992)	(4)	(992)
151~ 175				5	56	173	31	21	22	15										323	25757	323	25761	323	25761
				(0)	(2)	(7)	(1)	(1)	(1)	(1)										(12)	(988)	(12)	(988)	(12)	(988)
126~ 150				10	61	177	309	68	54	35	18	5	11	2						750	25434	750	25438	750	25438
				(0)	(2)	(7)	(12)	(3)	(2)	(1)	(1)	(0)	(0)	(0)						(29)	(976)	(29)	(976)	(29)	(976)
101~ 125				27	203	450	236	120	66	27	16	38	26	1						1210	24684	1210	24688	1210	24688
				(1)	(8)	(17)	(9)	(5)	(3)	(1)	(1)	(1)	(1)	(0)						(46)	(947)	(46)	(947)	(46)	(947)
76~ 100				1	175	782	1056	495	164	124	76	75	69	27						3044	23474	3044	23478	3044	23478
				(0)	(7)	(30)	(41)	(19)	(6)	(5)	(3)	(3)	(3)	(1)						(117)	(900)	(117)	(901)	(117)	(901)
51~ 75				54	368	1569	1394	899	467	331	301	120	34	7						5544	20430	5544	20434	5544	20434
				(2)	(14)	(60)	(53)	(34)	(18)	(13)	(12)	(5)	(1)	(0)						(213)	(784)	(213)	(784)	(213)	(784)
26~ 50				10	205	635	1990	2496	2115	1093	566	346	211	78	27	5				9777	14886	9781	14890	9781	14890
				(0)	(2)	(12)	(41)	(78)	(44)	(22)	(13)	(8)	(3)	(1)	(0)					(375)	(571)	(375)	(571)	(375)	(571)
~ 25				4	62	307	1075	2042	1148	313	109	33	12	4						5109	5109	5109	5109	5109	5109
				(0)	(2)	(12)	(41)	(78)	(44)	(12)	(4)	(1)	(0)	(0)						(196)	(196)	(196)	(196)	(196)	(196)
合計				14	322	1522	5688	7674	5408	2379	1353	887	485	230	98	8	0	0	0	26068		26072	4	26072	
				(1)	(12)	(58)	(218)	(294)	(207)	(91)	(52)	(34)	(19)	(9)	(4)	(0)	(0)	(0)	(0)	(1000)		(1000)	(0)	(1000)	
未超過				14	336	1858	7546	15220	20628	23007	24360	25247	25732	25962	26060	26068	26068	26068	26068						
(0.1%)				(1)	(13)	(71)	(289)	(584)	(791)	(883)	(934)	(969)	(987)	(996)	(1000)	(1000)	(1000)	(1000)	(1000)						

(連続観測)