

付表-B.2.4(a) 青森 波高・周期別出現頻度統計(連続観測, 2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	合計	未超過	合計
1201~																				0	6392	6392	6392	6392	
1101~1200																				0	6392	6392	6392	6392	
1001~1100																				0	6392	6392	6392	6392	
901~1000																				0	6392	6392	6392	6392	
801~900																				0	6392	6392	6392	6392	
701~800																				0	6392	6392	6392	6392	
651~700																				0	6392	6392	6392	6392	
601~650																				0	6392	6392	6392	6392	
551~600																				0	6392	6392	6392	6392	
501~550																				0	6392	6392	6392	6392	
451~500																				0	6392	6392	6392	6392	
401~450																				0	6392	6392	6392	6392	
351~400																				0	6392	6392	6392	6392	
301~350																				0	6392	6392	6392	6392	
251~300																				0	6392	6392	6392	6392	
201~250					13	1														14	6392	14	6392	14	6392
176~200					9															9	6378	9	6378	9	6378
151~175				3	1															4	6369	4	6369	4	6369
126~150				32	9															41	6365	41	6365	41	6365
101~125				2	39	2														43	6324	43	6324	43	6324
76~100				100	126															226	6281	226	6281	226	6281
51~75				8	678	137														823	6055	823	6055	823	6055
26~50				221	1673	603	96	3												2596	5232	2596	5232	2596	5232
~25				98	1496	951	91													2636	2636	2636	2636	2636	2636
合計				327	3949	1891	221	4	0	0	0	0	0	0	0	0	0	0	0	6392	6392	6392	6392	6392	6392
未超過				327	4276	6167	6388	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392	6392

(連続観測)

付表-B.2.4(b) 青森 波高・周期別出現頻度統計(连续観測, 2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	合計	未超過	合計
1201~																				0	6589	6589	6589	6589	
1101~1200																				0	6589	6589	6589	6589	
1001~1100																				0	6589	6589	6589	6589	
901~1000																				0	6589	6589	6589	6589	
801~900																				0	6589	6589	6589	6589	
701~800																				0	6589	6589	6589	6589	
651~700																				0	6589	6589	6589	6589	
601~650																				0	6589	6589	6589	6589	
551~600																				0	6589	6589	6589	6589	
501~550																				0	6589	6589	6589	6589	
451~500																				0	6589	6589	6589	6589	
401~450																				0	6589	6589	6589	6589	
351~400																				0	6589	6589	6589	6589	
301~350																				0	6589	6589	6589	6589	
251~300																				0	6589	6589	6589	6589	
201~250																				0	6589	6589	6589	6589	
176~200																				0	6589	6589	6589	6589	
151~175																				0	6589	6589	6589	6589	
126~150																				0	6589	6589	6589	6589	
101~125					9	3														12	6589	12	6589	12	6589
76~100					21	41														62	6577	62	6577	62	6577
51~75					200	471	33													704	6515	704	6515	704	6515
26~50					1097	982	219	69	6											2373	5811	2373	5811	2373	5811
~25					410	2236	756	35	1											3438	3438	3438	3438	3438	3438
合計					1707	3710	1058	107	7	0	0	0	0	0	0	0	0	0	0	6589	6589	6589	6589	6589	6589
未超過					1707	5417	6475	6582	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589	6589

(连续観測)

付表-B.2.4(c) 青森 波高・周期別出現頻度統計(連続観測, 2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	6586	6586	6586	6586	
1101~1200																				0	6586	6586	6586	6586	
1001~1100																				0	6586	6586	6586	6586	
901~1000																				0	6586	6586	6586	6586	
801~900																				0	6586	6586	6586	6586	
701~800																				0	6586	6586	6586	6586	
651~700																				0	6586	6586	6586	6586	
601~650																				0	6586	6586	6586	6586	
551~600																				0	6586	6586	6586	6586	
501~550																				0	6586	6586	6586	6586	
451~500																				0	6586	6586	6586	6586	
401~450																				0	6586	6586	6586	6586	
351~400																				0	6586	6586	6586	6586	
301~350																				0	6586	6586	6586	6586	
251~300																				0	6586	6586	6586	6586	
201~250																				0	6586	6586	6586	6586	
176~200																				0	6586	6586	6586	6586	
151~175																				0	6586	6586	6586	6586	
126~150																				0	6586	6586	6586	6586	
101~125																				0	6586	6586	6586	6586	
76~100			29																	29	6586	6586	6586	6586	
51~75		70	493	3																566	6557	566	6557	566	6557
26~50		832	697	216	128	27	3													1903	5991	1903	5991	1903	5991
~25		577	2309	978	212	12														4088	4088	4088	4088	4088	4088
合 計		1479	3528	1197	340	39	3	0	0	0	0	0	0	0	0	0	0	0	0	6586		6586		6586	
未超過		1479	5007	6204	6544	6583	6586	6586	6586	6586	6586	6586	6586	6586	6586	6586	6586	6586	6586	6586					

(連続観測)

付表-B.2.4(d) 青森 波高・周期別出現頻度統計(连续観測, 2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	6552	6552	6552	6552	
1101~1200																				0	6552	6552	6552	6552	
1001~1100																				0	6552	6552	6552	6552	
901~1000																				0	6552	6552	6552	6552	
801~900																				0	6552	6552	6552	6552	
701~800																				0	6552	6552	6552	6552	
651~700																				0	6552	6552	6552	6552	
601~650																				0	6552	6552	6552	6552	
551~600																				0	6552	6552	6552	6552	
501~550																				0	6552	6552	6552	6552	
451~500																				0	6552	6552	6552	6552	
401~450																				0	6552	6552	6552	6552	
351~400																				0	6552	6552	6552	6552	
301~350																				0	6552	6552	6552	6552	
251~300																				0	6552	6552	6552	6552	
201~250																				0	6552	6552	6552	6552	
176~200																				0	6552	6552	6552	6552	
151~175																				0	6552	6552	6552	6552	
126~150																				0	6552	6552	6552	6552	
101~125																				0	6552	6552	6552	6552	
76~100			28	32																60	6552	60	6552	60	6552
51~75		7	342	171	10															530	6492	530	6492	530	6492
26~50		342	799	483	203	46	5													1878	5962	1878	5962	1878	5962
~25		306	1416	1758	574	30														4084	4084	4084	4084	4084	4084
合 計		655	2585	2444	787	76	5	0	0	0	0	0	0	0	0	0	0	0	0	6552		6552		6552	
未超過		655	3240	5684	6471	6547	6552	6552	6552	6552	6552	6552	6552	6552	6552	6552	6552	6552	6552	6552					

(连续観測)

付表-B.2.4(e) 青森 波高・周期別出現頻度統計(連続観測, 2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 青森

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~		( 0)																		26119	(1000)	26119		26119	(1000)
1101~1200		( 0)																		26119	(1000)	26119		26119	(1000)
1001~1100		( 0)																		26119	(1000)	26119		26119	(1000)
901~1000		( 0)																		26119	(1000)	26119		26119	(1000)
801~ 900		( 0)																		26119	(1000)	26119		26119	(1000)
701~ 800		( 0)																		26119	(1000)	26119		26119	(1000)
651~ 700		( 0)																		26119	(1000)	26119		26119	(1000)
601~ 650		( 0)																		26119	(1000)	26119		26119	(1000)
551~ 600		( 0)																		26119	(1000)	26119		26119	(1000)
501~ 550		( 0)																		26119	(1000)	26119		26119	(1000)
451~ 500		( 0)																		26119	(1000)	26119		26119	(1000)
401~ 450		( 0)																		26119	(1000)	26119		26119	(1000)
351~ 400		( 0)																		26119	(1000)	26119		26119	(1000)
301~ 350		( 0)																		26119	(1000)	26119		26119	(1000)
251~ 300		( 0)																		26119	(1000)	26119		26119	(1000)
201~ 250					( 13)	( 1)														14	26119	(1000)	14	26119	(1000)
176~ 200					( 9)															9	26105	(999)	9	26105	(999)
151~ 175				( 3)	( 1)															4	26096	(999)	4	26096	(999)
126~ 150				( 42)	( 10)															52	26092	(999)	52	26092	(999)
101~ 125		( 6)	( 112)	( 7)																125	26040	(997)	125	26040	(997)
76~ 100		( 198)	( 340)																	538	25915	(992)	538	25915	(992)
51~ 75		( 285)	( 1942)	( 388)	( 10)															2625	25377	(972)	2625	25377	(972)
26~ 50		( 2430)	( 3806)	( 1414)	( 489)	( 79)	( 8)													8226	22752	(871)	8226	22752	(871)
~ 25		( 1403)	( 7308)	( 4700)	( 1068)	( 47)														14526	14526	(556)	14526	14526	(556)
合計		( 4118)	( 13260)	( 6999)	( 1607)	( 127)	( 8)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	26119	(1000)	26119	(1000)	26119	(1000)
未超過		( 4118)	( 17378)	( 24377)	( 25984)	( 26111)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	( 26119)	26119	(1000)	26119	(1000)	26119	(1000)
(0.1%)		( 158)	( 665)	( 933)	( 995)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	( 1000)	26119	(1000)	26119	(1000)	26119	(1000)

(連続観測)