

付表-B.2.52(a) 室津 波高・周期別出現頻度統計 (連続観測, 2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 室津

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(23)	(329)	(573)	(721)	(825)	(919)	(974)	(990)	(997)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1000)	合計	未超過
1201~																				0	6544	0	6545	0	6545
1101~1200																				0	6544	0	6545	0	6545
1001~1100																				0	6544	0	6545	0	6545
901~1000																				0	6544	0	6545	0	6545
801~900																				0	6544	0	6545	0	6545
701~800																				0	6544	0	6545	0	6545
651~700																				0	6544	0	6545	0	6545
601~650																				0	6544	0	6545	0	6545
551~600																				0	6544	0	6545	0	6545
501~550																				0	6544	0	6545	0	6545
451~500																				0	6544	0	6545	0	6545
401~450																				0	6544	0	6545	0	6545
351~400								3	1											4	6544	4	6545	4	6545
301~350							2	3	3											8	6540	8	6541	8	6541
251~300					1	13	7													21	6532	21	6533	21	6533
201~250					7	18	1	6	2	4										38	6511	38	6512	38	6512
176~200					45	28	3	2	12	8										98	6473	98	6474	98	6474
151~175					2	94	24	5	2	18	2									147	6375	148	6376	148	6376
126~150					20	194	27	26	15	34	1									317	6228	317	6228	317	6228
101~125					83	230	75	64	61	36	1									550	5911	550	5911	550	5911
76~100					7	329	230	98	96	59	14	3	7							843	5361	843	5361	843	5361
51~75					79	779	211	141	51	41	50	25	12	1	2					1392	4518	1392	4518	1392	4518
26~50					64	789	551	473	384	413	195	61	28	12	3					2973	3126	2973	3126	2973	3126
~25					1	36	64	42	10											153	153	153	153	153	153
合計					0	150	2003	1599	963	685	613	361	105	47	13	5	0	0	0	6544		6545		6545	
未超過					0	150	2153	3752	4715	5400	6013	6374	6479	6526	6539	6544	6544	6544	6544	6544					

(連続観測)

付表-B.2.52(b) 室津 波高・周期別出現頻度統計 (連続観測, 2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 室津

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(16)	(119)	(162)	(233)	(216)	(139)	(54)	(20)	(11)	(12)	(10)	(45)	(10)	(0)	(0)	(0)	(0)			(0)	(1000)		合計
1201~																				0	6563	0	6566	0	6566
1101~1200																				0	6563	0	6566	0	6566
1001~1100																				0	6563	0	6566	0	6566
901~1000																				0	6563	0	6566	0	6566
801~900																				0	6563	0	6566	0	6566
701~800																				0	6563	0	6566	0	6566
651~700																				0	6563	0	6566	0	6566
601~650																				0	6563	0	6566	0	6566
551~600																				0	6563	0	6566	0	6566
501~550																				0	6563	0	6566	0	6566
451~500																				0	6563	0	6566	0	6566
401~450																				0	6563	0	6566	0	6566
351~400															1					1	6563	1	6566	1	6566
301~350								2				1	6	8	2					19	6562	19	6565	19	6565
251~300							9	11				13	28	14	2					77	6543	77	6546	77	6546
201~250						7	21	29	3	11	2	4	6	4	6					106	6466	106	6469	106	6469
176~200						19	26	20	18	4	1	3	1	4	1					92	6360	92	6363	92	6363
151~175						4	19	86	55	20	5	1	3	1	1					195	6268	195	6271	195	6271
126~150						14	75	91	61	23	12	4	15	4	2					304	6073	304	6076	304	6076
101~125						45	172	152	130	52	75	40	32	18	10	9				735	5769	735	5772	735	5772
76~100						19	177	149	220	187	161	59	31	15	9	2				1087	5034	1087	5039	1087	5039
51~75						57	318	221	263	269	190	101	23	3						1445	3947	1448	3950	1448	3950
26~50						30	220	380	612	614	436	89	3							2384	2502	2384	2502	2384	2502
~25						2	22	49	37	8										118	118	118	118	118	118
合計					0	106	780	1064	1529	1415	911	356	132	73	78	64	45	10	0	6563		6566		6566	
未超過					0	106	886	1950	3479	4894	5805	6161	6293	6366	6444	6508	6553	6563	6563	6563					

(連続観測)

付表-B.2.52(c) 室津 波高・周期別出現頻度統計 (連続観測, 2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 室津

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(0)	(77)	(245)	(314)	(214)	(89)	(25)	(15)	(13)	(5)	(2)	(1)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	(1000)
1201~																				0	6603	6603	6603	6603	
1101~1200																				0	6603	6603	6603	6603	
1001~1100																				0	6603	6603	6603	6603	
901~1000																				0	6603	6603	6603	6603	
801~900																				0	6603	6603	6603	6603	
701~800																				0	6603	6603	6603	6603	
651~700																				0	6603	6603	6603	6603	
601~650																				0	6603	6603	6603	6603	
551~600																				0	6603	6603	6603	6603	
501~550																				0	6603	6603	6603	6603	
451~500																				0	6603	6603	6603	6603	
401~450																				0	6603	6603	6603	6603	
351~400																				0	6603	6603	6603	6603	
301~350																				0	6603	6603	6603	6603	
251~300																				0	6603	6603	6603	6603	
201~250																				0	6603	6603	6603	6603	
176~200																				0	6603	6603	6603	6603	
151~175																				0	6603	6603	6603	6603	
126~150																				0	6603	6603	6603	6603	
101~125																				0	6603	6603	6603	6603	
76~100																				0	6603	6603	6603	6603	
51~75																				0	6603	6603	6603	6603	
26~50																				0	6603	6603	6603	6603	
~25																				0	6603	6603	6603	6603	
合計																				0	6603	6603	6603	6603	
未超過																				0	6603	6603	6603	6603	

(連続観測)

付表-B.2.52(d) 室津 波高・周期別出現頻度統計 (連続観測, 2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 室津

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(0)	(77)	(245)	(314)	(214)	(89)	(25)	(15)	(13)	(5)	(2)	(1)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	(1000)
1201~																				0	6552	6552	6552	6552	
1101~1200																				0	6552	6552	6552	6552	
1001~1100																				0	6552	6552	6552	6552	
901~1000																				0	6552	6552	6552	6552	
801~900																				0	6552	6552	6552	6552	
701~800																				0	6552	6552	6552	6552	
651~700																				0	6552	6552	6552	6552	
601~650																				0	6552	6552	6552	6552	
551~600																				0	6552	6552	6552	6552	
501~550																				0	6552	6552	6552	6552	
451~500																				0	6552	6552	6552	6552	
401~450																				0	6552	6552	6552	6552	
351~400																				0	6552	6552	6552	6552	
301~350																				0	6552	6552	6552	6552	
251~300																				0	6552	6552	6552	6552	
201~250																				0	6552	6552	6552	6552	
176~200																				0	6552	6552	6552	6552	
151~175																				0	6552	6552	6552	6552	
126~150																				0	6552	6552	6552	6552	
101~125																				0	6552	6552	6552	6552	
76~100																				0	6552	6552	6552	6552	
51~75																				0	6552	6552	6552	6552	
26~50																				0	6552	6552	6552	6552	
~25																				0	6552	6552	6552	6552	
合計																				0	6552	6552	6552	6552	
未超過																				0	6552	6552	6552	6552	

(連続観測)

付表-B. 2. 52(e) 室津 波高・周期別出現頻度統計 (連続観測, 2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 室津

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
		(0)	(291)	(3670)	(5397)	(6232)	(4858)	(2929)	(1383)	(719)	(403)	(216)	(103)	(51)	(10)	(0)	(0)	(0)	(0)			(0)	(1000)	(26266)	(0)	(4)
1201~		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
1101~1200		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
1001~1100		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
901~1000		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
801~ 900		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
701~ 800		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
651~ 700		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
601~ 650		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
551~ 600		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
501~ 550		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
451~ 500		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
401~ 450		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
351~ 400		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
301~ 350		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
251~ 300		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
201~ 250		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
176~ 200		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
151~ 175		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
126~ 150		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
101~ 125		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
76~ 100		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
51~ 75		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
26~ 50		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
~ 25		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
合計 (0.1%)		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)
未超過 (0.1%)		(0)	(11)	(151)	(356)	(594)	(779)	(890)	(24760)	(25479)	(25882)	(26098)	(26201)	(26252)	(26262)	(26262)	(26262)	(26262)	(26262)	(0)	(26262)	(0)	(26266)	(0)	(26266)	(1000)

(連続観測)