

付表-B.2.1(a) 留萌 波高・周期別出現頻度統計(連続観測, 2007年12月~2008年2月)

2007年12月~2008年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 留萌

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	6317	6324	6324	6324	
1101~1200																				0	6317	6324	6324	6324	
1001~1100																				0	6317	6324	6324	6324	
901~1000																				0	6317	6324	6324	6324	
801~900																				0	6317	6324	6324	6324	
701~800																				0	6317	6324	6324	6324	
651~700																				0	6317	6324	6324	6324	
601~650																				0	6317	6324	6324	6324	
551~600																				1	6317	6324	6324	6324	
501~550																				2	6316	6323	6323	6323	
451~500																				5	6307	6314	6314	6314	
401~450																				5	6275	6282	6282	6282	
351~400																				7	6219	6226	6226	6226	
301~350																				7	6099	6106	6106	6106	
251~300																				156	5851	5858	5858	5858	
201~250																				25	5383	5390	5390	5390	
176~200																				129	4454	4461	4461	4461	
151~175																				281	3921	3928	3928	3928	
126~150																				419	3305	3312	3312	3312	
101~125																				327	2591	2595	2595	2595	
76~100																				274	1941	1942	1942	1942	
51~75																				323	1151	1152	1152	1152	
26~50																				139	565	565	565	565	
~25																				22	72	72	72	72	
合計																				0	6317	6324	6324	6324	
未超過																				0	6317	6324	6324	6324	

(連続観測)

付表-B.2.1(b) 留萌 波高・周期別出現頻度統計(连续観測, 2008年3月~2008年5月)

2008年3月~2008年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 留萌

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	6537	6547	6547	6547	
1101~1200																				0	6537	6547	6547	6547	
1001~1100																				0	6537	6547	6547	6547	
901~1000																				0	6537	6547	6547	6547	
801~900																				0	6537	6547	6547	6547	
701~800																				0	6537	6547	6547	6547	
651~700																				0	6537	6547	6547	6547	
601~650																				0	6537	6547	6547	6547	
551~600																				0	6537	6547	6547	6547	
501~550																				0	6537	6547	6547	6547	
451~500																				0	6537	6547	6547	6547	
401~450																				0	6537	6547	6547	6547	
351~400																				0	6537	6547	6547	6547	
301~350																				0	6537	6547	6547	6547	
251~300																				21	6537	6547	6547	6547	
201~250																				3	6515	6525	6525	6525	
176~200																				27	6465	6475	6475	6475	
151~175																				58	6413	6423	6423	6423	
126~150																				170	6306	6316	6316	6316	
101~125																				44	6015	6025	6025	6025	
76~100																				18	5616	5626	5626	5626	
51~75																				128	4658	4667	4667	4667	
26~50																				462	2103	2110	2110	2110	
~25																				545	971	971	971	971	
合計																				3	6537	6547	6547	6547	
未超過																				3	6537	6547	6547	6547	

(连续観測)

付表-B.2.1(c) 留萌 波高・周期別出現頻度統計(連続観測, 2008年6月~2008年8月)

2008年6月~2008年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 留萌

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )	( )
1201~																				0	6624	0	6624	0	6624	
1101~1200																				0	6624	0	6624	0	6624	
1001~1100																				0	6624	0	6624	0	6624	
901~1000																				0	6624	0	6624	0	6624	
801~900																				0	6624	0	6624	0	6624	
701~800																				0	6624	0	6624	0	6624	
651~700																				0	6624	0	6624	0	6624	
601~650																				0	6624	0	6624	0	6624	
551~600																				0	6624	0	6624	0	6624	
501~550																				0	6624	0	6624	0	6624	
451~500																				0	6624	0	6624	0	6624	
401~450																				0	6624	0	6624	0	6624	
351~400																				0	6624	0	6624	0	6624	
301~350																				0	6624	0	6624	0	6624	
251~300																				0	6624	0	6624	0	6624	
201~250																				0	6624	0	6624	0	6624	
176~200					1	1														2	6624	2	6624	2	6624	
151~175					16	27														43	6622	43	6622	43	6622	
126~150					48	43														91	6579	91	6579	91	6579	
101~125				21	139	20														180	6488	180	6488	180	6488	
76~100			5	203	217	46														471	6308	471	6308	471	6308	
51~75			40	679	393	29														1141	5837	1141	5837	1141	5837	
26~50		1	478	1324	429	39	6													2277	4696	2277	4696	2277	4696	
~25		4	1254	1043	118															2419	2419	2419	2419	2419	2419	
合計(0.1%)		5	1777	3270	1361	205	6	0	0	0	0	0	0	0	0	0	0	0	0	6624	6624	6624	6624	6624	6624	
未超過(0.1%)		5	1782	5052	6413	6618	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624	6624

(連続観測)

付表-B.2.1(d) 留萌 波高・周期別出現頻度統計(连续観測, 2008年9月~2008年11月)

2008年9月~2008年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 留萌

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )	( )
1201~																				0	6509	0	6509	0	6509	
1101~1200																				0	6509	0	6509	0	6509	
1001~1100																				0	6509	0	6509	0	6509	
901~1000																				0	6509	0	6509	0	6509	
801~900																				0	6509	0	6509	0	6509	
701~800																				0	6509	0	6509	0	6509	
651~700																				0	6509	0	6509	0	6509	
601~650																				0	6509	0	6509	0	6509	
551~600									5	7										12	6509	12	6509	12	6509	
501~550								1	25	9										35	6497	35	6497	35	6497	
451~500								9	14	5										28	6462	28	6462	28	6462	
401~450								1	80	8										89	6434	89	6434	89	6434	
351~400								39	143	6										188	6345	188	6345	188	6345	
301~350								6	106	83										197	6157	197	6157	197	6157	
251~300								82	174	16										272	5960	272	5960	272	5960	
201~250								7	250	118										378	5688	378	5688	378	5688	
176~200								27	189	62										279	5310	279	5310	279	5310	
151~175								1	114	182										351	5031	351	5031	351	5031	
126~150								4	167	130										355	4680	355	4680	355	4680	
101~125								41	251	153										467	4325	467	4325	467	4325	
76~100								17	119	368										645	3858	645	3858	645	3858	
51~75								137	441	380										983	3213	983	3213	983	3213	
26~50								354	839	202										1406	2230	1406	2230	1406	2230	
~25								12	498	278										824	824	824	824	824	824	
合計(0.1%)		12	1006	1723	1552	1168	614	352	61	21	0	0	0	0	0	0	0	0	0	6509	6509	6509	6509	6509	6509	
未超過(0.1%)		12	1018	2741	4293	5461	6075	6427	6488	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509	6509

(连续観測)

付表-B.2.1(e) 留萌 波高・周期別出現頻度統計(連続観測, 2008年1月~2008年12月)

2008年1月~2008年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 留萌

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
																								合計	未超過	合計
1201~																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
1101~1200																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
1001~1100																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
901~1000																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
801~ 900																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
701~ 800																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
651~ 700																				0	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
601~ 650																				1	25987		26004		26004	
																				(0)	(1000)		(26004)		(1000)	
551~ 600																				29	25986		26003		26003	
																				(1)	(1000)		(26003)		(1000)	
501~ 550																				66	25957		25974		25974	
																				(3)	(999)		(66)		(999)	
451~ 500																				98	25891		25908		25908	
																				(4)	(996)		(98)		(996)	
401~ 450																				200	25793		25810		25810	
																				(8)	(993)		(200)		(993)	
351~ 400																				416	25593		25610		25610	
																				(16)	(985)		(416)		(985)	
301~ 350																				549	25177		25194		25194	
																				(21)	(969)		(549)		(969)	
251~ 300																				751	24628		24645		24645	
																				(29)	(948)		(751)		(948)	
201~ 250																				1181	23877		23894		23894	
																				(45)	(919)		(1181)		(919)	
176~ 200																				806	22696		22713		22713	
																				(31)	(873)		(806)		(873)	
151~ 175																				1067	21890		21907		21907	
																				(41)	(842)		(1067)		(842)	
126~ 150																				1447	20823		20840		20840	
																				(56)	(801)		(1447)		(801)	
101~ 125																				1909	19376		19390		19390	
																				(73)	(746)		(1909)		(746)	
76~ 100																				2920	17467		17478		17478	
																				(112)	(672)		(2920)		(672)	
51~ 75																				4199	14547		14557		14557	
																				(162)	(560)		(4199)		(560)	
26~ 50																				6075	10348		10355		10355	
																				(234)	(398)		(6075)		(398)	
~ 25																				4273	4273		4273		4273	
																				(164)	(164)		(4273)		(164)	
合計																				25987		26004		26004		26004
																				(1000)		(26004)		(1000)		(1000)
未超過																				20	4115		12103		12103	
(0.1%)																				(1)	(158)		(466)		(728)	

(連続観測)