

付表-A.2.34(a) 宮古 波高・周期別出現頻度統計 (2008年12月～2009年2月)

2008年12月～2009年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1080		1080		1080
1101～1200																				0	1080		1080		1080
1001～1100																				0	1080		1080		1080
901～1000																				0	1080		1080		1080
801～900																				0	1080		1080		1080
701～800																				0	1080		1080		1080
651～700																				0	1080		1080		1080
601～650																				0	1080		1080		1080
551～600																				0	1080		1080		1080
501～550																				0	1080		1080		1080
451～500																				0	1080		1080		1080
401～450																				0	1080		1080		1080
351～400																				0	1080		1080		1080
301～350																				3	1080		1080		1080
251～300																				2	1075		1075		1075
201～250																				1	1055		1055		1055
176～200																				1	1037		1037		1037
151～175																				1	1017		1017		1017
126～150																				1	988		988		988
101～125																				1	909		909		909
76～100																				1	794		794		794
51～75																				1	639		639		639
26～50																				1	401		401		401
～25																				1	87		87		87
合計																				0	1080		1080		1080
未超過																				0	1080		1080		1080

付表-A.2.34(b) 宮古 波高・周期別出現頻度統計 (2009年3月～2009年5月)

2009年3月～2009年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1103		1103		1103
1101～1200																				0	1103		1103		1103
1001～1100																				0	1103		1103		1103
901～1000																				0	1103		1103		1103
801～900																				0	1103		1103		1103
701～800																				0	1103		1103		1103
651～700																				0	1103		1103		1103
601～650																				0	1103		1103		1103
551～600																				0	1103		1103		1103
501～550																				0	1103		1103		1103
451～500																				0	1103		1103		1103
401～450																				0	1103		1103		1103
351～400																				0	1103		1103		1103
301～350																				1	1103		1103		1103
251～300																				3	1102		1102		1102
201～250																				1	1096		1096		1096
176～200																				1	1084		1084		1084
151～175																				1	1079		1079		1079
126～150																				1	1058		1058		1058
101～125																				1	1027		1027		1027
76～100																				1	987		987		987
51～75																				1	883		883		883
26～50																				1	666		666		666
～25																				1	233		233		233
合計																				0	1103		1103		1103
未超過																				0	1103		1103		1103

付表-A.2.34(c) 宮古 波高・周期別出現頻度統計 (2009年6月~2009年8月)

2009年6月~2009年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104		1104		1104
1101~1200																				0	1104		1104		1104
1001~1100																				0	1104		1104		1104
901~1000																				0	1104		1104		1104
801~900																				0	1104		1104		1104
701~800																				0	1104		1104		1104
651~700																				0	1104		1104		1104
601~650																				0	1104		1104		1104
551~600																				0	1104		1104		1104
501~550																				0	1104		1104		1104
451~500																				0	1104		1104		1104
401~450																				0	1104		1104		1104
351~400																				0	1104		1104		1104
301~350																				0	1104		1104		1104
251~300																				0	1104		1104		1104
201~250																				0	1104		1104		1104
176~200																				0	1104		1104		1104
151~175																				0	1104		1104		1104
126~150					(1)	(1)	(2)	(1)												5	1104	(5)	1104	(5)	1104
101~125					(2)	(15)	(4)													21	1099	(19)	1099	(19)	1099
76~100				(3)	(25)	(21)	(5)													54	1078	(49)	1078	(49)	1078
51~75		(2)	(6)	(45)	(30)	(4)	(4)													96	1024	(87)	1024	(87)	1024
26~50	(1)	(2)	(18)	(155)	(192)	(164)	(60)	(9)	(5)											606	928	(549)	928	(549)	928
~25	(1)	(3)	(28)	(92)	(122)	(57)	(19)													322	322	(292)	322	(292)	322
合計		(2)	(7)	(55)	(325)	(381)	(236)	(84)	(9)	(5)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
未超過		(2)	(9)	(64)	(389)	(770)	(1006)	(1090)	(1099)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	1104				1104	
(0.1%)		(2)	(8)	(58)	(352)	(697)	(911)	(987)	(995)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.34(d) 宮古 波高・周期別出現頻度統計 (2009年9月~2009年11月)

2009年9月~2009年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1091		1091		1091
1101~1200																				0	1091		1091		1091
1001~1100																				0	1091		1091		1091
901~1000																				0	1091		1091		1091
801~900																				0	1091		1091		1091
701~800																				0	1091		1091		1091
651~700																				0	1091		1091		1091
601~650																				0	1091		1091		1091
551~600																				0	1091		1091		1091
501~550																				0	1091		1091		1091
451~500																				0	1091		1091		1091
401~450																				0	1091		1091		1091
351~400									(2)	(3)										5	1091	(5)	1091	(5)	1091
251~300								(2)	(3)	(2)	(2)									9	1086	(8)	1087	(8)	1087
201~250						(7)	(5)	(4)	(2)											18	1077	(16)	1078	(16)	1078
176~200					(5)	(1)	(5)	(5)												16	1059	(15)	1060	(16)	1060
151~175					(3)	(3)	(2)	(5)	(1)											14	1043	(13)	1043	(13)	1043
126~150				(4)	(2)	(5)	(9)	(8)	(4)			(1)								35	1029	(32)	1029	(32)	1029
101~125			(5)	(5)	(1)	(6)	(16)	(10)	(4)	(5)	(4)	(2)								61	994	(56)	994	(56)	994
76~100			(13)	(24)	(6)	(5)	(12)	(5)	(9)	(5)	(5)									92	933	(84)	933	(84)	933
51~75		(7)	(23)	(35)	(30)	(20)	(27)	(23)	(16)	(4)	(2)									203	841	(186)	841	(186)	841
26~50		(13)	(53)	(67)	(65)	(63)	(53)	(47)	(23)	(2)										386	638	(354)	638	(353)	638
~25		(4)	(19)	(49)	(73)	(49)	(25)	(12)	(1)											252	252	(231)	252	(231)	252
合計		0	24	118	193	195	167	163	130	68	19	12	2	0	0	0	0	0	0	1091		1092		1092	
(0.1%)		(0)	(22)	(108)	(177)	(179)	(153)	(149)	(119)	(62)	(17)	(11)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	1091		(1000)	(1)	(1000)	
未超過		0	24	142	335	530	697	860	990	1058	1077	1089	1091	1091	1091	1091	1091	1091	1091						
(0.1%)		(0)	(22)	(130)	(307)	(486)	(639)	(788)	(907)	(970)	(987)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.34(e) 宮古 波高・周期別出現頻度統計 (2009年1月~2009年12月)

2009年1月~2009年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 宮古

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
1101~1200																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
1001~1100																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
901~1000																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
801~ 900																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
701~ 800																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
651~ 700																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
601~ 650																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
551~ 600																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
501~ 550																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
451~ 500																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
401~ 450																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
351~ 400																				0	4378		4379		4379
																				(0)	(1000)		(1000)		(1000)
301~ 350								5	4	4										13	4378	13	4379	13	4379
								(1)	(1)	(1)										(3)	(1000)	(3)	(1000)	(3)	(1000)
251~ 300							3	3	15	10	4	2								37	4365	37	4366	37	4366
							(1)	(1)	(3)	(2)	(1)	(0)								(8)	(997)	(8)	(997)	(8)	(997)
201~ 250							9	13	9	10	8		1							50	4328	50	4329	50	4329
							(2)	(3)	(2)	(2)	(2)		(0)							(11)	(989)	(11)	(989)	(11)	(989)
176~ 200					7	3	11	7	3	7	4									42	4278	43	4279	43	4279
					(2)	(1)	(3)	(2)	(1)	(2)	(1)									(10)	(977)	(10)	(977)	(10)	(977)
151~ 175				2	13	7	11	8	3	1	7									52	4236	52	4236	52	4236
				(0)	(3)	(2)	(3)	(2)	(1)	(0)	(2)									(12)	(968)	(12)	(967)	(12)	(967)
126~ 150				14	20	17	26	24	9	9	12									131	4184	131	4184	131	4184
				(3)	(5)	(4)	(6)	(5)	(2)	(2)	(3)									(30)	(956)	(30)	(955)	(30)	(955)
101~ 125			8	28	46	26	33	32	18	23	19	7								240	4053	240	4053	240	4053
			(2)	(8)	(29)	(21)	(8)	(7)	(6)	(5)	(4)	(2)								(55)	(926)	(55)	(926)	(55)	(926)
76~ 100		2	34	127	92	34	24	32	27	26	9	1								408	3813	408	3813	408	3813
		(0)	(8)	(29)	(21)	(8)	(5)	(7)	(6)	(6)	(2)	(0)								(93)	(871)	(93)	(871)	(93)	(871)
51~ 75		17	68	234	165	68	72	63	54	26	6									773	3405	773	3405	773	3405
		(4)	(16)	(53)	(38)	(16)	(16)	(14)	(12)	(6)	(1)									(177)	(778)	(177)	(778)	(177)	(778)
26~ 50		4	37	142	359	408	348	194	132	75	28	8								1735	2632	1735	2632	1735	2632
		(1)	(8)	(32)	(82)	(93)	(79)	(44)	(30)	(17)	(6)	(2)								(396)	(601)	(396)	(601)	(396)	(601)
~ 25		1	10	62	196	291	214	89	25	9										897	897	897	897	897	897
		(0)	(2)	(14)	(45)	(66)	(49)	(20)	(6)	(2)										(205)	(205)	(205)	(205)	(205)	(205)
合計		5	66	314	960	1042	729	481	351	222	132	67	9	0	0	0	0	0	0	4378		4379	1	4379	
		(1)	(15)	(72)	(219)	(238)	(167)	(110)	(80)	(51)	(30)	(15)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)	(0)	(1000)	
未超過		5	71	385	1345	2387	3116	3597	3948	4170	4302	4369	4378	4378	4378	4378	4378	4378	4378						
(0.1%)		(1)	(16)	(88)	(307)	(545)	(712)	(822)	(902)	(952)	(983)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						