

付表-A. 2. 58 (a) 鹿兒島 波高・周期別出現頻度統計 (2008年12月~2009年 2月)

2008年12月~2009年 2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 鹿兒島

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足 1		補足 2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	1072		1080		1080
1101~1200																				0	1072		1080		1080
1001~1100																				0	1072		1080		1080
901~1000																				0	1072		1080		1080
801~ 900																				0	1072		1080		1080
701~ 800																				0	1072		1080		1080
651~ 700																				0	1072		1080		1080
601~ 650																				0	1072		1080		1080
551~ 600																				0	1072		1080		1080
501~ 550																				0	1072		1080		1080
451~ 500																				0	1072		1080		1080
401~ 450																				0	1072		1080		1080
351~ 400																				0	1072		1080		1080
301~ 350																				0	1072		1080		1080
251~ 300																				0	1072		1080		1080
201~ 250																				0	1072		1080		1080
176~ 200																				0	1072		1080		1080
151~ 175																				0	1072		1080		1080
126~ 150																				0	1072		1080		1080
101~ 125																				0	1072		1080		1080
76~ 100			2																	2	1072	2	1080	2	1080
51~ 75			14																	14	1070	14	1078	14	1078
26~ 50		8	24	2																34	1056	34	1064	34	1064
~ 25		53	701	237	30	1														1022	1022	1030	1030	1030	1030
合 計		61	741	239	30	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1072		1080	8	1080	
未超過	(0.1%)	( 57)	( 748)	( 971)	( 999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)		(1000)	( 7)	(1000)	

付表-A. 2. 58 (b) 鹿兒島 波高・周期別出現頻度統計 (2009年 3月~2009年 5月)

2009年 3月~2009年 5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 鹿兒島

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足 1		補足 2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	合 計	未超過
1201~																				0	1104		1104		1104
1101~1200																				0	1104		1104		1104
1001~1100																				0	1104		1104		1104
901~1000																				0	1104		1104		1104
801~ 900																				0	1104		1104		1104
701~ 800																				0	1104		1104		1104
651~ 700																				0	1104		1104		1104
601~ 650																				0	1104		1104		1104
551~ 600																				0	1104		1104		1104
501~ 550																				0	1104		1104		1104
451~ 500																				0	1104		1104		1104
401~ 450																				0	1104		1104		1104
351~ 400																				0	1104		1104		1104
301~ 350																				0	1104		1104		1104
251~ 300																				0	1104		1104		1104
201~ 250																				0	1104		1104		1104
176~ 200																				0	1104		1104		1104
151~ 175																				0	1104		1104		1104
126~ 150																				0	1104		1104		1104
101~ 125																				0	1104		1104		1104
76~ 100			13																	13	1104	13	1104	13	1104
51~ 75			29																	29	1091	29	1091	29	1091
26~ 50		29	46	2																77	1062	77	1062	77	1062
~ 25		77	688	197	21	2														892	892	892	892	892	892
合 計		106	776	199	21	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1104		1104		1104	
未超過	(0.1%)	( 96)	( 793)	( 979)	( 998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)		(1000)		(1000)	

付表-A. 2. 58(c) 鹿兒島 波高・周期別出現頻度統計 (2009年6月~2009年8月)

2009年6月~2009年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 鹿兒島

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1103		1103		1103
1101~1200																				0	1103		1103		1103
1001~1100																				0	1103		1103		1103
901~1000																				0	1103		1103		1103
801~ 900																				0	1103		1103		1103
701~ 800																				0	1103		1103		1103
651~ 700																				0	1103		1103		1103
601~ 650																				0	1103		1103		1103
551~ 600																				0	1103		1103		1103
501~ 550																				0	1103		1103		1103
451~ 500																				0	1103		1103		1103
401~ 450																				0	1103		1103		1103
351~ 400																				0	1103		1103		1103
301~ 350																				0	1103		1103		1103
251~ 300																				0	1103		1103		1103
201~ 250																				0	1103		1103		1103
176~ 200																				0	1103		1103		1103
151~ 175																				0	1103		1103		1103
126~ 150																				0	1103		1103		1103
101~ 125																				0	1103		1103		1103
76~ 100																				0	1103		1103		1103
51~ 75			11																	11	1103		1103	11	1103
26~ 50		50	85																	(45)	(77)				
~ 25		120	680	149	8															(109)	(617)	(135)	(7)		
合 計		170	776	149	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1103		1103		1103	
未超過		170	946	1095	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	1103	(0.1%)	(154)	(858)	(993)	(1000)	

付表-A. 2. 58(d) 鹿兒島 波高・周期別出現頻度統計 (2009年9月~2009年11月)

2009年9月~2009年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 鹿兒島

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )	( )			( )	( )	( )	( )
1201~																				0	1092		1092		1092
1101~1200																				0	1092		1092		1092
1001~1100																				0	1092		1092		1092
901~1000																				0	1092		1092		1092
801~ 900																				0	1092		1092		1092
701~ 800																				0	1092		1092		1092
651~ 700																				0	1092		1092		1092
601~ 650																				0	1092		1092		1092
551~ 600																				0	1092		1092		1092
501~ 550																				0	1092		1092		1092
451~ 500																				0	1092		1092		1092
401~ 450																				0	1092		1092		1092
351~ 400																				0	1092		1092		1092
301~ 350																				0	1092		1092		1092
251~ 300																				0	1092		1092		1092
201~ 250																				0	1092		1092		1092
176~ 200																				0	1092		1092		1092
151~ 175																				0	1092		1092		1092
126~ 150																				0	1092		1092		1092
101~ 125																				0	1092		1092		1092
76~ 100			3																	3	1092		1092	3	1092
51~ 75			13																	(12)	(997)	(12)	(997)	(12)	(997)
26~ 50		55	56	2																(50)	(51)	(2)			
~ 25		125	717	115	6															(114)	(657)	(105)	(5)		
合 計		180	789	117	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1092		1092		1092	
未超過		180	969	1086	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	(0.1%)	(165)	(887)	(995)	(1000)	

付表-A. 2. 58(e) 鹿兒島 波高・周期別出現頻度統計 (2009年1月～2009年12月)

2009年1月～2009年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 鹿兒島

波高	周期	～ 3	3～ 4	4～ 5	5～ 6	6～ 7	7～ 8	8～ 9	9～ 10	10～ 11	11～ 12	12～ 13	13～ 14	14～ 15	15～ 16	16～ 17	17～ 18	18～ 19	19～	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201～																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
1101～1200																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
1001～1100																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
901～1000																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
801～ 900																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
701～ 800																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
651～ 700																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
601～ 650																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
551～ 600																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
501～ 550																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
451～ 500																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
401～ 450																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
351～ 400																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
301～ 350																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
251～ 300																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
201～ 250																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
176～ 200																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
151～ 175																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
126～ 150																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
101～ 125																				0	4370		4378		4378
																				(0)	(1000)		(1000)		(1000)
76～ 100			18																	18	4370	18	4378	18	4378
			( 4)																	( 4)	(1000)	( 4)	(1000)	( 4)	(1000)
51～ 75			67																	67	4352	67	4360	67	4360
			( 15)																	( 15)	( 996)	( 15)	( 996)	( 15)	( 996)
26～ 50		139	205	6																350	4285	350	4293	350	4293
		( 32)	( 47)	( 1)																( 80)	( 981)	( 80)	( 981)	( 80)	( 981)
～ 25		373	2812	682	65	3														3935	3935	3943	3943	3943	3943
		( 85)	( 643)	( 156)	( 15)	( 1)														( 900)	( 900)	( 901)	( 901)	( 901)	( 901)
合 計		512	3102	688	65	3	0	0	0	0	0	0	0	0	0	0	0	0	0	4370		4378	8	4378	
		( 117)	( 710)	( 157)	( 15)	( 1)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	( 0)	(1000)		(1000)	( 2)	(1000)	
未超過		512	3614	4302	4367	4370	4370	4370	4370	4370	4370	4370	4370	4370	4370	4370	4370	4370	4370						
(0.1%)		( 117)	( 827)	( 984)	( 999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						