

付表-A.2.56(a) 細島 波高・周期別出現頻度統計 (2009年12月～2010年2月)

2009年12月～2010年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(37)	(200)	(431)	(629)	(771)	(892)	(958)	(982)	(991)	(998)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)			(1000)	(1000)	(1000)	(1000)
1201～																				0	1080	0	1080	0	1080
1101～1200																				0	1080	0	1080	0	1080
1001～1100																				0	1080	0	1080	0	1080
901～1000																				0	1080	0	1080	0	1080
801～900																				0	1080	0	1080	0	1080
701～800																				0	1080	0	1080	0	1080
651～700																				0	1080	0	1080	0	1080
601～650																				0	1080	0	1080	0	1080
551～600																				0	1080	0	1080	0	1080
501～550																				0	1080	0	1080	0	1080
451～500																				0	1080	0	1080	0	1080
401～450																				0	1080	0	1080	0	1080
351～400																				0	1080	0	1080	0	1080
301～350																				5	1080	5	1080	5	1080
251～300																				2	1075	2	1075	2	1075
201～250																				9	1073	9	1073	9	1073
176～200																				9	1064	9	1064	9	1064
151～175																				28	1055	28	1055	28	1055
126～150																				58	1027	58	1027	58	1027
101～125																				92	969	92	969	92	969
76～100																				191	877	191	877	191	877
51～75																				299	686	299	686	299	686
26～50																				377	387	377	387	377	387
～25																				10	10	10	10	10	10
合計																				1080		1080		1080	
未超過																				1080		1080		1080	

付表-A.2.56(b) 細島 波高・周期別出現頻度統計 (2010年3月～2010年5月)

2010年3月～2010年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(2)	(23)	(165)	(242)	(270)	(192)	(80)	(23)	(5)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1000)	(1000)	(1000)
1201～																				0	1104	0	1104	0	1104
1101～1200																				0	1104	0	1104	0	1104
1001～1100																				0	1104	0	1104	0	1104
901～1000																				0	1104	0	1104	0	1104
801～900																				0	1104	0	1104	0	1104
701～800																				0	1104	0	1104	0	1104
651～700																				0	1104	0	1104	0	1104
601～650																				0	1104	0	1104	0	1104
551～600																				0	1104	0	1104	0	1104
501～550																				0	1104	0	1104	0	1104
451～500																				0	1104	0	1104	0	1104
401～450																				1	1104	1	1104	1	1104
351～400																				4	1103	4	1103	4	1103
301～350																				3	1099	3	1099	3	1099
251～300																				18	1096	18	1096	18	1096
201～250																				41	1076	41	1076	41	1076
176～200																				47	1031	47	1031	47	1031
151～175																				73	979	73	979	73	979
126～150																				90	898	90	898	90	898
101～125																				178	799	178	799	178	799
76～100																				235	602	235	602	235	602
51～75																				271	343	271	343	271	343
26～50																				40	44	40	44	40	44
～25																				0	0	0	0	0	0
合計																				1104		1104		1104	
未超過																				1104		1104		1104	

付表-A.2.56(c) 細島 波高・周期別出現頻度統計 (2010年6月～2010年8月)

2010年6月～2010年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(0)	(21)	(209)	(438)	(359)	(70)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1097)	(1097)	合計
1201～																				0	1097		1097		1097
1101～1200																				0	1097		1097		1097
1001～1100																				0	1097		1097		1097
901～1000																				0	1097		1097		1097
801～900																				0	1097		1097		1097
701～800																				0	1097		1097		1097
651～700																				0	1097		1097		1097
601～650																				0	1097		1097		1097
551～600																				0	1097		1097		1097
501～550																				0	1097		1097		1097
451～500																				0	1097		1097		1097
401～450																				0	1097		1097		1097
351～400																				0	1097		1097		1097
301～350								(3)												3	1097		1097	(3)	1097
251～300							(3)	(9)	(3)											15	1094		1094	(14)	1094
201～250							(8)	(17)	(7)											36	1079		1079	(33)	1079
176～200							(2)	(11)	(31)	(7)										56	1043		1043	(51)	1043
151～175							(7)	(27)	(44)	(6)										93	987		987	(85)	987
126～150							(15)	(39)	(22)	(5)										88	894		894	(80)	894
101～125							(1)	(29)	(68)	(41)	(1)									154	806		806	(140)	806
76～100							(9)	(67)	(118)	(64)	(4)									287	652		652	(262)	652
51～75							(9)	(68)	(108)	(57)	(14)									282	365		365	(257)	365
26～50							(2)	(16)	(40)	(17)										83	83		83	(76)	83
～25																				0	0		0		0
合計																				0	1097		1097		1097
未超過																				0	1097		1097		1097

付表-A.2.56(d) 細島 波高・周期別出現頻度統計 (2010年9月～2010年11月)

2010年9月～2010年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		(0)	(2)	(41)	(131)	(177)	(275)	(232)	(118)	(46)	(41)	(19)	(8)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1090)	(1090)	合計
1201～																				0	1090		1090		1090
1101～1200																				0	1090		1090		1090
1001～1100																				0	1090		1090		1090
901～1000																				0	1090		1090		1090
801～900																				0	1090		1090		1090
701～800																				0	1090		1090		1090
651～700																				0	1090		1090		1090
601～650																				0	1090		1090		1090
551～600																				0	1090		1090		1090
501～550																				0	1090		1090		1090
451～500																				0	1090		1090		1090
401～450																				0	1090		1090		1090
351～400																				0	1090		1090		1090
301～350																				0	1090		1090		1090
251～300																				0	1090		1090		1090
201～250																				0	1090		1090		1090
176～200																				0	1090		1090		1090
151～175																				0	1090		1090		1090
126～150																				0	1090		1090		1090
101～125																				0	1090		1090		1090
76～100																				0	1090		1090		1090
51～75																				0	1090		1090		1090
26～50																				0	1090		1090		1090
～25																				0	0		0		0
合計																				0	1090		1090		1090
未超過																				0	1090		1090		1090

付表-A.2.56(e) 細島 波高・周期別出現頻度統計 (2010年1月~2010年12月)

2010年 1月~2010年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2			
		( 0 )	( 8 )	( 55 )	( 171 )	( 272 )	( 254 )	( 139 )	( 58 )	( 22 )	( 13 )	( 6 )	( 2 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )			( 0 )	( 4371 )	( 1000 )	( 4371 )	( 1000 )	( 4371 )
1201 ~		( 0 )																		( 0 )	4371		4371		4371	(1000)	
1101 ~1200		( 0 )																		( 0 )	4371		4371		4371	(1000)	
1001 ~1100		( 0 )																		( 0 )	4371		4371		4371	(1000)	
901 ~1000		( 0 )																		( 0 )	4371		4371		4371	(1000)	
801 ~ 900		( 0 )																		( 0 )	4371		4371		4371	(1000)	
701 ~ 800		( 0 )																		( 0 )	4371		4371		4371	(1000)	
651 ~ 700		( 0 )																		( 0 )	4371		4371		4371	(1000)	
601 ~ 650		( 0 )																		( 0 )	4371		4371		4371	(1000)	
551 ~ 600		( 0 )																		( 0 )	4371		4371		4371	(1000)	
501 ~ 550		( 0 )																		( 0 )	4371		4371		4371	(1000)	
451 ~ 500		( 0 )																		( 0 )	4371		4371		4371	(1000)	
401 ~ 450								( 1 )			( 0 )	( 1 )	( 1 )							( 4 )	4371	( 4 )	4371	( 4 )	4371	(1000)	
351 ~ 400							( 1 )	( 2 )	( 1 )	( 1 )	( 1 )	( 1 )	( 5 )							( 12 )	4367	( 12 )	4367	( 12 )	4367	(999)	
301 ~ 350					( 2 )	( 5 )	( 2 )	( 2 )	( 2 )	( 2 )	( 1 )	( 3 )	( 2 )							( 19 )	4355	( 19 )	4355	( 19 )	4355	(996)	
251 ~ 300					( 9 )	( 22 )	( 13 )	( 9 )		( 3 )	( 2 )									( 58 )	4336	( 58 )	4336	( 58 )	4336	(992)	
201 ~ 250				( 2 )	( 35 )	( 42 )	( 40 )	( 28 )	( 2 )	( 6 )	( 4 )									( 159 )	4278	( 159 )	4278	( 159 )	4278	(979)	
176 ~ 200				( 7 )	( 40 )	( 63 )	( 27 )	( 18 )	( 4 )	( 1 )	( 4 )									( 164 )	4119	( 164 )	4119	( 164 )	4119	(942)	
151 ~ 175				( 17 )	( 68 )	( 95 )	( 31 )	( 25 )	( 9 )	( 2 )	( 7 )	( 4 )								( 256 )	3955	( 256 )	3955	( 256 )	3955	(905)	
126 ~ 150			( 1 )	( 46 )	( 100 )	( 75 )	( 58 )	( 22 )	( 17 )	( 13 )	( 5 )	( 4 )	( 3 )							( 332 )	3699	( 332 )	3699	( 332 )	3699	(846)	
101 ~ 125		( 1 )	( 6 )	( 98 )	( 187 )	( 143 )	( 73 )	( 35 )	( 22 )	( 8 )	( 5 )	( 2 )								( 573 )	3367	( 573 )	3367	( 573 )	3367	(770)	
76 ~ 100		( 1 )	( 32 )	( 191 )	( 289 )	( 207 )	( 82 )	( 49 )	( 7 )	( 2 )	( 1 )	( 3 )	( 4 )	( 2 )						( 867 )	2794	( 867 )	2794	( 867 )	2794	(639)	
51 ~ 75		( 18 )	( 120 )	( 232 )	( 292 )	( 300 )	( 203 )	( 46 )	( 25 )	( 11 )	( 6 )	( 3 )	( 4 )							( 1251 )	1927	( 1251 )	1927	( 1251 )	1927	(441)	
26 ~ 50		( 13 )	( 80 )	( 152 )	( 166 )	( 159 )	( 76 )	( 20 )	( 5 )	( 1 )										( 671 )	676	( 671 )	676	( 671 )	676	(155)	
~ 25			( 2 )	( 3 )																( 5 )	5	( 5 )	5	( 5 )	5	(1)	
合 計 (0.1%)		( 0 )	( 33 )	( 241 )	( 748 )	( 1188 )	( 1112 )	( 608 )	( 255 )	( 94 )	( 55 )	( 27 )	( 10 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 0 )	( 4371 )		( 4371 )		4371	(1000)		
未超過 (0.1%)		( 0 )	( 33 )	( 274 )	( 1022 )	( 2210 )	( 3322 )	( 3930 )	( 4185 )	( 4279 )	( 4334 )	( 4361 )	( 4371 )	( 4371 )	( 4371 )	( 4371 )	( 4371 )	( 4371 )	( 4371 )	( 4371 )							