

付表-A.2.8(a) 新潟沖 波高・周期別出現頻度統計 (2010年12月～2011年2月)

2010年12月～2011年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 新潟沖

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201～																				0	518		518		518	
1101～1200																				0	518		518		518	
1001～1100																				0	518		518		518	
901～1000																				0	518		518		518	
801～900																				0	518		518		518	
701～800																				0	518		518		518	
651～700																				0	518		518		518	
601～650																				0	518		518		518	
551～600																				0	518		518		518	
501～550																				1	518		518	1	518	
451～500																				1	517		517	1	517	
401～450																				2	516		516	2	516	
351～400																				4	514		514	4	514	
301～350																				19	510		510	19	510	
251～300																				38	491		491	38	491	
201～250																				57	453		453	57	453	
176～200																				29	396		396	29	396	
151～175																				34	367		367	34	367	
126～150																				37	333		333	37	333	
101～125																				42	296		296	42	296	
76～100																				79	254		254	79	254	
51～75																				90	175		175	90	175	
26～50																				60	85		85	60	85	
～25																				25	25		25	25	25	
合計																				518		518		518		518
未超過																				0						

付表-A.2.8(b) 新潟沖 波高・周期別出現頻度統計 (2011年3月～2011年5月)

2011年3月～2011年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 新潟沖

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
																							合計	未超過	合計	未超過
1201～																				0	1074		1074		1074	
1101～1200																				0	1074		1074		1074	
1001～1100																				0	1074		1074		1074	
901～1000																				0	1074		1074		1074	
801～900																				0	1074		1074		1074	
701～800																				0	1074		1074		1074	
651～700																				0	1074		1074		1074	
601～650																				0	1074		1074		1074	
551～600																				0	1074		1074		1074	
501～550																				0	1074		1074		1074	
451～500																				0	1074		1074		1074	
401～450																				0	1074		1074		1074	
351～400																				0	1074		1074		1074	
301～350																				6	1074		1074	6	1074	
251～300																				28	1068		1068	28	1068	
201～250																				42	1040		1040	42	1040	
176～200																				20	998		998	20	998	
151～175																				46	978		978	46	978	
126～150																				83	932		932	83	932	
101～125																				113	849		849	113	849	
76～100																				152	736		736	152	736	
51～75																				178	584		584	178	584	
26～50																				293	406		406	293	406	
～25																				113	113		113	113	113	
合計																				1074		1074		1074		1074
未超過																				0						

付表-A.2.8(c) 新潟沖 波高・周期別出現頻度統計 (2011年6月～2011年8月)

2011年6月～2011年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 新潟沖

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201～																				0	1104		1104		1104
1101～1200																				0	1104		1104		1104
1001～1100																				0	1104		1104		1104
901～1000																				0	1104		1104		1104
801～900																				0	1104		1104		1104
701～800																				0	1104		1104		1104
651～700																				0	1104		1104		1104
601～650																				0	1104		1104		1104
551～600																				0	1104		1104		1104
501～550																				0	1104		1104		1104
451～500																				0	1104		1104		1104
401～450																				0	1104		1104		1104
351～400																				0	1104		1104		1104
301～350																				0	1104		1104		1104
251～300																				0	1104		1104		1104
201～250																				0	1104		1104		1104
176～200																				0	1104		1104		1104
151～175																				0	1104		1104		1104
126～150					(1)	(1)														2	1104	2	1104	1104	1104
101～125				(3)	(2)	(7)	(1)													13	1102	13	1102		
76～100			(2)	(10)	(3)	(3)	(4)													22	1089	22	1089		
51～75			(22)	(63)	(16)	(5)														116	1067	116	1067		
26～50		(8)	(158)	(141)	(89)	(27)	(1)													424	951	424	951		
～25		(5)	(187)	(201)	(77)	(8)														527	527	527	527		
合計		(13)	(390)	(445)	(198)	(52)	(6)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
未超過		(13)	(403)	(484)	(1046)	(1098)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1000)		(1000)		(1000)	

付表-A.2.8(d) 新潟沖 波高・周期別出現頻度統計 (2011年9月～2011年11月)

2011年9月～2011年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 新潟沖

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過	合計
1201～																				0	1049		1049		1049	
1101～1200																					0	1049		1049		1049
1001～1100																					0	1049		1049		1049
901～1000																					0	1049		1049		1049
801～900																					0	1049		1049		1049
701～800																					0	1049		1049		1049
651～700																					0	1049		1049		1049
601～650																					0	1049		1049		1049
551～600																					0	1049		1049		1049
501～550										(1)											1	1049	1	1049	1	1049
451～500									(2)	(1)											3	1048	3	1048	3	1048
401～450									(3)	(3)											3	1045	3	1045	3	1045
351～400									(10)	(9)	(2)										21	1042	21	1042	21	1042
301～350						(4)	(7)	(7)	(7)	(1)											19	1021	19	1021	19	1021
251～300						(3)	(11)	(11)	(5)												30	1002	30	1002	30	1002
201～250					(1)	(14)	(16)	(13)	(9)												53	972	53	972	53	972
176～200					(1)	(11)	(12)	(8)	(1)												33	919	33	919	33	919
151～175					(4)	(17)	(16)	(5)	(1)												44	886	44	886	44	886
126～150				(7)	(8)	(25)	(15)	(9)													66	842	66	842	66	842
101～125			(1)	(9)	(21)	(24)	(22)	(4)													83	803	83	803	83	803
76～100			(3)	(21)	(41)	(30)	(13)	(1)													114	692	114	692	114	692
51～75			(10)	(25)	(38)	(31)	(9)	(2)													119	578	119	578	119	578
26～50		(4)	(50)	(72)	(77)	(18)	(2)														234	459	234	459	234	459
～25		(5)	(86)	(101)	(21)	(2)															225	225	225	225	225	225
合計		(9)	(156)	(246)	(222)	(180)	(124)	(70)	(37)	(5)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1049		1049		1049		
未超過		(9)	(149)	(235)	(212)	(172)	(118)	(67)	(35)	(5)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)		

付表-A.2.8(e) 新潟沖 波高・周期別出現頻度統計 (2011年1月～2011年12月)

2011年1月～2011年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 新潟沖

波高	周期	～ 3	3～ 4	4～ 5	5～ 6	6～ 7	7～ 8	8～ 9	9～ 10	10～ 11	11～ 12	12～ 13	13～ 14	14～ 15	15～ 16	16～ 17	17～ 18	18～ 19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201～																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
1101～1200																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
1001～1100																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
901～1000																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
801～ 900																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
701～ 800																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
651～ 700																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
601～ 650																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
551～ 600																				0	3716		3716		3716
																				(0)	(1000)		(1000)		(1000)
501～ 550										1	1									2	3716	2	3716	2	3716
										(0)	(0)									(1)	(1000)	(1)	(1000)	(1)	(1000)
451～ 500										2	1	7	3							14	3714	14	3714	14	3714
										(1)	(0)	(2)	(1)	1						(4)	(999)	(4)	(999)	(4)	(999)
401～ 450										1	6	9	4							20	3700	20	3700	20	3700
										(0)	(2)	(2)	(1)							(5)	(996)	(5)	(996)	(5)	(996)
351～ 400										1	3	22	17	3						46	3680	46	3680	46	3680
										(0)	(1)	(6)	(5)	(1)						(12)	(990)	(12)	(990)	(12)	(990)
301～ 350										19	16	12	5							52	3634	52	3634	52	3634
										(5)	(4)	(3)	(1)							(14)	(978)	(14)	(978)	(14)	(978)
251～ 300										1	20	37	31	7	6					102	3582	102	3582	102	3582
										(0)	(5)	(10)	(8)	(2)	(2)					(27)	(964)	(27)	(964)	(27)	(964)
201～ 250										1	10	39	56	42	15	1				164	3480	164	3480	164	3480
										(0)	(3)	(10)	(15)	(11)	(4)	(0)				(44)	(936)	(44)	(936)	(44)	(936)
176～ 200										7	17	33	20	4						81	3316	81	3316	81	3316
										(2)	(5)	(9)	(5)	(1)						(22)	(892)	(22)	(892)	(22)	(892)
151～ 175										1	25	33	34	20	2					115	3235	115	3235	115	3235
										(0)	(7)	(9)	(9)	(5)	(1)					(31)	(871)	(31)	(871)	(31)	(871)
126～ 150										19	47	43	52	20	4					185	3120	185	3120	185	3120
										(5)	(13)	(12)	(14)	(5)	(1)					(50)	(840)	(50)	(840)	(50)	(840)
101～ 125										2	36	56	65	57	19	5				240	2935	240	2935	240	2935
										(1)	(10)	(15)	(17)	(15)	(5)	(1)				(65)	(790)	(65)	(790)	(65)	(790)
76～ 100										12	81	104	72	60	11	1				341	2695	341	2695	341	2695
										(3)	(22)	(28)	(19)	(16)	(3)	(0)				(92)	(725)	(92)	(725)	(92)	(725)
51～ 75										55	152	144	89	30	7					477	2354	477	2354	477	2354
										(15)	(41)	(39)	(24)	(8)	(2)					(128)	(633)	(128)	(633)	(128)	(633)
26～ 50										12	269	309	293	95	10	2				990	1877	990	1877	990	1877
										(3)	(72)	(83)	(79)	(26)	(3)	(1)				(266)	(505)	(266)	(505)	(266)	(505)
～ 25										10	321	400	144	12						887	887	887	887	887	887
										(3)	(86)	(108)	(39)	(3)						(239)	(239)	(239)	(239)	(239)	(239)
合計 (0.1%)										22	659	999	831	486	394	217	84	23	1	0	3716		3716		3716
										(6)	(177)	(269)	(224)	(131)	(106)	(58)	(23)	(6)	(0)	(0)	(1000)		(1000)		(1000)
未超過 (0.1%)										22	681	1680	2511	2997	3391	3608	3692	3715	3716	3716	3716				3716
										(6)	(183)	(452)	(676)	(807)	(913)	(971)	(994)	(1000)	(1000)	(1000)	(1000)				(1000)