

付表-A.2.4(a) 青森 波高・周期別出現頻度統計 (2010年12月～2011年2月)

2010年12月～2011年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1080		1080		1080
1101～1200																				0	1080		1080		1080
1001～1100																				0	1080		1080		1080
901～1000																				0	1080		1080		1080
801～900																				0	1080		1080		1080
701～800																				0	1080		1080		1080
651～700																				0	1080		1080		1080
601～650																				0	1080		1080		1080
551～600																				0	1080		1080		1080
501～550																				0	1080		1080		1080
451～500																				0	1080		1080		1080
401～450																				0	1080		1080		1080
351～400																				0	1080		1080		1080
301～350																				0	1080		1080		1080
251～300																				0	1080		1080		1080
201～250																				0	1080		1080		1080
176～200				1																1	1080		1080	1	1080
151～175				8																8	1079		1079	8	1079
126～150				6																6	1071		1071	6	1071
101～125				3	1															4	1065		1065	4	1065
76～100			26	20																46	1061		1061	46	1061
51～75		1	121	30	1															153	1015		1015	153	1015
26～50		50	193	109	30	3														385	862		862	385	862
～25		15	99	272	90	1														477	477		477	477	477
合計		66	439	449	122	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1080		1080		1080	
未超過		66	505	954	1076	1080	1080	1080	1080	1080	1080	1080	1080	1080	1080	1080	1080	1080	1080						
(0.1%)		(61)	(468)	(883)	(996)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.4(b) 青森 波高・周期別出現頻度統計 (2011年3月～2011年5月)

2011年3月～2011年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1092		1092		1092
1101～1200																				0	1092		1092		1092
1001～1100																				0	1092		1092		1092
901～1000																				0	1092		1092		1092
801～900																				0	1092		1092		1092
701～800																				0	1092		1092		1092
651～700																				0	1092		1092		1092
601～650																				0	1092		1092		1092
551～600																				0	1092		1092		1092
501～550																				0	1092		1092		1092
451～500																				0	1092		1092		1092
401～450																				0	1092		1092		1092
351～400																				0	1092		1092		1092
301～350																				0	1092		1092		1092
251～300																				0	1092		1092		1092
201～250																				0	1092		1092		1092
176～200																				0	1092		1092		1092
151～175																				0	1092		1092		1092
126～150																				0	1092		1092		1092
101～125				2	2															4	1092		1092	4	1092
76～100				11	1															12	1088		1088	12	1088
51～75		4	39	3																46	1076		1076	46	1076
26～50		86	206	56	4															352	1030		1030	352	1030
～25		40	249	305	82	2														678	678		678	678	678
合計		130	507	367	86	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1092		1092		1092	
未超過		130	637	1004	1090	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092	1092						
(0.1%)		(119)	(464)	(336)	(79)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)						

付表-A.2.4(c) 青森 波高・周期別出現頻度統計 (2011年6月～2011年8月)

2011年6月～2011年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2		
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計	未超過
1201～																				0	1104		1104		1104	
1101～1200																					0	1104		1104		1104
1001～1100																					0	1104		1104		1104
901～1000																					0	1104		1104		1104
801～900																					0	1104		1104		1104
701～800																					0	1104		1104		1104
651～700																					0	1104		1104		1104
601～650																					0	1104		1104		1104
551～600																					0	1104		1104		1104
501～550																					0	1104		1104		1104
451～500																					0	1104		1104		1104
401～450																					0	1104		1104		1104
351～400																					0	1104		1104		1104
301～350																					0	1104		1104		1104
251～300																					0	1104		1104		1104
201～250																					0	1104		1104		1104
176～200																					0	1104		1104		1104
151～175																					0	1104		1104		1104
126～150																					0	1104		1104		1104
101～125																					0	1104		1104		1104
76～100			(1)																		1	1104	(1)	1104	(1)	1104
51～75		(10)	(35)																		45	1103	(41)	1103	(41)	1103
26～50		(113)	(83)	(7)	(2)																217	1058	(197)	1058	(197)	1058
～25		(67)	(412)	(283)	(72)																841	841	(762)	841	(762)	841
合計		(189)	(531)	(290)	(74)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104	1104	(1000)	1104	(1000)	1104	
未超過		(189)	(740)	(1030)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	1104	1104	(1000)	1104	(1000)	1104	
(0.1%)		(189)	(670)	(933)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	1104	1104	(1000)	1104	(1000)	1104	

付表-A.2.4(d) 青森 波高・周期別出現頻度統計 (2011年9月～2011年11月)

2011年9月～2011年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 青森

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2			
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	合計	未超過	合計	未超過	
1201～																					0	1088		1088		1088	
1101～1200																						0	1088		1088		1088
1001～1100																						0	1088		1088		1088
901～1000																						0	1088		1088		1088
801～900																						0	1088		1088		1088
701～800																						0	1088		1088		1088
651～700																						0	1088		1088		1088
601～650																						0	1088		1088		1088
551～600																						0	1088		1088		1088
501～550																						0	1088		1088		1088
451～500																						0	1088		1088		1088
401～450																						0	1088		1088		1088
351～400																						0	1088		1088		1088
301～350																						0	1088		1088		1088
251～300																						0	1088		1088		1088
201～250																						0	1088		1088		1088
176～200																						0	1088		1088		1088
151～175																						0	1088		1088		1088
126～150				(1)																		1	1088	(1)	1088	(1)	1088
101～125			(2)	(1)																		3	1087	(3)	1087	(3)	1087
76～100			(8)	(6)																		14	1084	(13)	1084	(13)	1084
51～75			(31)	(20)	(1)	(1)																58	1070	(53)	1070	(53)	1070
26～50			(57)	(107)	(86)	(19)	(3)															286	1012	(263)	1012	(263)	1012
～25			(44)	(241)	(279)	(98)	(5)															726	726	(667)	726	(667)	726
合計		(101)	(422)	(420)	(127)	(9)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1088	1088	(1000)	1088	(1000)	1088		
(0.1%)		(101)	(388)	(386)	(117)	(8)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1088	1088	(1000)	1088	(1000)	1088		
未超過		(101)	(489)	(875)	(992)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	(1088)	1088	1088	(1000)	1088	(1000)	1088		
(0.1%)		(101)	(489)	(875)	(992)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	1088	1088	(1000)	1088	(1000)	1088		

