

付表-A.2.43(a) アシカ島 波高・周期別出現頻度統計 (2010年12月～2011年2月)

2010年12月～2011年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点:アシカ島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1079	0	1079	0	1079
1101～1200																				0	1079	0	1079	0	1079
1001～1100																				0	1079	0	1079	0	1079
901～1000																				0	1079	0	1079	0	1079
801～900																				0	1079	0	1079	0	1079
701～800																				0	1079	0	1079	0	1079
651～700																				0	1079	0	1079	0	1079
601～650																				0	1079	0	1079	0	1079
551～600																				0	1079	0	1079	0	1079
501～550																				0	1079	0	1079	0	1079
451～500																				0	1079	0	1079	0	1079
401～450																				0	1079	0	1079	0	1079
351～400																				0	1079	0	1079	0	1079
301～350																				0	1079	0	1079	0	1079
251～300						1														1	1079	1	1079	1	1079
201～250					1	1	1	1												4	1078	4	1078	4	1078
176～200					2	1		1												4	1074	4	1074	4	1074
151～175					6	4	2	1												13	1070	13	1070	13	1070
126～150				4	21	5	3	5												38	1057	38	1057	38	1057
101～125				20	21	12	3	2	1											59	1019	59	1019	59	1019
76～100				10	16	34	29	16	3											108	960	108	960	108	960
51～75				12	65	61	95	61	14	1										309	852	309	852	309	852
26～50				19	272	179	57	10	2											539	543	539	543	539	543
～25				1	3															4	4	4	4	4	4
合計				32	350	280	237	124	41	14	1	0	0	0	0	0	0	0	0	1079		1079		1079	
未超過				32	382	662	899	1023	1064	1078	1079	1079	1079	1079	1079	1079	1079	1079	1079	1079					1079

付表-A.2.43(b) アシカ島 波高・周期別出現頻度統計 (2011年3月～2011年5月)

2011年3月～2011年5月(春)

波高・周期別度数分布表 (有義波)

観測地点:アシカ島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1104	0	1104	0	1104
1101～1200																				0	1104	0	1104	0	1104
1001～1100																				0	1104	0	1104	0	1104
901～1000																				0	1104	0	1104	0	1104
801～900																				0	1104	0	1104	0	1104
701～800																				0	1104	0	1104	0	1104
651～700																				0	1104	0	1104	0	1104
601～650																				0	1104	0	1104	0	1104
551～600																				0	1104	0	1104	0	1104
501～550																				0	1104	0	1104	0	1104
451～500																				0	1104	0	1104	0	1104
401～450																				0	1104	0	1104	0	1104
351～400																				0	1104	0	1104	0	1104
301～350																				0	1104	0	1104	0	1104
251～300																				0	1104	0	1104	0	1104
201～250																				0	1104	0	1104	0	1104
176～200						2	5													7	1104	7	1104	7	1104
151～175						16	6													22	1097	22	1097	22	1097
126～150					2	13	11													20	1097	20	1097	20	1097
101～125					1	61	25	6	1											24	1074	24	1074	24	1074
76～100					10	64	24	19	5	4										85	950	85	950	85	950
51～75					9	73	74	75	44	9	3									260	751	260	751	260	751
26～50					17	245	195	64	18	2										490	542	490	542	490	542
～25					1															1	1	1	1	1	1
合計				26	329	397	219	109	16	8	0	0	0	0	0	0	0	0	0	1104		1104		1104	
未超過				26	355	752	971	1080	1096	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104	1104					1104

付表-A.2.43(c) アシカ島 波高・周期別出現頻度統計 (2011年6月~2011年8月)

2011年6月~2011年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点:アシカ島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550																				0	1104	0	1104	0	1104
451~500																				0	1104	0	1104	0	1104
401~450																				0	1104	0	1104	0	1104
351~400																				0	1104	0	1104	0	1104
301~350																				0	1104	0	1104	0	1104
251~300																				0	1104	0	1104	0	1104
201~250																				0	1104	0	1104	0	1104
176~200						(1)				(1)										2	1104	2	1104	2	1104
151~175					(9)		(1)	(3)	(2)	(1)										16	1102	16	1102	16	1102
126~150			(2)	(16)	(3)	(2)	(4)	(2)	(1)	(1)	(4)	(1)								36	1086	36	1086	36	1086
101~125		(2)	(22)	(16)	(2)	(3)	(1)		(4)	(2)	(2)	(1)	(1)							58	1050	58	1050	58	1050
76~100		(11)	(52)	(13)	(1)	(5)	(8)	(9)	(6)	(5)		(1)								119	992	119	992	119	992
51~75		(65)	(94)	(36)	(40)	(26)	(23)	(14)	(4)											329	873	329	873	329	873
26~50		(6)	(221)	(196)	(57)	(21)	(3)	(4)												536	544	536	544	536	544
~25		(5)	(1)		(2)															(8)	(8)	(8)	(8)		
合計(0.1%)		(6)	(312)	(402)	(160)	(72)	(43)	(46)	(28)	(17)	(8)	(6)	(3)	(1)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
未超過(0.1%)		(5)	(283)	(364)	(145)	(65)	(39)	(42)	(25)	(15)	(7)	(5)	(3)	(1)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.43(d) アシカ島 波高・周期別出現頻度統計 (2011年9月~2011年11月)

2011年9月~2011年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点:アシカ島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	248	0	248	0	248
1101~1200																				0	248	0	248	0	248
1001~1100																				0	248	0	248	0	248
901~1000																				0	248	0	248	0	248
801~900																				0	248	0	248	0	248
701~800																				0	248	0	248	0	248
651~700																				0	248	0	248	0	248
601~650																				0	248	0	248	0	248
551~600																				0	248	0	248	0	248
501~550																				0	248	0	248	0	248
451~500																				0	248	0	248	0	248
401~450																				0	248	0	248	0	248
351~400																				0	248	0	248	0	248
301~350																				0	248	0	248	0	248
251~300						(1)				(4)										1	248	1	248	1	248
201~250					(4)				(4)	(8)	(8)									6	247	6	247	6	247
176~200									(12)											3	241	3	241	3	241
151~175					(4)	(12)	(4)				(4)									5	238	5	238	5	238
126~150					(20)	(4)				(4)	(4)									7	233	7	233	7	233
101~125					(16)	(16)			(4)	(4)										10	226	10	226	10	226
76~100			(1)	(6)	(4)	(2)	(3)	(4)	(16)	(16)	(4)									28	216	28	216	28	216
51~75		(4)	(10)	(14)	(16)	(27)	(10)	(4)	(12)	(3)										85	188	85	188	85	188
26~50			(38)	(43)	(17)	(4)														(415)	(415)	(415)	(415)		
~25																				(0)	(0)				
合計(0.1%)		(4)	(48)	(58)	(39)	(46)	(22)	(8)	(10)	(6)	(8)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	248		248		248	
未超過(0.1%)		(4)	(194)	(234)	(157)	(185)	(89)	(32)	(40)	(24)	(32)	(8)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A.2.43(e) アシカ島 波高・周期別出現頻度統計 (2011年1月～2011年12月)

2011年 1月～2011年12月(年)

波高・周期別度数分布表 (有義波)

観測地点:アシカ島

波高	周期	～ 3	3～ 4	4～ 5	5～ 6	6～ 7	7～ 8	8～ 9	9～ 10	10～ 11	11～ 12	12～ 13	13～ 14	14～ 15	15～ 16	16～ 17	17～ 18	18～ 19	19～	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201～																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
1101～1200																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
1001～1100																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
901～1000																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
801～ 900																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
701～ 800																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
651～ 700																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
601～ 650																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
551～ 600																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
501～ 550																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
451～ 500																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
401～ 450																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
351～ 400																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
301～ 350																				0	3164		3164		3164
																				(0)	(1000)		(1000)		(1000)
251～ 300						1	1													2	3164	2	3164	2	3164
						(0)	(0)													(1)	(1000)	(1)	(1000)	(1)	(1000)
201～ 250						2		1		1	2	2								8	3162	8	3162	8	3162
						(1)		(0)		(0)	(1)	(1)								(3)	(999)	(3)	(999)	(3)	(999)
176～ 200				3	6				3	1										13	3154	13	3154	13	3154
				(1)	(2)				(1)	(0)										(4)	(997)	(4)	(997)	(4)	(997)
151～ 175				29	8	4	5		2	1										49	3141	49	3141	49	3141
				(9)	(3)	(1)	(2)		(1)	(0)										(15)	(993)	(15)	(993)	(15)	(993)
126～ 150			6	38	20	3	5		2	1	2	4	1							82	3092	82	3092	82	3092
			(2)	(12)	(6)	(1)	(2)		(1)	(0)	(1)	(1)	(0)							(26)	(977)	(26)	(977)	(26)	(977)
101～ 125		3	88	52	16	8	4		1	5	3	2	1	1						184	3010	184	3010	184	3010
		(1)	(28)	(16)	(5)	(3)	(1)		(0)	(2)	(1)	(1)	(0)	(0)						(58)	(951)	(58)	(951)	(58)	(951)
76～ 100		30	128	58	45	20	18		13	10	9		1							332	2826	332	2826	332	2826
		(9)	(40)	(18)	(14)	(6)	(6)		(4)	(3)	(3)		(0)							(105)	(893)	(105)	(893)	(105)	(893)
51～ 75		19	202	234	200	163	55	33	18	4										928	2494	928	2494	928	2494
		(6)	(64)	(74)	(63)	(52)	(17)	(10)	(6)	(1)										(293)	(788)	(293)	(788)	(293)	(788)
26～ 50		34	684	581	194	51	8	4												1556	1566	1556	1566	1556	1566
		(11)	(216)	(184)	(61)	(16)	(3)	(1)												(492)	(495)	(492)	(495)	(492)	(495)
～ 25		6	2			2														10	10	10	10	10	10
		(2)	(1)			(1)														(3)	(3)	(3)	(3)	(3)	(3)
合 計		53	925	1039	574	314	99	70	39	23	16	8	3	1	0	0	0	0	0	3164		3164		3164	
		(17)	(292)	(328)	(181)	(99)	(31)	(22)	(12)	(7)	(5)	(3)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
未超過		53	978	2017	2591	2905	3004	3074	3113	3136	3152	3160	3163	3164	3164	3164	3164	3164	3164						
(0.1%)		(17)	(309)	(637)	(819)	(918)	(949)	(972)	(984)	(991)	(996)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						