

付表-A.2.7(a) 酒田 波高・周期別出現頻度統計 (2011年12月～2012年2月)

2011年12月～2012年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1092	0	1092	0	1092
1101～1200																				0	1092	0	1092	0	1092
1001～1100																				0	1092	0	1092	0	1092
901～1000																				0	1092	0	1092	0	1092
801～900																				0	1092	0	1092	0	1092
701～800										1	2									3	1092	3	1092	3	1092
651～700										1	1									2	1089	2	1089	2	1089
601～650																				0	1087	0	1087	0	1087
551～600									1	6										7	1087	7	1087	7	1087
501～550								1	8	6										15	1080	15	1080	15	1080
451～500								7	22	3										32	1065	32	1065	32	1065
401～450							1	18	16	2										37	1033	37	1033	37	1033
351～400					1	12	49	6												68	996	68	996	68	996
301～350					1	48	47	9												105	928	105	928	105	928
251～300					19	116	23	2												160	823	160	823	160	823
201～250					6	73	72	20	1											172	663	172	663	172	663
176～200					4	26	37	2												69	491	69	491	69	491
151～175			1	15	27	28	2	1												74	422	74	422	74	422
126～150			5	12	36	28														81	348	81	348	81	348
101～125			7	22	32	17														78	267	78	267	78	267
76～100		1	8	20	24	6														59	189	59	189	59	189
51～75		3	10	16	17	5														51	130	51	130	51	130
26～50		1	20	17	36	3	1													78	79	78	79	78	79
～25			1																	1	1	1	1	1	1
合計		1	24	49	131	259	371	169	66	19	3	0	0	0	0	0	0	0	0	1092		1092		1092	
(0.1%)		(1)	(22)	(45)	(120)	(237)	(340)	(155)	(60)	(17)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
未超過		1	25	74	205	464	835	1004	1070	1089	1092	1092	1092	1092	1092	1092	1092	1092	1092						
(0.1%)		(1)	(23)	(68)	(188)	(425)	(765)	(919)	(980)	(997)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.7(b) 酒田 波高・周期別出現頻度統計 (2012年3月～2012年5月)

2012年3月～2012年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201～																				0	1104	0	1104	0	1104
1101～1200																				0	1104	0	1104	0	1104
1001～1100													1	1						2	1104	2	1104	2	1104
901～1000													1	1						1	1102	1	1102	1	1102
801～900											1									1	1101	1	1101	1	1101
701～800											1									1	1100	1	1100	1	1100
651～700												1								0	1099	0	1099	0	1099
601～650										1										1	1099	1	1099	1	1099
551～600									2	1										3	1098	3	1098	3	1098
501～550								1		1										2	1095	2	1095	2	1095
451～500									1											1	1093	1	1093	1	1093
401～450									1	1										2	1092	2	1092	2	1092
351～400							2	3	2	1										8	1090	8	1090	8	1090
301～350					1	12	4	2												19	1082	19	1082	19	1082
251～300					1	11	44	10	3											69	1063	69	1063	69	1063
201～250					2	26	30	10												68	994	68	994	68	994
176～200					12	25	15	8												60	926	60	926	60	926
151～175					9	27	15	3												54	866	54	866	54	866
126～150					6	15	20	15	1											57	812	57	812	57	812
101～125					5	14	18	14	1											52	736	52	736	52	736
76～100					8	32	24	5												63	684	63	684	63	684
51～75					5	37	31	27	6											106	686	106	686	106	686
26～50					24	134	219	293	152	42	11	5	1	1	2	1	0	0	0	157	580	157	580	157	580
(0.1%)		(22)	(121)	(198)	(265)	(198)	(138)	(38)	(10)	(5)	(1)	(1)	(2)	(1)	(0)	(0)	(0)	(0)	(0)	(142)	(525)	(142)	(525)	(142)	(525)
未超過		24	158	377	670	889	1041	1083	1094	1099	1100	1101	1103	1104	1104	1104	1104	1104	1104						
(0.1%)		(22)	(143)	(341)	(607)	(805)	(943)	(981)	(991)	(995)	(996)	(997)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)						

付表-A.2.7(c) 酒田 波高・周期別出現頻度統計 (2012年6月~2012年8月)

2012年6月~2012年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1102		1102		1102
1101~1200																				0	1102		1102		1102
1001~1100																				0	1102		1102		1102
901~1000																				0	1102		1102		1102
801~900																				0	1102		1102		1102
701~800																				0	1102		1102		1102
651~700																				0	1102		1102		1102
601~650																				0	1102		1102		1102
551~600																				0	1102		1102		1102
501~550																				0	1102		1102		1102
451~500																				0	1102		1102		1102
401~450																				0	1102		1102		1102
351~400																				0	1102		1102		1102
301~350																				1	1102	1	1102	1	1102
251~300																				2	1101	2	1101	2	1101
201~250																				4	1099	4	1099	4	1099
176~200																				4	1095	4	1095	4	1095
151~175																				5	1091	5	1091	5	1091
126~150																				15	1086	15	1086	15	1086
101~125																				52	1071	52	1071	52	1071
76~100																				63	1019	63	1019	63	1019
51~75																				155	956	155	956	155	956
26~50																				483	801	483	801	483	801
~25																				318	289	318	289	318	289
合計																				1102		1102		1102	
未超過																				1102				1102	

付表-A.2.7(d) 酒田 波高・周期別出現頻度統計 (2012年9月~2012年11月)

2012年9月~2012年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1092		1092		1092
1101~1200																				0	1092		1092		1092
1001~1100																				0	1092		1092		1092
901~1000																				0	1092		1092		1092
801~900																				0	1092		1092		1092
701~800																				0	1092		1092		1092
651~700																				1	1092	1	1092	1	1092
601~650																				1	1091	1	1091	1	1091
551~600																				3	1090	3	1090	3	1090
501~550																				3	1087	3	1087	3	1087
451~500																				15	1084	15	1084	15	1084
401~450																				16	1069	16	1069	16	1069
351~400																				29	1053	29	1053	29	1053
301~350																				39	1024	39	1024	39	1024
251~300																				62	985	62	985	62	985
201~250																				84	923	84	923	84	923
176~200																				55	839	55	839	55	839
151~175																				56	784	56	784	56	784
126~150																				66	728	66	728	66	728
101~125																				60	667	60	667	60	667
76~100																				84	531	84	531	84	531
51~75																				149	488	149	488	149	488
26~50																				280	339	280	339	280	339
~25																				54	256	54	256	54	256
合計																				1092		1092		1092	
未超過																				1092				1092	

付表-A.2.7(e) 酒田 波高・周期別出現頻度統計 (2012年1月~2012年12月)

2012年 1月~2012年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 酒田

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
																								合 計	未超過
1201~																				0 (0)	4390 (1000)		4390 (1000)		4390 (1000)
1101~1200																				0 (0)	4390 (1000)		4390 (1000)		4390 (1000)
1001~1100													0 (0)	1 (0)						2 (0)	4390 (1000)	2 (0)	4390 (1000)	2 (0)	4390 (1000)
901~1000													0 (0)	1 (0)						1 (0)	4388 (1000)	1 (0)	4388 (1000)	1 (0)	4388 (1000)
801~ 900											0 (0)									1 (0)	4387 (999)	1 (0)	4387 (999)	1 (0)	4387 (999)
701~ 800										0 (0)	3 (1)	0 (0)								5 (1)	4386 (999)	5 (1)	4386 (999)	5 (1)	4386 (999)
651~ 700										0 (0)	1 (0)									3 (1)	4381 (998)	3 (1)	4381 (998)	3 (1)	4381 (998)
601~ 650										0 (0)	1 (0)									5 (1)	4378 (997)	5 (1)	4378 (997)	5 (1)	4378 (997)
551~ 600									5 (1)	8 (2)	1 (0)									14 (3)	4373 (996)	14 (3)	4373 (996)	14 (3)	4373 (996)
501~ 550								0 (0)	9 (2)	7 (2)	1 (0)									18 (4)	4359 (993)	18 (4)	4359 (993)	18 (4)	4359 (993)
451~ 500								7 (2)	24 (5)	7 (2)	1 (0)									39 (9)	4341 (989)	39 (9)	4341 (989)	39 (9)	4341 (989)
401~ 450						3 (1)	21 (5)	32 (7)	7 (2)	1 (0)										64 (15)	4302 (980)	64 (15)	4302 (980)	64 (15)	4302 (980)
351~ 400					1 (0)	18 (4)	56 (13)	27 (6)	2 (0)											104 (24)	4238 (965)	104 (24)	4238 (965)	104 (24)	4238 (965)
301~ 350					3 (1)	71 (16)	68 (15)	19 (4)	2 (0)											163 (37)	4134 (942)	163 (37)	4134 (942)	163 (37)	4134 (942)
251~ 300				1 (0)	34 (8)	195 (44)	49 (11)	9 (2)												288 (66)	3971 (905)	288 (66)	3971 (905)	288 (66)	3971 (905)
201~ 250				10 (2)	126 (29)	141 (32)	50 (11)	6 (1)												333 (76)	3683 (839)	333 (76)	3683 (839)	333 (76)	3683 (839)
176~ 200				25 (6)	83 (19)	68 (15)	18 (4)	2 (0)												196 (45)	3350 (763)	196 (45)	3350 (763)	196 (45)	3350 (763)
151~ 175			2 (0)	35 (8)	86 (20)	60 (14)	9 (2)	2 (0)												194 (44)	3154 (718)	194 (44)	3154 (718)	194 (44)	3154 (718)
126~ 150			11 (3)	44 (10)	84 (19)	70 (16)	5 (1)													214 (49)	2960 (674)	214 (49)	2960 (674)	214 (49)	2960 (674)
101~ 125			32 (7)	78 (18)	95 (22)	50 (11)	2 (0)	1 (0)	1 (0)											259 (59)	2746 (626)	259 (59)	2746 (626)	259 (59)	2746 (626)
76~ 100		9 (2)	61 (14)	100 (23)	107 (24)	31 (7)	8 (2)	1 (0)	1 (0)	1 (0)										319 (73)	2487 (567)	319 (73)	2487 (567)	319 (73)	2487 (567)
51~ 75		4 (1)	56 (13)	122 (28)	183 (42)	115 (26)	28 (6)	3 (1)	1 (0)	1 (0)										514 (117)	2168 (494)	514 (117)	2168 (494)	514 (117)	2168 (494)
26~ 50		44 (10)	220 (50)	378 (86)	383 (87)	114 (26)	14 (3)	4 (1)	4 (1)											1161 (264)	1654 (377)	1161 (264)	1654 (377)	1161 (264)	1654 (377)
~ 25		2 (0)	80 (18)	234 (53)	157 (36)	19 (4)	1 (0)													493 (112)	493 (112)	493 (112)	493 (112)	493 (112)	493 (112)
合 計 (0.1%)		50 (11)	365 (83)	840 (191)	1016 (231)	867 (197)	750 (171)	301 (69)	142 (32)	43 (10)	12 (3)	1 (0)	2 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	4390 (1000)		4390 (1000)		4390 (1000)	
未超過 (0.1%)		50 (11)	415 (95)	1255 (286)	2271 (517)	3138 (715)	3888 (886)	4189 (954)	4331 (987)	4374 (996)	4386 (999)	4387 (999)	4389 (1000)	4390 (1000)	4390 (1000)	4390 (1000)	4390 (1000)	4390 (1000)	4390 (1000)	4390 (1000)					4390 (1000)