

付表-A.2.50(a) 小松島 波高・周期別出現頻度統計 (2011年12月～2012年2月)

2011年12月～2012年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201～																				0	1091		1091		1091
1101～1200																				0	1091		1091		1091
1001～1100																				0	1091		1091		1091
901～1000																				0	1091		1091		1091
801～900																				0	1091		1091		1091
701～800																				0	1091		1091		1091
651～700																				0	1091		1091		1091
601～650																				0	1091		1091		1091
551～600																				0	1091		1091		1091
501～550																				0	1091		1091		1091
451～500																				0	1091		1091		1091
401～450																				0	1091		1091		1091
351～400																				0	1091		1091		1091
301～350																				0	1091		1091		1091
251～300																				0	1091		1091		1091
201～250																				0	1091		1091		1091
176～200																				0	1091		1091		1091
151～175																				0	1091		1091		1091
126～150																				0	1091		1091		1091
101～125				2																2	1091	2	1091	2	1091
76～100			14							1										15	1089	15	1089	15	1089
51～75		21	75	19	1	5	12	8	5											146	1074	146	1074	1074	1074
26～50		252	134	43	27	13	12	11												492	928	492	928		
～25		80	168	110	57	14	6	1												436	436	436	436		
合計		353	391	174	85	32	30	20	6	0	0	0	0	0	0	0	0	0	0	1091		1091		1091	
未超過		353	744	918	1003	1035	1065	1085	1091	1091	1091	1091	1091	1091	1091	1091	1091	1091	1091						

付表-A.2.50(b) 小松島 波高・周期別出現頻度統計 (2012年3月～2012年5月)

2012年3月～2012年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	～3	3～4	4～5	5～6	6～7	7～8	8～9	9～10	10～11	11～12	12～13	13～14	14～15	15～16	16～17	17～18	18～19	19～	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	合計	未超過
1201～																				0	1104		1104		1104
1101～1200																				0	1104		1104		1104
1001～1100																				0	1104		1104		1104
901～1000																				0	1104		1104		1104
801～900																				0	1104		1104		1104
701～800																				0	1104		1104		1104
651～700																				0	1104		1104		1104
601～650																				0	1104		1104		1104
551～600																				0	1104		1104		1104
501～550																				0	1104		1104		1104
451～500																				0	1104		1104		1104
401～450																				0	1104		1104		1104
351～400																				0	1104		1104		1104
301～350																				0	1104		1104		1104
251～300																				0	1104		1104		1104
201～250						1														1	1104	1	1104	1	1104
176～200					1	2														3	1103	3	1103	3	1103
151～175					1	3	1													5	1100	5	1100	5	1100
126～150					4	2	3	1	1	3										14	1095	14	1095	14	1095
101～125				3	4	3	2	3	3	1										19	1081	19	1081	19	1081
76～100			5	10	9	11	9	7	5	1										57	1062	57	1062	57	1062
51～75		3	51	23	11	16	32	18	1	2										157	1005	157	1005	1005	1005
26～50		77	139	81	107	108	63	40	2	3										620	848	620	848		
～25		6	43	75	60	24	14	5	1											228	228	228	228		
合計		86	238	192	170	124	74	13	7	3	0	0	0	0	0	0	0	0	0	1104		1104		1104	
未超過		86	324	516	713	883	1007	1081	1094	1101	1104	1104	1104	1104	1104	1104	1104	1104	1104						

付表-A.2.50(c) 小松島 波高・周期別出現頻度統計 (2012年6月~2012年8月)

2012年6月~2012年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1104	0	1104	0	1104
1101~1200																				0	1104	0	1104	0	1104
1001~1100																				0	1104	0	1104	0	1104
901~1000																				0	1104	0	1104	0	1104
801~900																				0	1104	0	1104	0	1104
701~800																				0	1104	0	1104	0	1104
651~700																				0	1104	0	1104	0	1104
601~650																				0	1104	0	1104	0	1104
551~600																				0	1104	0	1104	0	1104
501~550																				0	1104	0	1104	0	1104
451~500																				0	1104	0	1104	0	1104
401~450																				0	1104	0	1104	0	1104
351~400																				0	1104	0	1104	0	1104
301~350																				0	1104	0	1104	0	1104
251~300																				0	1104	0	1104	0	1104
201~250																				0	1104	0	1104	0	1104
176~200					(1)															1	1104	1	1104	1	1104
151~175					(1)				(1)	(1)	(3)									6	1103	6	1103	6	1103
126~150			(1)	(2)	(1)	(1)			(3)	(1)	(1)									10	1097	10	1097	10	1097
101~125			(4)	(7)	(6)			(7)	(5)	(2)	(1)		(1)							27	1087	27	1087	27	1087
76~100			(18)	(9)	(10)	(5)	(4)	(4)	(4)	(4)										54	1060	54	1060	54	1060
51~75		(17)	(53)	(35)	(41)	(31)	(24)	(12)	(6)											219	1006	219	1006	1006	1006
26~50	(3)	(84)	(210)	(176)	(130)	(49)	(15)	(1)	(1)											669	787	669	787	(911)	(911)
~25		(4)	(38)	(46)	(25)	(5)														118	118	118	118		
合計		(3)	(105)	(324)	(277)	(207)	(91)	(50)	(23)	(17)	(5)	(1)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	1104		1104		1104	
未超過	(0.1%)	(3)	(108)	(432)	(709)	(916)	(1007)	(1057)	(1080)	(1097)	(1102)	(1103)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1104)	(1000)		(1000)		(1000)	

付表-A.2.50(d) 小松島 波高・周期別出現頻度統計 (2012年9月~2012年11月)

2012年9月~2012年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0	1092	0	1092	0	1092
1101~1200																				0	1092	0	1092	0	1092
1001~1100																				0	1092	0	1092	0	1092
901~1000																				0	1092	0	1092	0	1092
801~900																				0	1092	0	1092	0	1092
701~800																				0	1092	0	1092	0	1092
651~700																				0	1092	0	1092	0	1092
601~650																				0	1092	0	1092	0	1092
551~600																				0	1092	0	1092	0	1092
501~550																				0	1092	0	1092	0	1092
451~500																				0	1092	0	1092	0	1092
401~450																				0	1092	0	1092	0	1092
351~400																				0	1092	0	1092	0	1092
301~350																				0	1092	0	1092	0	1092
251~300																				0	1092	0	1092	0	1092
201~250						(1)	(1)													2	1092	2	1092	2	1092
176~200					(1)															1	1090	1	1090	1	1090
151~175					(6)	(5)														11	1089	11	1089	11	1089
126~150			(4)	(7)	(6)	(1)														12	1078	12	1078	12	1078
101~125		(1)	(10)	(9)	(5)	(1)	(2)													20	1066	20	1066	20	1066
76~100		(9)	(13)	(5)	(3)	(2)		(1)	(1)	(2)	(2)	(1)								39	1046	39	1046	39	1046
51~75	(1)	(52)	(31)	(21)	(17)	(6)	(5)	(6)	(4)	(4)										150	1007	150	1007	1007	1007
26~50	(70)	(145)	(93)	(62)	(46)	(44)	(27)	(11)	(7)	(1)										506	857	506	857	(922)	(922)
~25	(18)	(94)	(101)	(92)	(35)	(11)														351	351	351	351		
合計		(89)	(301)	(252)	(195)	(112)	(67)	(35)	(19)	(12)	(7)	(2)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	1092		1092		1092	
未超過	(0.1%)	(82)	(276)	(231)	(179)	(103)	(61)	(32)	(17)	(11)	(6)	(2)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	

付表-A. 2. 50(e) 小松島 波高・周期別出現頻度統計 (2012年1月～2012年12月)

2012年1月～2012年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 小松島

波高	周期	～ 3	3～ 4	4～ 5	5～ 6	6～ 7	7～ 8	8～ 9	9～ 10	10～ 11	11～ 12	12～ 13	13～ 14	14～ 15	15～ 16	16～ 17	17～ 18	18～ 19	19～	合 計	未超過	補足1		補足2	
		(0)	(4)	(10)	(16)	(22)	(28)	(34)	(40)	(46)	(52)	(58)	(64)	(70)	(76)	(82)	(88)	(94)	(100)			(0)	(1000)	(1000)	(1000)
1201～		(0)																		0	4392		4392		4392
1101～1200		(0)																		0	4392		4392		4392
1001～1100		(0)																		0	4392		4392		4392
901～1000		(0)																		0	4392		4392		4392
801～ 900		(0)																		0	4392		4392		4392
701～ 800		(0)																		0	4392		4392		4392
651～ 700		(0)																		0	4392		4392		4392
601～ 650		(0)																		0	4392		4392		4392
551～ 600		(0)																		0	4392		4392		4392
501～ 550		(0)																		0	4392		4392		4392
451～ 500		(0)																		0	4392		4392		4392
401～ 450		(0)																		0	4392		4392		4392
351～ 400		(0)																		0	4392		4392		4392
301～ 350		(0)																		0	4392		4392		4392
251～ 300		(0)																		0	4392		4392		4392
201～ 250						(2)	(1)													3	4392	3	4392	3	4392
176～ 200					(3)	(2)														5	4389	5	4389	5	4389
151～ 175			(1)	(8)	(8)	(2)	(0)		(1)	(1)	(3)								23	4384	23	4384	23	4384	
126～ 150			(5)	(13)	(3)	(5)	(1)	(1)	(6)	(1)	(1)								36	4361	36	4361	36	4361	
101～ 125		(1)	(19)	(14)	(8)	(3)	(12)	(8)	(3)	(1)	(1)								70	4325	70	4325	70	4325	
76～ 100		(6)	(43)	(28)	(25)	(17)	(11)	(11)	(5)	(3)	(2)	(1)							171	4255	171	4255	171	4255	
51～ 75		(29)	(195)	(125)	(71)	(84)	(80)	(55)	(23)	(10)	(6)								678	4084	678	4084	678	4084	
26～ 50		(371)	(531)	(440)	(390)	(297)	(169)	(90)	(14)	(11)	(1)								2314	3406	2314	3406	2314	3406	
～ 25		(91)	(279)	(326)	(252)	(101)	(36)	(6)	(1)										1092	1092	1092	1092	1092	1092	
合 計		(491)	(1031)	(959)	(779)	(530)	(312)	(175)	(59)	(36)	(15)	(3)	(2)	(0)	(0)	(0)	(0)	(0)	4392		4392		4392		
未超過		(112)	(235)	(218)	(177)	(121)	(71)	(40)	(13)	(8)	(3)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
(0.1%)		(491)	(1522)	(2481)	(3260)	(3790)	(4102)	(4277)	(4336)	(4372)	(4387)	(4390)	(4392)	(4392)	(4392)	(4392)	(4392)	(4392)	(4392)						