

付表-A.2.55(a) 細島 波高・周期別出現頻度統計 (2011年12月~2012年2月)

2011年12月~2012年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(10)	(155)	(269)	(212)	(174)	(94)	(33)	(40)	(21)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1087)	(1087)	合計
1201~		(0)																		0	1087		1087		1087
1101~1200		(0)																		0	1087		1087		1087
1001~1100		(0)																		0	1087		1087		1087
901~1000		(0)																		0	1087		1087		1087
801~900		(0)																		0	1087		1087		1087
701~800		(0)																		0	1087		1087		1087
651~700		(0)																		0	1087		1087		1087
601~650		(0)																		0	1087		1087		1087
551~600		(0)																		0	1087		1087		1087
501~550		(0)																		0	1087		1087		1087
451~500		(0)																		0	1087		1087		1087
401~450		(0)																		0	1087		1087		1087
351~400										(3)										3	1087		1087		1087
301~350								(1)	(2)	(1)	(2)									6	1084		1084		1084
251~300						(2)	(1)	(3)		(3)	(2)	(1)								12	1078		1078		1078
201~250					(1)	(1)	(2)	(2)	(2)	(12)	(9)	(2)								31	1066		1066		1066
176~200								(2)	(6)	(6)	(4)									18	1035		1035		1035
151~175					(1)	(2)	(6)	(2)	(4)	(4)	(1)									21	1017		1017		1017
126~150				(5)	(11)	(15)	(7)	(1)	(1)	(1)										44	996		996		996
101~125			(3)	(17)	(23)	(19)	(12)	(6)	(1)	(2)										91	952		952		952
76~100		(1)	(14)	(42)	(26)	(10)	(14)	(2)	(6)											115	861		861		861
51~75		(6)	(91)	(113)	(72)	(73)	(39)	(8)	(6)	(1)										409	746		746		746
26~50		(4)	(49)	(112)	(90)	(60)	(18)	(4)												337	337		337		337
~25																				0	0		0		0
合計(0.1%)		(0)	(11)	(157)	(292)	(230)	(189)	(102)	(36)	(44)	(23)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1087	(1087)		1087		1087
未超過(0.1%)		(0)	(10)	(144)	(269)	(212)	(174)	(94)	(33)	(40)	(21)	(3)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1087	(1087)		1087		1087

付表-A.2.55(b) 細島 波高・周期別出現頻度統計 (2012年3月~2012年5月)

2012年3月~2012年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 細島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		(0)	(3)	(58)	(209)	(206)	(253)	(226)	(107)	(41)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			(0)	(1104)	(1104)	合計
1201~		(0)																		0	1104		1104		1104
1101~1200		(0)																		0	1104		1104		1104
1001~1100		(0)																		0	1104		1104		1104
901~1000		(0)																		0	1104		1104		1104
801~900		(0)																		0	1104		1104		1104
701~800		(0)																		0	1104		1104		1104
651~700		(0)																		0	1104		1104		1104
601~650		(0)																		0	1104		1104		1104
551~600		(0)																		0	1104		1104		1104
501~550										(2)										2	1104		1104		1104
451~500										(2)										2	1102		1102		1102
401~450										(3)										3	1100		1100		1100
351~400								(1)	(2)	(3)										6	1094		1094		1094
301~350							(1)	(1)	(4)	(8)										15	1088		1088		1088
251~300					(2)	(4)	(13)	(2)	(2)											24	1073		1073		1073
201~250					(7)	(23)	(10)	(5)	(4)											49	1049		1049		1049
176~200					(2)	(5)	(16)	(5)	(3)	(3)										44	1000		1000		1000
151~175					(7)	(11)	(18)	(14)	(2)											33	906		906		906
126~150					(6)	(10)	(16)	(13)	(11)	(2)										58	873		873		873
101~125				(3)	(23)	(28)	(31)	(26)	(22)	(3)										91	815		815		815
76~100			(18)	(46)	(39)	(61)	(63)	(15)	(4)	(1)										149	800		800		800
51~75		(1)	(25)	(61)	(62)	(53)	(50)	(19)	(3)											224	590		590		590
26~50		(2)	(12)	(47)	(37)	(20)	(9)	(3)												248	366		366		366
~25																				0	0		0		0
合計(0.1%)		(0)	(3)	(58)	(209)	(206)	(253)	(226)	(107)	(41)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1104	(1104)		1104		1104
未超過(0.1%)		(0)	(3)	(55)	(245)	(431)	(660)	(865)	(962)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	1104	(1104)		1104		1104

付表-A.2.55(c) 細島 波高・周期別出現頻度統計(2012年6月~2012年8月)

2012年6月~2012年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 細島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																						合計	未超過	合計	未超過
1201~		0																		0	1052	1052		1052	1052
1101~1200		0																		0	1052	1052		1052	1052
1001~1100		0																		0	1052	1052		1052	1052
901~1000		0																		0	1052	1052		1052	1052
801~900		0																		0	1052	1052		1052	1052
701~800		0																		0	1052	1052		1052	1052
651~700		0																		0	1052	1052		1052	1052
601~650		0																		0	1052	1052		1052	1052
551~600										(1)	(1)									(2)	1052	1052	(2)	1052	1052
501~550											(2)									(2)	1050	1050	(2)	1050	1050
451~500											(2)		(1)							(3)	1048	1048	(3)	1048	1048
401~450									(4)	(4)	(5)	(2)								(15)	1045	1045	(15)	1045	1045
351~400								(5)	(4)	(5)	(2)	(2)								(18)	1030	1030	(18)	1030	1030
301~350							(4)	(3)	(7)	(3)	(1)									(18)	1012	1012	(18)	1012	1012
251~300						(2)	(14)	(12)	(9)	(6)										(43)	994	994	(43)	994	994
201~250						(9)	(20)	(27)	(21)	(4)										(81)	951	951	(81)	951	951
176~200						(10)	(24)	(21)	(2)	(5)										(62)	870	870	(62)	870	870
151~175						(16)	(36)	(34)	(3)	(4)										(94)	808	808	(94)	808	808
126~150			(1)	(10)	(18)	(22)	(16)	(7)	(3)	(1)										(78)	714	714	(78)	714	714
101~125			(1)	(34)	(43)	(29)	(10)	(12)	(9)	(4)										(150)	636	636	(150)	636	636
76~100			(13)	(33)	(53)	(48)	(28)	(26)	(7)											(208)	486	486	(208)	486	486
51~75			(15)	(61)	(45)	(62)	(65)	(20)	(2)											(270)	278	278	(270)	278	278
26~50					(1)	(1)	(1)	(5)												(8)	8	8	(8)	8	8
~25																				(0)	0	0	(0)	0	0
合計(0.1%)		(0)	(0)	(30)	(141)	(200)	(262)	(227)	(116)	(55)	(16)	(5)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1052	1052	(1052)	1052	1052
未超過(0.1%)		(0)	(0)	(30)	(171)	(371)	(633)	(860)	(976)	(1031)	(1047)	(1052)	(1052)	(1052)	(1052)	(1052)	(1052)	(1052)	(1052)	(0)					

付表-A.2.55(d) 細島 波高・周期別出現頻度統計(2012年9月~2012年11月)

2012年9月~2012年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 細島

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
																						合計	未超過	合計	未超過
1201~		0																		0	1064	1064		1064	1064
1101~1200		0																		0	1064	1064		1064	1064
1001~1100		0																		0	1064	1064		1064	1064
901~1000		0																		0	1064	1064		1064	1064
801~900		0																		0	1064	1064		1064	1064
701~800		0																		0	1064	1064		1064	1064
651~700		0																		0	1064	1064		1064	1064
601~650		0																		0	1064	1064		1064	1064
551~600		0																		0	1064	1064		1064	1064
501~550									(4)	(4)										(4)	1064	1064	(4)	1064	1064
451~500									(1)	(1)										(1)	1060	1060	(1)	1060	1060
401~450									(2)	(2)										(2)	1059	1059	(2)	1059	1059
351~400								(1)	(2)	(2)										(3)	1057	1057	(3)	1057	1057
301~350						(1)	(8)	(1)		(8)										(9)	1054	1054	(9)	1054	1054
251~300						(2)	(3)	(5)	(4)	(3)										(16)	1044	1044	(16)	1044	1044
201~250					(1)	(4)	(8)	(6)	(9)	(18)	(7)	(4)								(59)	1027	1027	(59)	1027	1027
176~200					(1)	(3)	(8)	(11)	(6)	(8)	(2)	(3)	(1)							(41)	968	968	(41)	968	968
151~175					(1)	(7)	(7)	(16)	(15)	(14)	(4)	(2)								(65)	924	924	(65)	924	924
126~150					(1)	(7)	(5)	(24)	(23)	(16)										(75)	855	855	(75)	855	855
101~125					(1)	(9)	(18)	(27)	(18)	(4)										(77)	824	824	(77)	824	824
76~100				(5)	(22)	(28)	(48)	(55)	(38)	(6)	(2)	(3)								(195)	693	693	(195)	693	693
51~75				(10)	(50)	(58)	(76)	(88)	(36)	(12)	(6)	(3)								(319)	486	486	(319)	486	486
26~50			(6)	(20)	(41)	(55)	(16)													(138)	147	147	(138)	147	147
~25																				(0)	0	0	(0)	0	0
合計(0.1%)		(0)	(0)	(21)	(98)	(163)	(234)	(264)	(163)	(84)	(21)	(15)	(1)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	1064	1064	(1064)	1064	1064
未超過(0.1%)		(0)	(0)	(21)	(119)	(282)	(516)	(780)	(943)	(1027)	(1048)	(1063)	(1064)	(1064)	(1064)	(1064)	(1064)	(1064)	(1064)	(0)					

