

付表-A.2.27(a) 紋別(南) 波高・周期別出現頻度統計 (2011年12月~2012年2月)

2011年12月~2012年2月(冬)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0 (0)	762 (1000)		762 (1000)		762 (1000)
1101~1200																				0 (0)	762 (1000)		762 (1000)		762 (1000)
1001~1100																				0 (0)	762 (1000)		762 (1000)		762 (1000)
901~1000																				0 (0)	762 (1000)		762 (1000)		762 (1000)
801~ 900																				0 (0)	762 (1000)		762 (1000)		762 (1000)
701~ 800																				0 (0)	762 (1000)		762 (1000)		762 (1000)
651~ 700																				0 (0)	762 (1000)		762 (1000)		762 (1000)
601~ 650																				0 (0)	762 (1000)		762 (1000)		762 (1000)
551~ 600																				0 (0)	762 (1000)		762 (1000)		762 (1000)
501~ 550											(1)									1 (1)	762 (1000)	1 (1)	762 (1000)	1 (1)	762 (1000)
451~ 500									(1)	(2)	(1)									4 (5)	761 (999)	4 (5)	761 (999)	4 (5)	761 (999)
401~ 450								(1)	(1)	(1)										3 (4)	757 (993)	3 (4)	757 (993)	3 (4)	757 (993)
351~ 400							(1)	(4)	(3)	(1)	(1)									10 (13)	754 (990)	10 (13)	754 (990)	10 (13)	754 (990)
301~ 350							(8)	(9)	(7)	(1)	(1)		(1)							27 (35)	744 (976)	27 (35)	744 (976)	27 (35)	744 (976)
251~ 300					(4)	(5)	(20)	(13)	(9)			(1)								47 (101)	717 (879)	47 (101)	717 (879)	47 (101)	717 (879)
201~ 250				(3)	(14)	(34)	(11)	(4)	(2)	(5)	(2)	(2)	(3)	(2)						77 (111)	670 (879)	77 (111)	670 (879)	77 (111)	670 (879)
176~ 200				(2)	(5)	(21)	(13)	(12)	(14)	(6)	(2)									75 (98)	593 (778)	75 (98)	593 (778)	75 (98)	593 (778)
151~ 175				(9)	(15)	(28)	(14)	(17)	(7)	(5)										95 (125)	518 (680)	95 (125)	518 (680)	95 (125)	518 (680)
126~ 150			(2)	(15)	(13)	(21)	(19)	(7)	(4)	(5)	(2)									88 (115)	423 (555)	88 (115)	423 (555)	88 (115)	423 (555)
101~ 125			(5)	(22)	(22)	(25)	(28)	(15)	(13)	(2)										132 (173)	335 (440)	132 (173)	335 (440)	132 (173)	335 (440)
76~ 100			(17)	(13)	(9)	(10)	(14)	(4)	(7)	(5)		(1)								79 (104)	203 (266)	79 (104)	203 (266)	79 (104)	203 (266)
51~ 75		(1)	(6)	(3)	(8)	(8)	(6)	(6)	(3)	(1)	(3)									43 (56)	124 (163)	43 (56)	124 (163)	43 (56)	124 (163)
26~ 50		(4)	(14)	(9)	(7)	(9)	(3)	(5)	(8)	(6)	(1)	(1)								67 (88)	81 (106)	67 (88)	81 (106)	67 (88)	81 (106)
~ 25			(2)	(1)	(2)	(3)	(4)	(1)	(3)	(2)										14 (18)	14 (18)	14 (18)	14 (18)	14 (18)	14 (18)
合計 (0.1%)		(0)	(5)	(46)	(77)	(99)	(185)	(138)	(92)	(63)	(41)	(9)	(7)	(0)	(0)	(0)	(0)	(0)	(0)	762 (1000)	762 (1000)		762 (1000)		762 (1000)
未超過 (0.1%)		(0)	(7)	(51)	(128)	(227)	(412)	(550)	(642)	(705)	(746)	(755)	(762)	(762)	(762)	(762)	(762)	(762)	(762)	762 (1000)	762 (1000)		762 (1000)		762 (1000)

付表-A.2.27(b) 紋別(南) 波高・周期別出現頻度統計 (2012年3月~2012年5月)

2012年3月~2012年5月(春)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2	
																							合計	未超過	合計
1201~																				0 (0)	0 (0)				
1101~1200																				0 (0)	0 (0)				
1001~1100																				0 (0)	0 (0)				
901~1000																				0 (0)	0 (0)				
801~ 900																				0 (0)	0 (0)				
701~ 800																				0 (0)	0 (0)				
651~ 700																				0 (0)	0 (0)				
601~ 650																				0 (0)	0 (0)				
551~ 600																				0 (0)	0 (0)				
501~ 550																				0 (0)	0 (0)				
451~ 500																				0 (0)	0 (0)				
401~ 450																				0 (0)	0 (0)				
351~ 400																				0 (0)	0 (0)				
301~ 350																				0 (0)	0 (0)				
251~ 300																				0 (0)	0 (0)				
201~ 250																				0 (0)	0 (0)				
176~ 200																				0 (0)	0 (0)				
151~ 175																				0 (0)	0 (0)				
126~ 150																				0 (0)	0 (0)				
101~ 125																				0 (0)	0 (0)				
76~ 100																				0 (0)	0 (0)				
51~ 75																				0 (0)	0 (0)				
26~ 50																				0 (0)	0 (0)				
~ 25																				0 (0)	0 (0)				
合計 (0.1%)		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	0 (0)	0 (0)				
未超過 (0.1%)		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	0 (0)	0 (0)				

付表-A.2.27(c) 紋別(南) 波高・周期別出現頻度統計 (2012年6月~2012年8月)

2012年6月~2012年8月(夏)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2		
		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			合計	未超過	合計	未超過	
1201~																				0	0					
1101~1200																					0	0				
1001~1100																					0	0				
901~1000																					0	0				
801~900																					0	0				
701~800																					0	0				
651~700																					0	0				
601~650																					0	0				
551~600																					0	0				
501~550																					0	0				
451~500																					0	0				
401~450																					0	0				
351~400																					0	0				
301~350																					0	0				
251~300																					0	0				
201~250																					0	0				
176~200																					0	0				
151~175																					0	0				
126~150																					0	0				
101~125																					0	0				
76~100																					0	0				
51~75																					0	0				
26~50																					0	0				
~25																					0	0				
合計 (0.1%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
未超過 (0.1%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					

付表-A.2.27(d) 紋別(南) 波高・周期別出現頻度統計 (2012年9月~2012年11月)

2012年9月~2012年11月(秋)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2			
		(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)			合計	未超過	合計	未超過		
1201~																					0	0					
1101~1200																						0	0				
1001~1100																						0	0				
901~1000																						0	0				
801~900																						0	0				
701~800																						0	0				
651~700																						0	0				
601~650																						0	0				
551~600																						0	0				
501~550																						0	0				
451~500																						0	0				
401~450																						0	0				
351~400																						0	0				
301~350																						0	0				
251~300																						0	0				
201~250																						0	0				
176~200																						0	0				
151~175																						0	0				
126~150																						0	0				
101~125																						0	0				
76~100																						0	0				
51~75																						0	0				
26~50																						0	0				
~25																						0	0				
合計 (0.1%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
未超過 (0.1%)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						

付表-A.2.27(e) 紋別(南) 波高・周期別出現頻度統計 (2012年1月~2012年12月)

2012年1月~2012年12月(年)

波高・周期別度数分布表 (有義波)

観測地点: 紋別(南)

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		(0)	(3)	(5)	(8)	(13)	(15)	(18)	(23)	(3)	(5)	(3)	(8)	(5)	(3)	(3)	(3)	(3)	(3)	(3)	(390)	(1000)	(390)	(1000)	(390)
1201~		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
1101~1200		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
1001~1100		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
901~1000		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
801~ 900		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
701~ 800		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
651~ 700		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
601~ 650		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
551~ 600		(0)																		(0)	390	(390)	(1000)	(390)	(1000)
501~ 550											(1)									(1)	390	(390)	(1000)	(390)	(1000)
451~ 500									(1)	(2)	(1)									(4)	389	(389)	(997)	(389)	(997)
401~ 450								(1)	(1)	(1)										(3)	385	(385)	(987)	(385)	(987)
351~ 400							(1)	(1)	(1)	(1)	(1)									(5)	382	(382)	(979)	(382)	(979)
301~ 350							(4)	(1)		(1)										(6)	377	(377)	(967)	(377)	(967)
251~ 300						(3)	(9)	(8)	(5)											(25)	371	(371)	(951)	(371)	(951)
201~ 250					(2)	(9)	(9)	(4)	(1)			(3)	(2)	(2)						(32)	346	(346)	(887)	(346)	(887)
176~ 200					(1)	(2)	(6)	(3)	(3)	(5)	(5)	(2)								(27)	314	(314)	(805)	(314)	(805)
151~ 175					(8)	(4)	(15)	(8)	(3)	(2)	(3)	(4)								(30)	287	(287)	(736)	(287)	(736)
126~ 150				(2)	(8)	(5)	(3)	(2)	(1)	(3)	(4)	(2)								(30)	257	(257)	(659)	(257)	(659)
101~ 125				(3)	(17)	(11)	(5)	(7)	(9)	(10)	(1)									(63)	227	(227)	(582)	(227)	(582)
76~ 100				(13)	(10)	(5)	(6)	(5)	(2)	(6)	(4)			(1)						(52)	164	(164)	(421)	(164)	(421)
51~ 75				(1)	(6)	(3)	(6)	(3)	(1)	(6)		(2)	(1)	(2)						(31)	112	(112)	(287)	(112)	(287)
26~ 50				(4)	(14)	(9)	(7)	(9)	(3)	(5)	(8)	(6)	(1)	(1)						(67)	81	(81)	(208)	(81)	(208)
~ 25				(2)	(1)	(2)		(3)	(1)	(3)	(2)									(14)	14	(14)	(36)	(14)	(36)
合 計		(0)	(5)	(40)	(59)	(54)	(61)	(42)	(38)	(43)	(34)	(8)	(6)	(0)	(0)	(0)	(0)	(0)	(0)	(390)		(390)		(390)	
未超過		(0)	(13)	(103)	(151)	(138)	(156)	(108)	(97)	(110)	(87)	(21)	(15)	(0)	(0)	(0)	(0)	(0)	(0)	(1000)		(1000)		(1000)	
(0.1%)		(0)	(13)	(115)	(267)	(405)	(562)	(669)	(767)	(877)	(964)	(985)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)					(1000)	