

付表-B.2.7(a) 酒田 波高・周期別出現頻度統計(連続観測, 2011年12月~2012年2月)

2011年12月~2012年2月(冬)

波高・周期別度数分布表(有義波)

観測地点: 酒田

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6552	6552	6552	6552	
1101~1200																				0	6552	6552	6552	6552	
1001~1100																				0	6552	6552	6552	6552	
901~1000																				0	6552	6552	6552	6552	
801~ 900												1								1	6552	6552	6552	6552	
701~ 800										5	7									12	6551	12	6551	12	6551
651~ 700										9	4									13	6539	13	6539	13	6539
601~ 650										2	8	2								12	6526	12	6526	12	6526
551~ 600										7	27	1								35	6514	35	6514	35	6514
501~ 550										5	50	28								83	6479	83	6479	83	6479
451~ 500										41	121	15								177	6396	177	6396	177	6396
401~ 450										8	153	81	6							248	6219	248	6219	248	6219
351~ 400										2	70	276	61	2						411	5971	411	5971	411	5971
301~ 350										8	306	249	44							607	5560	607	5560	607	5560
251~ 300										135	689	156	9							989	4953	989	4953	989	4953
201~ 250										33	433	449	110	6						1031	3964	1031	3964	1031	3964
176~ 200										1	33	175	213	21	2					445	2933	445	2933	445	2933
151~ 175										10	78	156	167	18	4					433	2488	433	2488	433	2488
126~ 150										33	67	194	133	3						430	2055	430	2055	430	2055
101~ 125										1	38	132	193	110						474	1625	474	1625	474	1625
76~ 100										11	52	119	143	45						370	1151	370	1151	370	1151
51~ 75										22	54	110	109	19						314	781	314	781	314	781
26~ 50										5	123	91	195	38	6					458	467	458	467	458	467
~ 25										1	3	1								9	9	9	9	9	9
合 計 (0.1%)		5	157	284	770	1587	2215	1032	387	100	14	1	0	0	0	0	0	0	0	6552		6552		6552	
未超過 (0.1%)		5	162	446	1216	2803	5018	6050	6437	6537	6551	6552	6552	6552	6552	6552	6552	6552	6552	1000		1000		1000	

(連続観測)

付表-B.2.7(b) 酒田 波高・周期別出現頻度統計(连续観測, 2012年3月~2012年5月)

2012年3月~2012年5月(春)

波高・周期別度数分布表(有義波)

観測地点: 酒田

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合 計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6624	6624	6624	6624	
1101~1200													1							1	6624	1	6624	1	6624
1001~1100													1	1						2	6623	2	6623	2	6623
901~1000												1	3	8	1					13	6621	13	6621	13	6621
801~ 900												3	1	1						8	6608	8	6608	8	6608
701~ 800											1	4	2							7	6600	7	6600	7	6600
651~ 700											3	1								4	6593	4	6593	4	6593
601~ 650											2	4								6	6589	6	6589	6	6589
551~ 600											6	5								11	6583	11	6583	11	6583
501~ 550											1	4	3							8	6572	8	6572	8	6572
451~ 500											1	7	1							10	6564	10	6564	10	6564
401~ 450											2	4	4							12	6554	12	6554	12	6554
351~ 400											1	10	22	12						52	6542	52	6542	52	6542
301~ 350											7	87	31	16						141	6490	141	6490	141	6490
251~ 300											2	71	208	53	18					352	6349	352	6349	352	6349
201~ 250											28	164	185	82						459	5997	459	5997	459	5997
176~ 200											57	140	97	40						334	5538	334	5538	334	5538
151~ 175											3	54	158	90	21					326	5204	326	5204	326	5204
126~ 150											36	92	133	77	5					343	4878	343	4878	343	4878
101~ 125											3	46	154	157	47	6				413	4535	413	4535	413	4535
76~ 100											28	223	223	145	35					654	4122	654	4122	654	4122
51~ 75											14	163	232	333	167	31				940	3468	940	3468	940	3468
26~ 50											125	441	546	522	158	24	9			1825	2528	1825	2528	1825	2528
~ 25											1	136	286	251	29					703	703	703	703	703	703
合 計 (0.1%)		140	771	1372	1716	1330	894	275	69	26	9	9	11	2	0	0	0	0	0	6624		6624		6624	
未超過 (0.1%)		140	911	2283	3999	5329	6223	6498	6567	6593	6602	6611	6622	6624	6624	6624	6624	6624	6624	1000		1000		1000	

(连续観測)

付表-B.2.7(c) 酒田 波高・周期別出現頻度統計(連続観測, 2012年6月~2012年8月)

2012年6月~2012年8月(夏)

波高・周期別度数分布表(有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6603	6603		6603	
1101~1200																				0	6603	6603		6603	
1001~1100																				0	6603	6603		6603	
901~1000																				0	6603	6603		6603	
801~900																				0	6603	6603		6603	
701~800																				0	6603	6603		6603	
651~700																				0	6603	6603		6603	
601~650																				0	6603	6603		6603	
551~600																				0	6603	6603		6603	
501~550																				0	6603	6603		6603	
451~500																				0	6603	6603		6603	
401~450																				0	6603	6603		6603	
351~400																				1	6603	6603	1	6603	1
301~350																				3	6602	6602	3	6602	3
251~300																				13	6599	6599	13	6599	13
201~250																				26	6586	6586	26	6586	26
176~200																				15	6560	6560	15	6560	15
151~175																				46	6545	6545	46	6545	46
126~150																				96	6499	6499	96	6499	96
101~125																				295	6403	6403	295	6403	295
76~100																				374	6108	6108	374	6108	374
51~75																				975	5734	5734	975	5734	975
26~50																				2887	4759	4759	2887	4759	2887
~25																				1872	1872	1872	1872	1872	1872
合計(0.1%)																				6603	6603	6603	6603	6603	6603
未超過(0.1%)																				6603	6603	6603	6603	6603	6603

(連続観測)

付表-B.2.7(d) 酒田 波高・周期別出現頻度統計(连续観測, 2012年9月~2012年11月)

2012年9月~2012年11月(秋)

波高・周期別度数分布表(有義波)

観測地点: 酒田

波高	周期	~3	3~4	4~5	5~6	6~7	7~8	8~9	9~10	10~11	11~12	12~13	13~14	14~15	15~16	16~17	17~18	18~19	19~	合計	未超過	補足1		補足2	
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()
1201~																				0	6552	6552		6552	
1101~1200																				0	6552	6552		6552	
1001~1100																				0	6552	6552		6552	
901~1000																				0	6552	6552		6552	
801~900																				0	6552	6552		6552	
701~800																				0	6552	6552		6552	
651~700																				1	6552	6552	1	6552	1
601~650																				9	6551	6551	9	6551	9
551~600																				26	6542	6542	26	6542	26
501~550																				30	6516	6516	30	6516	30
451~500																				77	6486	6486	77	6486	77
401~450																				101	6409	6409	101	6409	101
351~400																				164	6308	6308	164	6308	164
301~350																				251	6144	6144	251	6144	251
251~300																				355	5893	5893	355	5893	355
201~250																				509	5538	5538	509	5538	509
176~200																				320	5029	5029	320	5029	320
151~175																				325	4709	4709	325	4709	325
126~150																				407	4384	4384	407	4384	407
101~125																				494	3977	3977	494	3977	494
76~100																				567	3483	3483	567	3483	567
51~75																				1638	2000	2000	1638	2000	1638
26~50																				362	362	362	362	362	362
~25																				6552	6552	6552	6552	6552	6552
合計(0.1%)																				6552	6552	6552	6552	6552	6552
未超過(0.1%)																				6552	6552	6552	6552	6552	6552

(连续観測)

付表-B.2.7(e) 酒田 波高・周期別出現頻度統計(連続観測, 2012年1月~2012年12月)

2012年1月~2012年12月(年)

波高・周期別度数分布表(有義波)

観測地点: 酒田

波高	周期	~ 3	3~ 4	4~ 5	5~ 6	6~ 7	7~ 8	8~ 9	9~ 10	10~ 11	11~ 12	12~ 13	13~ 14	14~ 15	15~ 16	16~ 17	17~ 18	18~ 19	19~	合計	未超過	補足1		補足2		
		()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()	()			()	()	()	()	()
1201~																				0	26331	0	26331	0	26331	
1101~1200													(1)							1	26331	(1)	26331	(1)	26331	
1001~1100													(1)	(1)						2	26330	(2)	26330	(2)	26330	
901~1000												(1)	(3)	(8)	(1)					13	26328	(13)	26328	(13)	26328	
801~ 900												(4)	(5)	(1)						10	26315	(10)	26315	(10)	26315	
701~ 800												(7)	(14)	(2)						23	26305	(23)	26305	(23)	26305	
651~ 700												(14)	(10)							24	26282	(24)	26282	(24)	26282	
601~ 650									(6)			(16)	(2)							24	26258	(24)	26258	(24)	26258	
551~ 600									(2)	(31)		(45)	(3)							81	26234	(81)	26234	(81)	26234	
501~ 550									(9)	(60)		(31)	(5)							105	26153	(105)	26153	(105)	26153	
451~ 500									(2)	(47)		(159)	(33)	(3)						244	26048	(244)	26048	(244)	26048	
401~ 450									(14)	(169)		(168)	(28)	(8)						387	25804	(387)	25804	(387)	25804	
351~ 400									(3)	(99)		(357)	(149)	(17)	(1)					626	25417	(626)	25417	(626)	25417	
301~ 350									(17)	(478)		(380)	(118)	(8)						1001	24791	(1001)	24791	(1001)	24791	
251~ 300									(2)	(245)		(1042)	(303)	(68)	(1)					1661	23790	(1661)	23790	(1661)	23790	
201~ 250									(69)	(800)		(861)	(318)	(35)						2083	22129	(2083)	22129	(2083)	22129	
176~ 200									(1)	(121)		(496)	(404)	(119)	(6)					1147	20046	(1147)	20046	(1147)	20046	
151~ 175									(12)	(221)		(466)	(365)	(73)	(11)					1148	18899	(1148)	18899	(1148)	18899	
126~ 150									(82)	(271)		(507)	(382)	(31)	(3)					1276	17751	(1276)	17751	(1276)	17751	
101~ 125									(4)	(160)		(445)	(551)	(342)	(31)	(10)				1549	16475	(1549)	16475	(1549)	16475	
76~ 100									(36)	(401)		(643)	(600)	(193)	(39)	(6)				1931	14926	(1931)	14926	(1931)	14926	
51~ 75									(23)	(353)		(758)	(1093)	(748)	(145)	(27)	(13)			3171	12995	(3171)	12995	(3171)	12995	
26~ 50									(255)	(1299)		(2292)	(2204)	(712)	(88)	(23)	(13)			6886	9824	(6886)	9824	(6886)	9824	
~ 25									(4)	(484)		(1347)	(973)	(129)	(1)					2938	2938	(2938)	2938	(2938)	2938	
合計									282	2176	5053	6042	5274	4416	1928	856	215	64	12	11	2	0	0	0	0	0
未超過									(11)	(83)	(192)	(229)	(200)	(168)	(73)	(33)	(8)	(2)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)
(0.1%)									(11)	(93)	(285)	(515)	(715)	(883)	(956)	(988)	(997)	(999)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)	(1000)

(連続観測)